

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JANUARY 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of January 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4145 children, of whom 2167 were males, and 1978 females. Of these, 3852 were legitimate, and 293 illegitimate. The illegitimate births thus constituted 7·1 per cent. of the whole, being in the proportion of one illegitimate in every 14·1 births. In Greenock, 3·0 per cent. of the births were illegitimate; in Leith, 5·5; in Paisley, 5·8; in Glasgow, 6·0; in Aberdeen, 8·6; in Dundee, 8·8; in Perth, 10·2; and in Edinburgh, 10·4 per cent.

The number of marriages recorded in these towns during January was 1715, being 63 below the average for the month during the ten previous years, allowing for the increase of population.

The Deaths of 3291 persons were registered in these eight towns during the month, of whom 1590 were males, and 1701 females. This number is 86 above the average for the month during the previous decennium, allowance being made for the increase of population.

The mortality for the month was at the annual rate of 15·1 deaths per thousand persons in Perth; 19·0 in Edinburgh; 21·4 in Paisley; 22·6 in Dundee; 22·8 in Greenock; 23·1 in Leith; 24·1 in Aberdeen; and 24·5 in Glasgow.

Of the 1639 deaths registered in Glasgow, 355 were of infants under one year of

age, and 368 of persons over 60 years; of the 527 in Edinburgh, 81 were of infants under one year, and 181 of persons over 60 years; of the 313 in Dundee, 68 were of infants under one, and 90 of persons over 60; of the 329 in Aberdeen, 62 were under one, and 106 over 60; of the 150 in Paisley, 23 were under one, and 52 over 60; of the 156 in Leith, 35 were under one, and 41 over 60; of the 134 in Greenock, 21 were under one, and 30 over 60; and of the 43 in Perth, 5 were under one year, and 15 over 60 years.

Of the whole 3291 deaths, 1095, or 33·3 per cent., were of children under five years of age. The deaths of children of this age constituted 23·3 per cent. of the total mortality in Perth; 26·0 in Edinburgh; 27·3 in Paisley; 27·6 in Greenock; 30·7 in Dundee; 33·7 in Aberdeen; 36·7 in Glasgow; and 39·7 per cent. in Leith.

From the seven principal Epidemic diseases 324 deaths were registered, being 9·8 per cent. of the total mortality. This rate was exceeded in Aberdeen, from the prevalence of Measles, and in Glasgow, from the prevalence of Hooping-cough.

Measles caused 65 deaths. In Leith, 4·5 per cent. of the mortality were due to this disease, and in Aberdeen, 12·2 per cent.

Seventeen deaths in all were attributed to Scarlet Fever, which caused 4·0 per cent. of those in Paisley.

To Hooping-cough 157 deaths were ascribed, being 4·8 per cent. of the total. In Glasgow 7·4 per cent. of the deaths were due to this disease.

From Diphtheria there resulted 29 deaths, from Fevers 24 (all Enteric), and from Diarrhoeal diseases 32.

Puerperal Septicæmia accounted for 8 deaths, and Puerperal Fever for one.

The deaths of 126 persons were attributed to Malignant tumours, of which 57 were returned as due to Carcinoma, 8 to Sarcoma, and 61 to Cancer or Malignant disease of an undefined nature.

Alcoholism caused 21 deaths; Premature Birth Debility, 111; Diseases of the Heart, 293; and Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 148.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 728, or 22·1 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 268, or 8·1 per cent. Three deaths were caused by Croup.

The deaths of 119 persons resulted from Violent Causes, of which 7 were Suicidal (3 by hanging, 2 by cut-throat, and 1 each by drowning and Coal-Gas poisoning).

Two males and eight females were aged 90 years and upwards, the oldest being a widow aged 94 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JANUARY 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	786,897	1062	1002	2064	1941	123	881	848	791	1639
EDINBURGH,	276,652	317,459	327,441	347	315	662	593	69	241	250	277	527
DUNDEE, . .	154,118	161,173	162,805	203	183	386	352	34	203	129	184	313
ABERDEEN,	124,943	153,503	160,780	210	152	362	331	31	154	139	190	329
PAISLEY, . .	66,425	79,363	82,608	111	114	225	212	13	82	63	87	150
LEITH, . . .	68,707	77,439	79,552	115	105	220	208	12	61	72	84	156
GREENOCK, .	63,423	68,142	69,252	96	71	167	162	5	49	69	65	134
PERTH, . . .	29,919	32,373	33,577	23	36	59	53	6	44	20	23	43
TOTAL, . . .	1,443,380	1,651,661	1,702,912	2167	1978	4145	3852	293	1715	1590	1701	3291

JANUARY 1902,	Mean Temp. 38°·5	2051	2031	4082	3810	272	1498	1544	1437	2981
JANUARY 1901,	Mean Temp. 38°·1	2109	2067	4176	3830	296	1593	1554	1520	3074
JANUARY 1900,	Mean Temp. 39°·0	2305	2180	4485	4183	302	1873	1674	1715	3389
JANUARY 1899,	Mean Temp. 37°·0	2142	1976	4118	3813	305	1847	1498	1536	3034
JANUARY 1898,	Mean Temp. 43°·8	2110	2011	4121	3826	295	1740	1270	1350	2620
JANUARY 1897,	Mean Temp. 35°·1	2081	1999	4080	3786	294	1783	1508	1423	2931
JANUARY 1896,	Mean Temp. 40°·5	2145	1937	4082	3762	320	1655	1269	1300	2569
JANUARY 1895,	Mean Temp. 31°·7	2099	2024	4123	3810	313	1452	1530	1641	3171
JANUARY 1894,	Mean Temp. 37°·6	2044	1996	4040	3703	337	1573	1398	1448	2846
JANUARY 1893,	Mean Temp. 37°·4	2036	1943	3984	3657	327	1562	1576	1699	3275

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JANUARY 1903.

TOWNS AND DISTRICTS	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH—contd.							
Bridgeton, . .	0	0	3	25	5	3	1	Morningside, .	0	0	0	0	1	0	0
Camlachie, . .	0	0	0	8	1	1	3	Portobello, . .	0	0	0	1	0	0	0
Dennistoun, .	0	0	0	9	2	0	2	DUNDEE—							
Calton, . . .	0	0	0	10	0	0	1	St Peter, . . .	0	0	0	2	0	0	1
Blackfriars, .	0	0	0	3	0	0	1	St Mary, . . .	0	0	0	0	2	0	2
St Rollox, . .	0	0	1	6	0	0	3	St Clement, . .	0	0	0	1	1	0	1
Blythswood, .	0	0	0	3	1	0	2	St Andrew, . .	0	0	0	4	1	0	3
Milton, . . .	0	0	0	8	0	0	0	Lochee, . . .	0	0	0	0	0	0	0
Kelvin, . . .	0	0	0	9	1	2	0	Mains, . . .	0	0	0	0	0	0	0
Anderston, .	0	3	0	0	0	0	0	ABERDEEN—							
Hutchesontown,	0	0	0	16	1	0	0	St Nicholas, .	0	20	1	1	2	0	1
Gorbals, . .	0	0	0	8	1	0	1	St Machar, . .	0	16	0	1	0	0	1
Tradeston, .	0	0	1	5	0	0	0	Woodside, . .	0	0	0	0	0	0	0
Kinning Park,	0	0	1	0	0	0	0	Old Aberdeen,	0	3	0	3	0	0	0
Cathcart, . .	0	0	0	2	0	0	0	E. Peterculter,	0	0	0	0	0	0	0
Eastwood, . .	0	0	0	1	0	0	0	Nigg, . . .	0	1	0	0	0	0	0
Maryhill, . .	0	1	1	9	5	6	1	PAISLEY, . . .	0	0	6	0	0	1	1
Shettleston, .	0	0	0	0	0	0	0	LEITH—							
Plantation, .	0	0	0	0	0	0	0	North, . . .	0	2	0	2	0	0	1
Govan, . . .	0	0	0	0	0	0	0	South, . . .	0	5	0	3	0	0	0
Partick, . .	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen, .	0	0	0	0	0	0	0	East, . . .	0	0	0	2	0	0	1
EDINBURGH—								West, . . .	0	0	2	0	0	3	2
St George, . .	0	1	0	3	1	0	1	PERTH, . . .	0	0	0	1	0	0	1
St Andrew, . .	0	0	0	1	0	0	0								
Canongate, . .	0	0	0	2	0	1	1								
St Giles, . .	0	11	1	7	4	2	0								
Newington, . .	0	2	0	1	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes)	3291	601	99	571	368	1639	137	36	173	181	527	96	23	104	90	313	111	14	98	106	329
A. GENERAL DISEASES -	1175	275	57	203	43	578	66	19	70	33	188	47	12	39	10	108	63	7	38	20	130
B. LOCAL DISEASES:—																					
1. DIS. OF NERVOUS SYSTEM	198	65	8	13	9	95	18	1	8	9	36	8	1	3	5	17	9	1	4	3	17
2. " ORGANS OF SPECIAL SENSE -	9	2	-	3	-	5	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-
3. " HEART -	293	5	9	60	50	124	2	2	27	28	59	-	1	22	17	40	-	-	14	13	27
4. " BLOOD VESSELS	165	1	-	27	44	72	-	-	10	26	36	-	-	3	15	18	-	-	3	11	1
5. " RESPIRATORY SYSTEM	728	150	11	118	103	382	33	3	30	32	98	19	3	22	26	70	18	4	17	31	7
6. " DIGESTIVE SYSTEM -	199	35	1	42	19	97	6	3	10	10	29	8	1	6	2	17	10	-	6	11	2
7. " LYMPHATIC AND DUCTLESS GLANDS	8	-	-	4	-	4	-	2	-	-	2	-	-	-	-	-	-	-	1	-	-
8. " URINARY SYSTEM	92	2	4	30	18	54	-	3	8	5	16	-	-	2	1	3	1	-	5	2	-
9. " GENERATIVE SYSTEM	11	-	-	5	1	6	1	-	1	2	4	-	-	-	-	-	-	-	-	-	-
10. " PREGNANCY AND CHILDBIRTH	15	-	-	7	-	7	-	1	1	-	2	-	-	-	-	-	-	-	3	-	-
11. " LOCOMOTOR SYSTEM	15	4	1	1	2	8	1	1	-	-	2	-	-	1	-	1	-	1	1	-	-
12. " THE SKIN	5	1	-	1	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	259	53	-	20	69	142	7	-	2	33	42	8	-	-	11	19	9	-	1	15	2
E. VIOLENT DEATHS -	119	8	8	37	9	62	2	-	6	3	11	6	4	5	3	18	1	1	5	-	-
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	65	3	1	-	-	4	14	-	-	-	14	-	-	-	-	-	40	-	-	-	4
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	17	4	3	-	-	7	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	48	-	-	6	12	18	-	1	4	8	13	1	-	1	1	3	-	-	-	11	1
Hooping-cough -	157	117	5	-	-	122	15	-	-	-	15	7	-	-	-	7	5	-	-	-	-
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	29	15	2	-	-	17	2	4	-	-	6	3	-	1	-	4	1	1	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	24	1	4	12	-	17	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
Asiatic Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea	30	8	-	4	3	15	1	-	1	2	6	-	1	-	7	-	-	-	1	-	-
Dysentery -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

5

Registered during the month of JANUARY 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	41	12	45	52	150	62	9	44	41	156	37	8	59	30	134	10	1	17	15	43
GENERAL DISEASES -	21	8	17	6	52	28	3	14	10	55	14	6	22	4	46	7	1	10	2	20
LOCAL DISEASES:-																				
DISEASES OF NERVOUS SYSTEM	5	-	2	2	9	9	2	1	-	12	5	-	2	-	7	1	-	1	3	5
" ORGANS OF SPECIAL SENSE	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
" HEART	-	2	5	10	17	-	-	6	10	16	-	1	4	4	9	-	-	-	1	1
" BLOOD VESSELS	-	-	3	7	10	-	-	2	2	4	-	-	5	4	9	-	-	1	1	2
" RESPIRATORY SYSTEM	9	2	11	13	35	18	1	12	9	40	9	-	12	7	28	1	-	1	3	5
" DIGESTIVE SYSTEM	3	-	1	4	8	4	2	7	2	15	3	-	1	2	6	-	-	1	3	-
" LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
" URINARY SYSTEM	1	-	2	1	4	-	-	-	1	1	-	1	2	2	5	-	-	1	-	1
" GENERATIVE SYSTEM	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" PREGNANCY AND CHILDBIRTH	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-
" LOCOMOTOR SYSTEM	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
" THE SKIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
OTHER SPECIFIED DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED DISEASES	-	-	1	6	7	3	-	-	7	10	5	-	1	4	10	1	-	-	3	4
VIOLENT DEATHS	2	-	2	2	6	-	-	2	-	2	1	-	6	3	10	-	-	3	-	3
A. GENERAL DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough and other effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	7	-	-	-	7	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Dysentery	-	2	4	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	1	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erethro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	-	1	-	1	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-
Bacteraemic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Yersinia	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1903.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute	8	-	2	3	-	5	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
Rheumatism -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Rheumatism of Heart -	5	-	-	-	2	2	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	4	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	1	2
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	57	-	-	18	6	24	-	-	4	10	14	-	-	2	2	4	-	-	5	2	7
Sarcoma -	8	-	-	4	-	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	61	-	-	16	14	30	-	-	2	7	9	-	-	1	3	4	-	-	3	3	6
Rickets -	6	1	-	-	-	1	1	-	-	-	1	3	-	-	-	3	1	-	-	-	1
Purpura -	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	11	1	-	5	-	6	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1
Diabetes Mellitus -	15	-	-	5	2	7	-	1	2	-	3	-	-	1	-	1	-	-	-	-	-
Premature Birth -	111	61	-	-	-	61	9	-	-	-	9	14	-	-	-	14	9	-	-	-	9
Congenital Defects -	17	7	1	-	-	8	3	-	-	-	3	2	-	-	-	2	1	-	-	-	1
Injury at Birth -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-
Atelectasis -	6	4	-	-	-	4	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Want of Breast Milk -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Teething -	18	10	-	-	-	10	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
-B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	61	25	6	-	1	32	9	-	1	2	12	1	1	-	-	2	1	1	-	1	3
Softening of Brain -	10	-	-	3	3	6	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1
General Paralysis of Insane -	7	-	-	-	-	-	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1
Insanity (not Puerperal) -	7	-	-	-	-	-	-	-	1	1	2	-	-	1	1	2	-	-	1	-	1
Chorea -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Epilepsy -	8	-	2	-	-	2	-	-	1	-	1	-	-	-	3	3	-	-	-	-	-
Convulsions -	64	35	-	-	-	35	8	1	-	-	9	4	-	-	-	4	7	-	-	-	7
Laryngismus Stridulus -	4	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Locomotor Ataxy -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Paraplegia, and Dis. of Cord -	10	-	-	3	2	5	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-
Neuritis; Peripheral, Polyneuritis -	4	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Brain Tumour (not Specific) -	5	-	-	3	-	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Other Dis. of Nervous System	14	3	-	2	3	8	-	-	-	2	2	1	-	-	-	1	1	-	-	1	2
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	8	1	-	3	-	4	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-
Epistaxis, Disease of Nose -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	80	-	7	18	8	33	1	2	15	7	25	-	-	3	2	5	-	-	4	4	8
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	3	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	4	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart -	10	-	-	-	1	1	-	-	1	2	3	-	-	4	-	4	-	-	-	1	1
Fatty Degeneration of Heart -	7	-	-	2	-	2	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-
Syncope, Heart Disease (not specified) -	189	5	1	38	39	83	1	-	9	18	28	-	1	14	14	29	-	-	10	8	18

DEATHS FROM ALL CAUSES at Four Periods of Life.

9

Registered during the Month of JANUARY 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	1	1	2	-	-	2	2	4	-	-	1	1	2	-	-	-	-	-
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	2	2	4	-	-	1	4	5	-	-	2	-	2	-	-	-	1	1
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	1	-	-	1
Premature Birth	5	-	-	-	5	9	-	-	-	9	3	-	-	-	3	1	-	-	-	1
Congenital Defects	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	3	-	-	-	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	5	-	-	-	5	4	2	-	-	6	1	-	-	1	-	-	-	-	1	1
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1
Convulsions	-	-	-	-	-	5	-	-	-	5	3	-	1	4	-	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	1	1	1	3	-	-	1	2	3	-	-	2	1	3	-	-	-	-	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Syncope Heart Disease (not specified)	-	1	4	8	13	-	-	4	7	11	-	1	2	3	6	-	-	-	1	1

11

11

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism,																				
Thrombosis	-	-	1	1	2	-	-	1	-	1	-	-	2	1	3	-	-	-	-	-
Apoplexy, Hemiplegia	-	-	2	5	7	-	-	1	2	3	-	-	3	3	6	-	-	1	1	2
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diptheritic)	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea																				
Bronchitis	6	1	5	10	22	5	-	4	6	15	4	-	3	5	12	1	-	-	3	4
Pneumonia {																				
	Lobar, Croupous	-	-	-	-	-	-	3	-	3	-	-	2	-	2	-	-	-	-	-
	Catarrhal, Lobular, Broncho-	2	-	-	-	2	9	-	-	9	1	-	1	2	-	-	-	-	-	-
Not otherwise defined	-	-	5	1	6	4	-	5	3	12	4	-	5	1	10	-	-	-	-	-
Emphysema, Asthma	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Pleurisy	-	1	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Œso-																				
phagus (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	-	-	-	-	-	-	1	1	-	1	1	-	1	-	2	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis	1	-	-	-	1	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-
Appendicitis, Perityphlitis	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	-	-	-	-	-	-	2	1	-	3	-	-	1	-	1	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	1	-	2	-	3	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	-	1	1	-	-	-	-	-	-	-	2	1	3	-	-	1	-	1
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Generative and Mammary Organs -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Locom. System -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility -	-	-	-	-	-	2	-	-	-	2	4	-	-	4	1	-	-	-	-	1
Old Age -	-	-	-	6	6	-	-	-	6	6	-	-	-	4	4	-	-	-	3	3
Dropsy, Ascites, Anasarca -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained) -	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	-	-	-	-
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Causes not specified -	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E. VIOLENT DEATHS.																				
In Mines and Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds -	-	2	-	1	3	-	-	1	-	1	1	-	-	2	3	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Suffocation { From Overlying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	-	-	1	1	2	-	-	1	-	1	-	-	3	-	3	-	-	2	-	2
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JANUARY 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,477	43	24	36	0	0	0	0	1	0	0	1	0	7	5
Ayr,	31,299	78	31	69	0	0	0	3	1	0	0	0	0	19	6
Banff, with Macduff,	8,283	17	2	15	0	1	0	1	0	0	0	0	0	3	1
Blairgowrie,	4,252	12	8	18	0	0	0	0	0	0	0	0	0	7	0
Callander,	2,147	4	2	6	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,231	27	4	11	0	0	0	0	0	0	0	0	0	3	1
Cathcart,*	8,221	16	5	15	0	0	1	3	0	0	0	0	0	2	2
Coatbridge,	41,763	142	38	68	0	2	0	0	0	0	1	0	16	6	
Grief,	5,774	10	2	12	0	0	0	0	0	0	0	0	0	4	2
Dumbarton,	20,731	53	17	45	0	0	0	2	0	0	2	0	16	0	
Dumfries, with Troqueer,	24,971	49	18	55	0	0	0	0	0	0	0	0	14	7	
Dunfermline,	32,421	67	46	45	0	0	1	0	0	0	0	0	10	4	
Dunoon,	9,340	10	2	18	0	0	0	3	0	0	0	0	6	1	
Eastwood,*	15,756	41	10	29	0	0	0	4	0	1	0	0	9	3	
Elgin,	11,819	23	11	31	0	0	0	3	0	0	0	0	7	3	
Falkirk,	39,528	124	53	54	0	1	0	0	1	0	1	0	8	7	
Forfar,	12,708	27	17	24	0	0	0	0	0	0	0	0	5	0	
Galashiels,	13,230	24	5	34	0	3	0	2	0	0	0	0	3	5	
Govan—(1) Plantation,*	28,401	83	8	50	0	0	0	1	0	0	2	0	17	7	
(2) Govan,*	60,799	185	46	170	0	1	2	17	3	2	0	2	49	13	
(3) Partick,*	59,360	184	42	85	0	2	0	7	0	0	2	0	20	8	
Haddington,	5,106	6	3	11	0	0	1	0	0	0	0	0	2	1	
Hawick, with Wilton,	18,069	27	12	26	0	1	0	0	1	0	0	0	1	3	
Inverness	27,734	44	23	43	0	0	0	0	0	0	1	0	8	4	
Kilmarnock, with Riccarton,	38,598	106	47	92	0	0	0	1	2	0	4	1	15	10	
Kilmore and Kilbride (Oban),	6,437	6	11	12	0	0	0	0	0	1	0	0	5	1	
Kinning Park,*	13,891	50	17	26	0	0	0	3	0	0	0	0	10	3	
Kirkcaldy and Abbotshall,	24,307	41	34	34	0	0	0	0	0	0	1	0	7	4	
Kirkcudbright,	3,272	6	1	4	0	0	0	0	0	0	0	0	3	0	
Largs, with Skelmorlie,	5,542	9	4	9	0	0	0	0	0	0	0	0	3	1	
Logie (Bridge of Allan),	4,473	7	1	7	0	0	0	0	0	0	0	0	0	1	
Moffat	2,760	3	2	2	0	0	0	0	0	0	0	0	1	0	
Montrose,	13,903	25	16	39	0	0	0	1	0	1	0	1	8	6	
Moulin (Pitlochry),	2,237	5	1	4	0	0	0	0	0	0	0	0	1	0	
Nairn,	5,846	9	5	11	0	0	0	0	0	0	1	0	3	0	
New Monkland (Airdrie),	37,507	116	54	69	0	1	1	1	0	0	1	1	23	5	
North Berwick,	3,802	6	3	9	0	0	0	0	0	0	0	1	1	0	
Peterhead, with Boddam,	14,996	44	16	22	0	0	0	0	1	0	0	0	4	1	
Rothsay,	9,439	18	5	12	0	1	0	0	0	0	1	0	2	0	
St Andrews and St Leonards,	9,564	16	3	7	0	0	0	0	0	0	0	0	0	0	
Shettleston,*	25,019	69	24	36	0	0	0	5	0	1	0	1	6	4	
Stirling,	16,674	29	25	37	0	0	0	0	0	0	0	2	6	3	
Stranraer,	6,001	16	6	16	0	0	0	0	0	0	0	0	3	2	
Wick,	11,166	35	4	31	0	0	0	0	0	0	1	0	9	1	

* Excluding portion within Municipal Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 153 feet above the sea-level.

For the month of JANUARY 1903.

Mean barometric pressure, 29·767 inches; less than the average for the same month of 1856-1900 by 0·055 inch.

Barometric monthly range, 1·784 inch; greater by 0·140 inch.

Mean temperature, $37^{\circ}3$; less by $0^{\circ}9$.

Mean daily range of temperature, $8^{\circ}0$; less by $1^{\circ}0$.

Mean humidity, 85; less by 2·0.

Rain, number of days, 20; greater by 3 days.

Rain, depth in inches, 6·13; greater by 2·49 inches.

Wind, pressure on square foot, 2·48 lbs.; greater by 0·49 lb.

Wind, direction of, E. to W. as 7 to 10, and N. to S. as 3 to 9; the average being E. to W. as 5 to 13, and N. to S. as 4 to 7.

Hence the weather of January 1903 was characterised by a mean barometric pressure a little below the average, with a slightly high monthly range; a mean temperature about a degree below the average, with a mean daily range also below the average; a rather low mean humidity; a mean rainfall greatly above the average, and falling on 3 days more than the average number; a 3 days' excess of Easterly winds.

The mean barometric pressure was 29·767 inches, or 0·055 inch below the average. Pressure was very low from the 1st to the 10th, high from the 11th to the 21st, and low thereafter. The extremes at Leith were, at sea-level, 30·635 inches on the 13th, and 28·732 inches on the 7th.

The mean temperature was $37^{\circ}3$, or $0^{\circ}9$ below the average, the days being $1^{\circ}4$ and the nights $0^{\circ}4$ below their respective averages. At Aberdeen temperature was slightly above the average, and at Edinburgh and Leith only $0^{\circ}2$ below. At Dundee the defect was $0^{\circ}4$, and at the other towns it exceeded $1^{\circ}0$. On the evening of the 10th a very severe frost set in, reaching its greatest intensity on the 14th, and continuing until the 17th. Thereafter the weather became very mild and remained so until the end of the month. At Leith the mean temperature for the week ending the 17th was $31^{\circ}0$, whilst for that ending the 31st it was $46^{\circ}7$. The absolutely highest temperature was $54^{\circ}7$ on the 26th at Leith, and the lowest $11^{\circ}0$ on the 14th and 15th at Perth.

The mean rainfall was 6·13 inches, or 68 per cent. above the average. At Edinburgh, Glasgow, and Paisley twice the normal amount of rain was registered, and the percentage excess at the other towns was 92 at Leith, 88 at Aberdeen, 66 at Dundee, 47 at Perth, and 44 at Greenock. At all the principal towns except Greenock the rainfall for the month exceeded the aggregate for the first three months of 1902. Heavy daily amounts, usually exceeding an inch, were reported on the 9th. From the 11th to the 19th practically no rain fell.

On the 9th a severe snowstorm was general over the country, and blocks occurred on the Highland railways.

During the last ten days of the month strong westerly winds, occasionally reaching gale force, prevailed; very heavy rains occurred in the Highland counties, and the rivers Spey, Ness, and Tay were by the 28th in high flood.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JANUARY 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables, 2nd Edit.					RAIN.		WINDS.									
		Mean at Sea-level and 32°.		Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
		Inch.	Inch.	Inch.	°	°	°	°	°	°	°	°	°	Inch.	grs.	grs.	dys.	inch.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	
GLASGOW, Medical Officer of Health, Glasgow.	54	29.718	29.779	1.853	53.5	15.0	37.3	33.5	9.5	17.5	37.6	36.0	33.8	.194	2.24	86	21	7.36	3	1	12	1	0	0	7	2	5	1.23	
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29.288	29.776	1.818	53.5	21.6	37.5	31.9	8.1	16.5	37.1	35.6	33.5	.192	2.21	87	22	3.96	1	1	5	4	8	9	4	1	0	4.00	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.577	29.760	1.800	51.0	16.9	36.5	34.1	7.3	15.6	36.9	35.5	33.6	.193	2.26	89	19	3.89	1	5	1	4	0	9	7	4	0	2.25	
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29.637	29.737	1.705	53.0	17.0	37.7	36.0	8.9	16.4	37.4	35.8	33.6	.192	2.22	86	16	4.51	1	1	1	1	3	13	4	2	0	2.72	
PAISLEY, DONALD, MACLEAN, The Coals Observatory.	107	29.655	29.775	1.771	52.9	16.4	37.5	36.5	7.4	16.1	37.2	35.4	32.9	.187	2.16	84	25	9.59	3	3	3	1	9	2	4	1	5	1.51	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDDPATH.	76	29.634	29.769	1.903	54.7	22.1	38.6	32.6	6.6	17.8	38.5	36.4	33.6	.193	2.23	82	18	3.83	1	1	3	6	2	6	9	1	2	2.86	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	238	29.527	29.772	1.612	51.5	20.0	37.3	31.5	8.5	12.6	37.8	36.0	33.6	.192	2.24	85	22	11.34	0	0	4	9	0	11	7	0	0	3.61	
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.646	29.765	1.806	53.5	11.0	36.0	42.5	9.2	26.5	35.8	34.2	31.8	.181	2.04	86	18	4.54	1	2	4	4	3	3	8	2	4	1.69	
Means	153	29.598	29.767	1.784	54.7	11.0	37.3	35.4	8.0	17.6	37.3	35.6	33.3	.191	2.20	85	20	6.13	1	2	4	4	4	6	6	2	2	2.43	
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'; Mean, 3° 30'.																													

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 38'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

FEBRUARY 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of February 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 3710 children, of whom 1881 were males, and 1829 females. The illegitimate births numbered 261, and thus constituted 7·0 per cent. of the whole, or one in every 14·2 births. In Paisley, 4·9 per cent. of the births were illegitimate; in Perth, 5·5; in Aberdeen, 6·2; in Glasgow and in Leith, 6·4; in Greenock, 7·8; in Dundee, 7·9; and in Edinburgh, 9·9 per cent.

During February 776 marriages were recorded in these towns, being 15 above the average for the month during the last ten years, after allowance is made for the increase of population.

The Deaths of 2478 persons were registered in these eight towns during February, of whom 1270 were males, and 1208 females. Allowing for the increase of population this number is 721 below the average for the month during the ten previous years.

The mortality in Perth was at the annual rate of 14·8 deaths per thousand persons; in Edinburgh, at the rate of 15·9; in Paisley, 16·9; in Leith, 17·5; in Greenock, 18·3; in Dundee, 19·2; in Glasgow, 20·1; and in Aberdeen, 22·2.

Of the 1216 deaths registered in Glasgow, 261 were of infants under one year of age, and 244 of persons over 60 years; of the 400 in Edinburgh, 69 were of

infants under one year, and 124 of persons over 60 years ; of the 239 in Dundee, 62 were of infants under one, and 67 of persons over 60 ; of the 274 in Aberdeen, 69 were under one, and 75 over 60 ; of the 107 in Paisley, 24 were under one, and 35 over 60 ; of the 107 in Leith, 21 were under one, and 24 over 60 ; of the 97 in Greenock, 21 were under one, and 20 over 60 ; and of the 38 in Perth, 3 were under 12 months, and 17 over 60 years.

Of the whole 2478 deaths, 853, or 34·4 per cent., were of children under five years of age. The deaths of children of this age constituted 18·4 per cent. of the total mortality in Perth ; 27·0 per cent. of that in Edinburgh ; 30·9 in Greenock ; 31·8 in Dundee ; 33·6 in Paisley ; 34·6 in Leith ; 36·4 in Glasgow ; and 42·3 in Aberdeen.

From the seven principal Epidemic diseases 260 deaths were registered, being 10·5 per cent. of the whole mortality. This rate was exceeded in Glasgow, from the prevalence of Hooping-cough ; in Leith, from the combined mortality from Measles and Hooping-cough ; and in Aberdeen, from the prevalence of Measles.

One death from Small-pox was recorded in Glasgow.

Measles caused 52 deaths, and accounted for 6·5 and 12·4 per cent. of the mortality in Leith and Aberdeen respectively.

To Scarlet Fever, 23 deaths were attributed.

From Hooping-cough there resulted 106 deaths, being 4·3 per cent. of the total mortality. In Leith 5·6 per cent. of the deaths were due to this disease, and in Glasgow 6·7 per cent.

Diphtheria caused 21 deaths ; Diarrhœa, 30 ; and Fevers 28, of which 2 (in Glasgow) were due to Typhus, 25 to Enteric, and one to Simple Continued Fever.

Two deaths were attributed to Puerperal Septicæmia, and 10 to Puerperal Fever.

The deaths of 119 persons resulted from Malignant tumours, of which 45 were returned as due to Carcinoma, 8 to Sarcoma, and 66 to Cancer or Malignant Disease of an undefined nature.

Alcoholism caused 11 deaths ; Premature Birth Debility, 77 ; Diseases of the Heart, 197 ; and Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 135.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 458, being 18·5 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 225, or 9·1 per cent. Croup accounted for 3 deaths.

The deaths of 101 persons were due to Violent Causes, of which 3 were Suicidal (2 by cut-throat, and 1 by hanging).

Three males and ten females were aged 90 years and upwards, the oldest being a widow aged 100 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, FEBRUARY 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legit. male.	Illegit. male.		Males.	Females.	Total.
GLASGOW,	659,103	761,709	788,897	938	905	1343	1725	118	393	635	531	1216
EDINBURGH,	276,652	317,459	327,441	274	302	576	519	57	157	198	202	400
DUNDEE,	154,118	161,173	162,805	179	187	366	337	29	62	105	134	239
ABERDEEN,	124,943	153,503	160,780	210	179	389	365	24	72	145	129	274
PAISLEY,	66,425	79,363	82,608	102	81	183	174	6	29	47	60	107
LEITH,	68,707	77,439	79,552	77	80	157	147	10	23	64	43	107
GREENOCK,	63,423	68,142	69,252	74	67	141	130	11	27	58	39	97
PERTH,	29,919	32,373	33,577	27	23	55	52	3	13	18	20	33
TOTAL,	1,443,380	1,651,661	1,702,912	1831	1829	3710	3449	261	776	1270	1208	2478

FEBRUARY 1902,	Mean Temp. 34°·5	1892	1749	3641	3419	222	752	1534	1547	3081
FEBRUARY 1901,	Mean Temp. 36°·8	1935	1822	3757	3494	263	748	1410	1501	2911
FEBRUARY 1900,	Mean Temp. 33°·5	2016	1882	3898	3655	243	803	1755	1885	3640
FEBRUARY 1899,	Mean Temp. 33°·8	1829	1792	3621	3407	214	752	1638	1739	3377
FEBRUARY 1898,	Mean Temp. 39°·6	1819	1744	3563	3328	235	753	1245	1192	2437
FEBRUARY 1897,	Mean Temp. 40°·4	1948	1762	3710	3447	263	678	1538	1637	3165
FEBRUARY 1896,	Mean Temp. 42°·2	1858	1743	3601	3334	267	709	1172	1127	2299
FEBRUARY 1895,	Mean Temp. 29°·7	1815	1747	3562	3339	223	616	1880	2201	4081
FEBRUARY 1894,	Mean Temp. 39°·8	1772	1629	3401	3152	249	632	1144	1166	2310
FEBRUARY 1893,	Mean Temp. 39°·3	1797	1680	3477	3225	252	651	1287	1250	2537

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of FEBRUARY 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH—contd.							
Bridgeton, . .	1	0	5	12	1	13	2	Morningside, .	0	1	0	0	0	0	1
Camlachie, . .	0	0	0	7	0	0	1	Portobello, . .	0	0	0	0	0	0	0
Dennistoun, . .	0	0	1	6	0	3	2	DUNDEE—							
Calton, . . .	0	0	0	9	0	0	1	St Peter, . . .	0	0	0	0	0	0	3
Blackfriars, . .	0	0	0	1	0	1	2	St Mary, . . .	0	0	0	0	1	0	1
St Rollox, . . .	0	0	0	4	1	0	1	St Clement, . .	0	0	0	3	0	0	1
Blythswood, . .	0	3	0	0	0	0	0	St Andrew, . . .	0	0	1	3	0	0	4
Milton,	0	0	0	8	0	0	1	Lochee,	0	0	0	0	0	0	0
Kelvin,	0	0	0	7	0	2	0	Mains,	0	0	0	0	0	0	0
Anderston, . . .	0	0	0	2	0	0	0	ABERDEEN—							
Hutchesontown, .	0	1	0	7	0	0	2	St Nicholas, . .	0	18	2	0	4	0	1
Gorbals,	0	0	0	4	0	0	0	St Machar, . . .	0	6	0	0	0	1	0
Tradeston, . . .	0	0	0	3	1	0	0	Woodside, . . .	0	2	0	0	0	0	0
Kinning Park, . .	0	0	0	0	0	0	0	Old Aberdeen, .	0	0	0	0	0	0	0
Cathcart,	0	0	0	1	0	0	0	E. Peterculter, .	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	1	0	0	Nigg,	0	10	0	2	0	0	0
Maryhill,	0	0	4	10	6	6	0	PAISLEY,	0	0	6	2	0	1	1
Shettleston, . .	0	0	0	0	0	0	0	LEITH—							
Plantation, . . .	0	0	0	0	0	0	0	North,	0	5	0	3	0	0	0
Govan,	0	0	0	0	0	0	0	South,	0	2	0	3	1	0	1
Partick,	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen, . . .	0	0	0	0	0	0	0	East,	0	0	0	1	0	0	1
EDINBURGH—								West,	0	0	1	1	1	1	1
St George, . . .	0	2	0	3	0	0	1	PERTH,	0	0	0	0	0	0	0
St Andrew, . . .	0	0	1	1	1	0	0								
Canongate, . . .	0	0	0	1	0	0	1								
St Giles,	0	3	2	1	3	0	1								
Newington, . . .	0	1	0	0	0	0	0								

Registered during the Month of FEBRUARY 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2478	443	97	432	244	1216	108	24	144	124	400	76	16	80	67	239	116	21	62	75	274
A. GENERAL DISEASES -	981	212	63	170	35	480	51	17	62	25	155	33	9	35	8	85	62	14	32	11	119
B. LOCAL DISEASES :—																					
1. DIS. OF NERVOUS SYSTEM	138	48	5	11	4	68	12	1	6	1	20	8	-	4	2	14	13	2	1	4	20
2. " ORGANS OF SPECIAL SENSE - - -	8	-	-	-	-	-	1	-	-	-	2	-	-	2	-	2	1	-	1	-	2
3. " HEART - - -	197	1	6	44	36	87	3	-	16	16	35	-	3	14	13	30	1	1	7	12	21
4. " BLOOD VESSELS - - -	150	-	-	20	43	63	-	1	12	18	31	-	-	5	11	16	-	-	5	11	16
5. " RESPIRATORY SYSTEM	458	104	12	72	55	243	20	2	16	28	66	18	-	12	12	42	20	1	2	20	43
6. " DIGESTIVE SYSTEM -	148	24	5	32	14	75	11	-	12	7	30	7	3	4	1	15	5	2	6	2	15
7. " LYMPHATIC AND DUCTLESS GLANDS	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
8. " URINARY SYSTEM -	72	3	-	22	9	34	-	-	8	5	13	1	1	1	1	4	2	1	3	2	8
9. " GENERATIVE SYSTEM	8	-	-	4	1	5	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
10. " PREGNANCY AND CHILD BIRTH	11	-	-	7	-	7	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
11. " LOCOMOTOR SYSTEM	8	1	2	1	-	4	-	-	1	-	1	-	-	-	-	-	-	-	1	2	3
12. " THE SKIN - - -	4	1	-	-	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	192	43	1	17	39	100	6	-	-	21	27	5	-	-	17	22	8	-	-	9	17
E. VIOLENT DEATHS -	101	6	3	32	6	47	3	2	8	2	15	4	-	3	2	9	3	-	2	2	7
A. GENERAL DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	52	3	1	-	-	4	7	-	-	-	7	-	-	-	-	-	32	1	1	-	34
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	23	8	2	-	-	10	1	-	2	-	3	1	-	-	-	1	2	-	-	-	2
Typhus - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	39	-	4	8	4	16	-	-	-	3	3	-	-	-	1	1	2	-	2	2	5
Hooping-cough - - -	106	79	2	-	-	31	7	-	-	-	7	6	-	-	-	6	2	-	-	-	2
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup - - -	21	7	3	-	-	10	2	2	-	-	4	1	-	-	-	1	3	1	-	-	4
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	25	-	11	10	1	22	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea - - -	30	8	-	4	-	12	3	1	-	-	4	5	-	3	1	9	1	-	-	-	1
Dysentery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of FEBRUARY 1903.

21

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	36	2	34	35	107	37	10	36	24	107	30	9	38	20	97	7	2	12	17	38
A. GENERAL DISEASES -	19	2	17	7	45	25	7	12	4	48	15	8	9	4	36	2	2	4	5	13
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	5	-	3	1	9	-	-	2	-	2	1	-	1	-	2	1	-	1	1	3
2. " ORGANS OF SPECIAL SENSE -	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3. " HEART -	-	-	5	4	9	-	-	6	2	8	-	-	2	3	5	-	-	2	2	2
4. " BLOOD VESSELS -	-	-	1	5	6	-	-	2	2	4	-	-	5	5	10	-	-	2	2	4
5. " RESPIRATORY SYSTEM -	9	-	7	8	24	7	1	4	8	20	6	-	9	1	16	2	-	-	2	4
6. " DIGESTIVE SYSTEM -	1	-	-	-	1	1	-	1	3	5	4	-	2	1	7	-	-	-	-	-
7. " LYMPHATIC AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. " URINARY SYSTEM -	-	-	-	1	1	-	1	4	1	6	-	-	1	2	3	-	-	2	1	3
9. " GENERATIVE SYSTEM -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
10. " PREGNANCY AND CHILDBIRTH -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
11. " LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12. " THE SKIN -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -	2	-	-	8	10	1	-	1	4	6	1	-	-	3	4	-	-	-	6	6
E. VIOLENT DEATHS -	-	-	-	1	1	2	1	2	-	5	3	1	9	1	14	2	-	1	-	3
A. GENERAL DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	6	1	-	-	7	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	-	4	2	-	6	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	1	-	1	5	7	-	1	3	4	-	-	1	-	1	-	-	1	-	1

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	-	3	7	-	10	-	1	-	-	1	-	1	-	-	1
Phthisis (not otherwise defined)	-	-	9	-	9	-	-	-	-	-	-	1	4	-	5	-	-	-	-	1
Tuberculous Meningitis	-	3	1	-	4	2	-	-	-	2	1	1	-	-	2	-	-	-	-	-
Tuberculous Peritonitis	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	1
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
General Tuberculosis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute		6	1	-	-	1	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-
Rheumatism - - -		1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatism of Heart - -		7	-	1	1	1	3	-	1	-	1	-	-	1	1	-	-	-	-	-	
Chronic Rheumatism - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Arthritis, Rheumatic Gout - - -		2	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	
Gout - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Carcinoma - - -		45	-	-	12	8	20	-	1	4	5	10	-	-	2	2	4	-	4	3	7
Sarcoma - - -		8	1	1	1	2	5	-	-	1	1	2	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease (not otherwise defined)		66	-	-	20	10	30	-	1	10	7	18	-	-	2	2	4	-	1	3	4
Rickets - - -		5	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	1
Purpura - - -		1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmophilia, Hæmorrhagic Diathesis - - -		1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Anæmia, Leucocythæmia -		13	-	-	2	1	3	-	-	3	1	4	-	-	1	-	1	-	1	-	1
Diabetes Mellitus - - -		7	-	1	2	-	3	-	-	1	1	-	-	1	-	1	-	1	1	-	2
Premature Birth - - -		77	33	-	-	-	33	13	-	-	-	13	9	-	-	-	9	8	-	-	8
Congenital Defects - - -		17	6	-	-	-	6	3	-	-	-	3	1	-	-	-	1	2	-	-	2
Injury at Birth - - -		5	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atelectasis - - -		4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Want of Breast Milk - -		4	2	-	-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	-	1
Teething - - -		13	10	-	-	-	10	2	-	-	2	-	-	-	-	-	1	-	-	-	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - -		46	18	4	3	1	26	5	-	-	5	5	-	2	-	7	-	2	-	1	3
Softening of Brain - - -		6	-	-	-	2	2	-	-	1	1	-	-	-	-	7	-	-	-	1	1
General Paralysis of Insane -		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Insanity (not Puerperal) - -		4	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	1
Chorea - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - -		5	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Convulsions - - -		45	23	1	-	-	24	7	-	-	1	7	3	-	-	3	11	-	-	-	11
Laryngismus Stridulus - -		6	3	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Locomotor Ataxy - - -		4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1
Paraplegia, and Dis. of Cord		9	2	-	3	-	5	-	-	2	-	2	-	-	-	-	1	-	-	-	1
Neuritis; Peripheral, Poly-		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis - - -		5	-	-	3	-	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -		6	1	-	1	1	3	-	-	-	-	-	-	-	1	1	2	-	-	-	-
Other Dis. of Nervous System		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease - -		6	-	-	-	-	-	1	1	-	-	2	-	-	2	-	2	1	-	-	1
Epistaxis, Disease of Nose -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -		61	-	4	16	10	30	1	-	7	3	11	-	3	3	3	9	-	-	3	6
Pericarditis - - -		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - -		1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Angina Pectoris - - -		5	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	2	2
Dilatation of Heart - - -		2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Fatty Degeneration of Heart		7	-	-	-	4	4	-	-	-	2	-	-	-	-	-	-	-	-	1	1
Syncope, Heart Disease (not specified) - - -		119	1	2	26	22	51	2	-	8	10	20	-	-	10	10	20	1	1	4	6

DEATHS FROM ALL CAUSES at Four Periods of Life.

25

Registered during the Month of FEBRUARY 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Chronic Rheumatism	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1
Sarcoma	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	3	-	3	-	-	2	-	2	-	-	1	3	4	-	-	-	1	1
Rickets	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	1	2
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	4	-	-	-	4	6	-	-	-	6	4	-	-	-	4	-	-	-	-	-
Congenital Defects	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Injury at Birth	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Atelectasis	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Softening of Brain	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pericarditis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope Heart Disease (not specified)	-	-	3	4	7	-	-	3	1	4	-	-	2	1	3	-	-	2	-	2

27

Registered during the Month of FEBRUARY 1903.

[illegible]

29

CAUSES OF DEATH.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Generative and Mammary Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Locom. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility -	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Old Age -	-	-	-	8	8	-	-	-	4	4	-	-	-	2	2	-	-	-	6	6
Dropsy, Ascites, Anasarca -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. VIOLENT DEATHS.																				
In Mines and Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	2
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	1	-	1	-	1	6	-	7	-	1	-	1	-
Suffocation { From Overlying	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
{ Otherwise	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Falls -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	-	-	-	1	1	-	-	1	-	1	-	2	-	2	-	-	-	-	-	-
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c. — FEBRUARY 1903.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,477	33	5	36	0	0	0	0	2	0	0	0	0	6	5
Ayr,	31,299	74	13	49	0	0	0	2	1	0	0	1	0	9	3
Banff, with Macduff,	8,283	16	3	13	0	0	0	0	1	0	0	0	0	2	2
Blairgowrie,	4,282	6	2	6	0	0	0	1	0	0	0	1	0	0	1
Callander,	2,147	3	0	4	0	0	0	0	0	0	0	0	0	1	0
Campbeltown,	10,281	21	0	15	0	0	0	0	0	0	0	0	0	3	2
Cathcart,*	8,251	12	4	10	0	0	0	0	0	0	0	0	0	1	0
Coatbridge,	41,763	132	12	57	0	3	0	0	0	0	2	0	12	2	
Crieff,	5,774	9	0	6	0	0	0	0	0	0	0	0	0	2	0
Dumbarton,	20,731	41	10	37	0	0	0	1	0	0	0	0	1	7	4
Dumfries, with Troqueer,	24,971	32	10	35	0	0	0	1	0	0	0	1	0	4	8
Dunfermline,	32,421	61	9	44	0	0	0	0	1	1	0	0	0	6	1
Dunoon,	9,340	13	2	7	0	0	0	1	0	0	0	0	0	0	1
Eastwood,*	15,756	35	3	22	0	0	1	1	1	0	0	1	0	3	3
Elgin,	11,819	16	9	14	0	0	0	0	0	0	0	0	0	1	2
Falkirk,	39,528	112	8	51	0	0	0	0	0	0	0	1	0	13	3
Forfar,	12,708	25	2	18	0	0	0	0	0	0	0	0	0	1	2
Galashiels,	13,230	25	2	26	0	0	0	2	0	0	0	0	0	6	3
Govan—(1) Plantation,*	28,401	75	6	36	0	0	0	0	0	0	0	0	0	12	1
(2) Govan,*	60,799	183	25	128	0	5	1	13	3	0	0	3	1	26	15
(3) Partick,*	59,360	138	25	60	0	0	0	5	0	0	0	6	0	15	5
Haddington,	5,106	8	1	8	0	3	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	18,069	41	4	19	0	0	0	0	0	0	0	0	0	4	4
Inverness,	27,734	43	16	30	0	0	0	1	0	0	0	1	0	5	2
Kilmarnock, with Riccarton,	38,598	93	19	46	0	0	2	0	0	0	0	1	0	7	6
Kilmore and Kilbride (Oban),	6,437	10	2	9	0	0	0	0	0	0	0	0	0	2	0
Kinning Park,*	13,891	39	9	20	0	0	0	1	0	0	0	0	0	5	4
Kirkcaldy and Abbotshall,	24,307	40	9	28	0	0	0	0	0	0	0	1	0	5	0
Kirkcudbright,	3,272	3	3	4	0	0	0	0	1	0	0	0	0	0	1
Largs, with Skelmorlie,	5,542	6	0	4	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan),	4,473	2	0	5	0	0	0	0	0	0	0	0	0	1	0
Moffat,	2,760	0	1	4	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,903	22	8	28	0	0	0	1	0	0	0	0	0	5	0
Moulin (Pitlochry),	2,237	2	1	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	8	0	6	0	0	0	0	0	0	0	0	0	1	0
New Monkland (Airdrie),	37,507	97	10	44	0	2	0	0	0	0	0	4	0	11	4
North Berwick,	3,802	7	3	4	0	0	0	0	0	0	0	0	0	1	1
Peterhead, with Boddam,	14,996	32	8	20	0	3	0	0	0	0	0	0	0	6	1
Rothsay,	9,439	16	4	12	0	0	0	0	0	0	0	0	0	1	2
St Andrews and St Leonards,	9,564	9	1	6	0	0	0	0	0	0	0	1	0	0	0
Shettleston,*	25,019	61	5	22	0	0	1	2	0	2	0	0	0	4	2
Stirling,	16,674	35	13	27	0	0	0	0	0	0	0	0	0	3	6
Stranraer,	6,001	10	4	11	0	0	0	0	0	0	0	0	0	2	0
Wick,	11,166	14	6	18	0	0	0	0	0	0	0	1	0	3	0

* Excluding portion within the Municipal Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 160 feet above the sea-level.

For the month of FEBRUARY 1903.

Mean barometric pressure, 29.777 inches; less than the average for the same month of 1856-1900 by 0.088 inch.

Barometric monthly range, 1.995 inch; greater by 0.540 inch.

Mean temperature, $43^{\circ}3$; greater by $4^{\circ}5$.

Mean daily range of temperature, $10^{\circ}5$; greater by $0^{\circ}8$.

Mean humidity, 83; less by 3.

Rain, number of days, 18; greater by 3 days.

Rain, depth in inches, 5.59; greater by 2.69 inches.

Wind, pressure on square foot, 4.40 lbs.; greater by 2.44 lbs.

Wind, direction: an 8 days' excess of winds from S., S.W., and W.

Hence the weather of February 1903 was characterised by a mean barometric pressure somewhat below the average, with a very high monthly range; an exceedingly high mean temperature, with a slightly high mean daily range; a low humidity; a mean rainfall nearly twice the average, and falling on 3 days more than the average number; a remarkable deficiency of winds from N. and E.

The mean barometric pressure was 29.777 inches, or 0.088 inch below the average. The variations of pressure were very great, especially during the last ten days of the month, when a succession of cyclonic disturbances from the S.W. passed over the country. The greatest of these occurred on the 27th, and at 7 a.m. on that day the barometer at Leith fell, at the sea-level, to 28.244 inches.

The mean temperature was $43^{\circ}3$, or $4^{\circ}5$ above the average, the days being $4^{\circ}9$ and the nights $4^{\circ}0$ above their respective averages. The excess was slightly greater at the Western towns but was more than 4° at all of them. The temperature was nearly 9° above the mean for 1902, and the greatest recorded since 1882, when the mean was $43^{\circ}6$. The coldest days of the month were the 1st, 13th, and 29th; but very little frost was reported and at four of the towns the sheltered minimum did not fall to 32° , whilst in February 1902 at Leith frost occurred on 12 days.

The mean rainfall was 5.59 inches, or 93 per cent. above the average. This is the heaviest February rainfall on record excepting that of 1894 when the mean amount was 7.68 inches. At Aberdeen, the amount hardly exceeded the average, at Dundee, there was an excess of 60 per cent., at Perth of 70, and at Greenock of 90, whilst at the other towns the rainfall was more than twice the normal. A great rain-storm occurred on the 8th, when the daily amounts ranged from 1.15 inch at Aberdeen to 2.48 inch at Paisley and Greenock. At Greenock the total for the 7th and 8th was 5.35 inches, and at Paisley 4.80 inches. Destructive floods were general throughout the country, and on the 10th the river Clyde burst its banks at Rutherglen. Heavy rains also occurred during the last week of the month. From the 11th to the 18th little rain fell.

From the 21st to the 28th, storms of hail and snow accompanied by lightning were frequent in the West.

The month was characterised by frequent gales from the S.W. That of the 27th was of unusual severity and caused great loss of life at sea and also several fatalities on land.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of FEBRUARY 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables, 2nd Edit.					RAIN.	WINDS.										Mean Pres- sure on Sq. ft.					
		Mean at Station and 32°.	Inch.	Inch.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.		Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Inch.		grs.	Humidity Sat. 100.	Number of Days it fell.	Amount.		Number of Days it blew in certain Directions.										
																					W	NW	SW	S	SE	E	NE		N	W	SW	S	SE
GLASGOW, Medical Officer of Health, Glasgow.	54	29.745	29.805	1.896	56.6	32.8	44.7	23.8	9.8	19.6	44.7	42.5	39.9	.247	2.77	84	21	5.04	1	1	12	0	0	0	13	1	0	2.50					
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29.320	29.801	2.008	54.5	31.3	42.9	23.2	10.2	19.1	42.8	40.4	37.5	.225	2.60	82	17	3.99	0	0	2	0	5	13	6	2	0	5.50					
DUNDEE, JOHN CARROCHAN, Curator of Cemeteries.	164	29.569	29.750	2.060	54.0	29.5	42.0	24.5	11.0	19.2	41.8	39.8	37.3	.225	2.58	85	16	3.83	0	1	1	2	1	16	2	5	0	4.84					
ABERDEEN PETER HARPER, Superin- tendent, Duthie Park.	44	29.666	29.716	2.075	57.5	30.2	41.8	27.3	11.4	21.7	40.9	38.7	35.9	.211	2.45	84	12	2.26	0	1	0	1	2	15	5	4	0	4.80					
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.686	29.804	1.866	54.2	33.0	44.0	21.2	9.0	15.1	44.2	42.1	39.6	.244	2.80	84	23	9.23	1	0	0	2	10	8	5	1	1	3.24					
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29.707	29.791	2.132	56.7	33.1	44.6	23.6	9.6	15.2	44.2	41.4	38.1	.230	2.66	79	17	4.08	0	1	1	1	1	6	17	1	0	4.10					
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	238	29.541	29.793	1.875	53.7	32.2	43.7	21.5	9.8	17.3	44.1	42.0	39.5	.243	2.79	83	23	12.10	0	0	0	1	1	8	16	2	0	4.92					
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.640	29.756	2.044	57.0	27.0	42.3	30.0	12.9	21.0	42.5	40.0	36.9	.220	2.55	81	11	4.69	1	0	1	0	1	8	13	3	1	5.29					
Means	153	29.609	29.777	1.995	57.5	27.0	43.3	24.4	10.5	15.5	43.2	40.8	38.1	.231	2.65	83	18	5.59	0	1	2	1	3	6	10	2	0	4.40					

North: Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 3° 27'; Greenock, 3° 45'; Perth, 3° 26'; Mean, 3° 30'.

North: Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MARCH 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of March 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4396 children, of whom 2210 were males, and 2186 females. Of these 4106 were legitimate and 290 illegitimate. The illegitimate births thus constituted 6·6 per cent. of the whole, being in the proportion of one illegitimate to every 15·2 births. In Greenock, 2·1 per cent. of the births were illegitimate; in Leith, 4·1; in Perth, 4·6; in Paisley, 5·8; in Glasgow, 6·1; in Edinburgh, 7·3; in Aberdeen, 8·7; and in Dundee, 9·5 per cent.

The Marriages registered in these towns during March amounted to 877, being 69 above the average for the month during the previous decennium, increase of population being allowed for.

The Deaths of 2780 persons were recorded in the above mentioned towns during March, of whom 1401 were males, and 1379 females. This number, allowing for increase of population, is 507 below the average for the month during the ten years immediately preceding.

The mortality was at the annual rate of 16·5 deaths per thousand of population in Paisley; 17·1 in Aberdeen; 18·9 in Greenock; 19·1 in Leith; 19·2 in Glasgow; 19·6 in Edinburgh; 21·4 in Dundee; and 22·4 in Perth.

Of the 1286 deaths registered in Glasgow, 289 were of infants under one year

of age, and 273 of persons over 60 years; of the 544 in Edinburgh, 79 were of infants under one year, and 174 of persons over 60 years; of the 296 in Dundee, 63 were of infants under one, and 85 of persons over 60; of the 234 in Aberdeen, 56 were under one, and 63 over 60; of the 116 in Paisley, 23 were under one, and 33 over 60; of the 129 in Leith, 30 were under one, and 36 over 60; of the 111 in Greenock, 23 were under one, and 22 over 60; and of the 64 in Perth, 11 were under one year, and 20 over 60 years.

Of the whole 2780 deaths, 945, or 34·0 per cent., were of children under five years of age. The deaths of children of this age constituted 26·3 per cent. of the total mortality in Edinburgh; 29·7 per cent. of that in Perth; 30·1 in Dundee; 30·2 in Paisley; 36·4 in Leith; 36·5 in Glasgow; 40·5 in Greenock; and 41·5 in Aberdeen.

The seven principal Epidemic diseases accounted for 274 deaths, being 9·9 per cent. of the total mortality. This rate was slightly exceeded in Glasgow, Leith, and Greenock from the prevalence of Hooping-cough; in Aberdeen, from the prevalence of Measles; and in Paisley from the combined mortality from Scarlet Fever, Hooping-cough, and Diarrhœa.

Measles caused 51 deaths, or 1·8 per cent. of the total number. In Aberdeen, 9·8 per cent. of the whole mortality were due to this disease.

Eighteen deaths resulted from Scarlet Fever.

To Hooping-cough 137 deaths were attributed, being 4·9 per cent. of the whole. The percentage of deaths from this disease was 4·7 in Leith, 6·4 in Glasgow, and 8·1 in Greenock.

To Diphtheria 18 deaths were ascribed; to Diarrhœa, 35; and to Fevers 15, one (in Glasgow) being due to Typhus, and 14 to Enteric Fever.

Six deaths were returned as due to Puerperal Septicæmia, and 3 to Puerperal Fever.

The deaths of 129 persons resulted from Malignant tumours, of which 66 were stated to have been due to Carcinoma, 12 to Sarcoma, and 51 to Cancer or Malignant Disease of an undefined nature.

Alcoholism caused 13 deaths; Premature Birth Debility, 87; Diseases of the Heart, 226; and Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 145.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 514, and constituted 18·5 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 259, being 9·3 per cent. of all. Three deaths were caused by Croup.

The deaths of 104 persons resulted from Violent Causes, of which 6 were Suicidal (3 by cut-throat, and 1 each by hanging, shooting, and a railway train).

Two males and three females were aged 90 years and upwards, the oldest of whom was a labourer aged 98 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MARCH 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legit. mate.	Illegiti. mate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	786,897	1079	1055	2134	2003	131	421	667	619	1286
EDINBURGH,	276,652	317,459	327,441	351	361	712	660	52	178	254	290	544
DUNDEE,	154,118	161,173	162,805	226	215	441	399	42	70	135	161	296
ABERDEEN,	124,943	153,503	160,780	211	205	416	380	36	90	123	111	234
PAISLEY,	66,425	79,363	82,608	116	107	223	210	13	48	57	59	116
LEITH,	68,707	77,439	79,552	97	122	219	210	9	35	69	60	129
GREENOCK,	63,423	68,142	69,252	99	87	186	182	4	24	59	52	111
PERTH,	20,919	32,873	33,577	31	34	65	62	3	11	87	27	64
TOTAL,	1,443,380	1,651,661	1,702,912	2210	2186	4396	4106	290	877	1401	1379	2780

MARCH 1902,	Mean Temp. 42°·7	2123	2057	4185	3900	285	878	1569	1625	3194
MARCH 1901,	Mean Temp. 39°·6	2114	2016	4130	3865	265	740	1495	1473	2968
MARCH 1900,	Mean Temp. 38°·5	2256	2091	4347	4051	296	792	1641	1630	3271
MARCH 1899,	Mean Temp. 41°·2	2150	2083	4233	3998	235	754	1485	1526	3011
MARCH 1898,	Mean Temp. 40°·6	2131	2223	4354	4047	307	783	1612	1550	3162
MARCH 1897,	Mean Temp. 41°·7	2229	2156	4385	4038	297	908	1579	1615	3194
MARCH 1896,	Mean Temp. 42°·2	2200	2060	4260	3983	322	806	1265	1201	2466
MARCH 1895,	Mean Temp. 41°·1	2135	1987	4122	3852	270	585	1962	2176	4138
MARCH 1894,	Mean Temp. 43°·3	1995	1939	3934	3632	302	693	1305	1219	2524
MARCH 1893,	Mean Temp. 43°·7	2068	1936	4004	3700	304	594	1386	1340	2726

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of MARCH 1903.

TOWNS AND DISTRICTS	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—								EDINBURGH—contd.							
Bridgeton,	0	1	3	11	4	8	0	Morningside,	0	0	0	1	0	0	1
Camlachie,	0	0	0	6	1	0	3	Portobello,	0	0	0	0	0	0	0
Dennistoun,	0	0	0	8	0	0	1	DUNDEE—							
Calton,	0	0	0	3	0	0	2	St Peter,	0	0	0	1	1	0	0
Blackfriars,	0	1	0	2	0	0	0	St Mary,	0	0	0	4	3	0	2
St Rollox,	0	0	0	4	0	0	4	St Clement,	0	0	0	4	0	0	0
Blythswood,	0	0	0	2	0	0	1	St Andrew,	0	0	0	4	0	0	5
Milton,	0	0	0	12	1	0	2	Lochee,	0	0	0	0	0	0	0
Kelvin,	0	1	0	4	0	0	0	Mains,	0	0	0	0	0	0	0
Anderston,	0	2	0	2	0	0	2	ABERDEEN—							
Hutchesontown,	0	0	0	11	0	0	0	St Nicholas,	0	15	0	1	0	0	1
Gorbals,	0	0	1	2	0	0	0	St Machar,	0	4	1	0	1	0	0
Tradeston,	0	2	0	1	0	0	1	Woodside,	0	0	0	0	0	0	0
Kinning Park,	0	2	0	1	0	0	0	Old Aberdeen,	0	1	0	0	0	0	0
Cathcart,	0	0	0	3	0	0	0	E. Peterculter,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0	Nigg,	0	3	0	0	0	0	0
Maryhill,	0	0	1	10	2	3	0	PAISLEY,	0	0	3	3	0	1	6
Shettleston,	0	0	0	0	0	0	0	LEITH—							
Plantation,	0	0	0	3	0	0	0	North,	0	0	0	1	0	0	1
Govan,	0	0	0	0	0	0	0	South,	0	4	0	5	2	0	0
Partick,	0	0	0	0	1	1	0	GREENOCK—							
Rutherglen,	0	0	0	0	0	0	0	East,	0	0	0	2	0	0	1
EDINBURGH—								West,	0	0	1	7	0	1	0
St George,	0	4	0	2	0	0	0	PERTH,	0	0	0	2	0	0	0
St Andrew,	0	0	0	3	0	0	1								
Canongate,	0	2	0	4	0	0	0								
St Giles,	0	8	5	10	2	1	1								
Newington,	0	1	3	1	0	0	0								

39

39

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute	8	-	1	1	-	2	-	1	2	-	3	-	-	-	-	-	-	-	1	-	1
Rheumatism - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - -	6	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Chronic Rheumatism - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	66	-	-	13	10	23	-	-	10	8	18	-	-	9	6	15	-	-	2	2	4
Sarcoma - - - - -	12	-	-	5	-	5	-	-	4	1	5	-	-	-	-	-	-	1	-	1	2
Cancer, Malignant Disease (not otherwise defined)	51	-	-	8	10	18	-	-	5	10	15	-	-	5	1	6	-	-	1	2	3
Rickets - - - - -	4	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hæmophilia, Hæmorrhagic Diathesis - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	7	-	-	3	-	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - -	9	-	-	4	4	8	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Premature Birth - - -	87	39	-	-	-	39	11	-	-	-	11	7	-	-	-	7	10	-	-	-	10
Congenital Defects - -	19	6	-	-	-	6	4	-	-	-	4	4	-	-	-	4	1	-	-	-	1
Injury at Birth - - -	4	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Atelectasis - - - -	5	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Want of Breast Milk - -	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Teething - - - - -	10	7	-	-	-	7	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - - - -	64	23	7	4	-	34	3	3	-	-	6	6	-	-	-	6	2	-	1	-	3
Softening of Brain - -	13	-	-	1	6	7	-	-	-	3	3	-	1	-	-	1	-	-	-	-	-
General Paralysis of Insane -	4	-	-	1	-	1	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	7	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	1	2
Chorea - - - - -	2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	10	-	1	4	1	6	-	-	1	-	1	-	-	-	-	-	-	1	1	-	2
Convulsions - - - -	46	19	1	1	1	22	10	-	1	11	11	1	-	-	-	1	5	-	-	-	5
Laryngismus Stridulus -	3	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Paraplegia, and Dis. of Cord -	11	2	-	1	1	4	-	-	3	2	5	-	-	2	-	2	-	-	-	-	-
Neuritis; Peripheral, Polyneuritis - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Brain Tumour (not Specific) -	6	-	-	2	-	2	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-
Other Dis. of Nervous System	20	1	-	2	3	6	2	1	2	4	9	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease - -	8	1	-	-	-	1	-	1	-	-	1	-	-	2	-	2	1	-	1	-	2
Epistaxis, Disease of Nose -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	55	1	-	14	8	23	-	1	5	3	9	-	-	8	6	14	-	-	1	1	2
Pericarditis - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Hypertrophy of Heart - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - -	5	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dilatation of Heart - -	8	-	-	-	-	-	-	-	1	3	4	-	-	-	1	1	-	-	2	-	2
Fatty Degeneration of Heart	11	-	-	-	4	4	-	-	1	3	4	-	-	-	1	1	-	-	1	-	1
Syncope, Heart Disease (not specified) - - - -	145	-	1	23	27	51	2	1	13	21	37	-	1	8	18	27	-	1	4	7	12

DEATHS FROM ALL CAUSES at Four Periods of Life.

41

Registered during the Month of MARCH 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	2	1	3
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	3	-	3	-	-	1	-	1	-	-	3	-	3	-	-	1	1	2
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	-	4	-	-	4	4	-	-	-	4	6	-	-	-	6	6	-	-	-	6
Congenital Defects	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Injury at Birth	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	3	1	-	-	4	2	-	-	-	2	7	-	-	-	7	1	-	1	-	2
Softening of Brain	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Convulsions	-	2	-	-	2	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	1	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Epistaxis, Disease of Nose	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	-	-	-	-	-	-	4	-	4	-	-	1	1	2	-	-	1	-	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Syncope Heart Disease (not specified)	-	-	3	-	3	-	-	1	4	5	-	-	5	-	5	-	-	4	1	5

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of MARCH 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis	68	-	-	9	17	26	-	1	2	15	18	-	-	5	9	14	-	-	-	2	2
Apoplexy, Hemiplegia	77	-	-	20	17	37	-	-	5	7	12	-	-	1	4	5	-	-	1	3	4
Aneurism	6	-	-	2	1	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Embolism, Thrombosis (not Cerebral)	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Phlebitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Varicose Veins	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Croup (not Spasmodic nor Membranous)	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Bronchitis	195	28	1	37	29	95	7	-	2	12	21	6	-	4	12	22	10	-	4	7	21
Pneumonia {	28	1	1	4	2	8	2	-	6	-	8	-	1	2	1	4	1	-	-	1	2
	100	47	1	4	3	55	15	-	1	-	16	5	1	-	1	7	7	-	-	3	10
	128	16	6	31	21	74	6	1	6	5	18	2	1	2	1	6	2	-	4	4	10
Lobar, Croupous	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Catarrh, Lobul., Broncho-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not otherwise defined	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	12	-	-	-	1	1	-	3	3	6	-	-	1	1	2	-	-	-	2	2	-
Pleurisy	17	1	1	5	2	9	-	1	2	1	4	-	1	-	-	1	-	-	-	-	-
Fibroid Disease of Lung	3	-	-	-	1	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-
Other Dis. of Respiratory Syst.	24	11	1	3	4	19	-	-	1	1	2	-	-	-	-	-	-	1	1	-	2
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, (Esophagus (not Specific)	3	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	-	1
Gastric Ulcer	8	-	-	3	-	3	-	2	-	2	-	-	-	2	-	2	-	-	-	-	-
Gastric Catarrh	25	9	1	1	2	13	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-
Other Diseases of Stomach (not Malignant)	6	-	1	2	2	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	10	2	-	2	-	4	3	-	-	1	4	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis	27	11	1	3	-	15	1	1	-	2	2	-	-	-	-	2	5	-	-	-	5
Appendicitis, Perityphlitis	13	-	2	3	1	6	-	3	1	-	4	-	-	-	-	-	-	-	1	-	1
Hernia	16	-	-	6	1	7	1	-	2	2	5	-	-	-	-	-	-	-	1	1	1
Intestinal Obstruction	26	5	2	5	2	14	-	1	-	4	5	-	-	1	1	-	-	1	1	2	-
Other Diseases of Intestines	5	-	1	1	-	2	-	-	-	-	-	-	-	2	-	2	1	-	-	-	1
Peritonitis (not Puerperal)	21	1	1	4	4	10	-	3	4	1	8	-	-	-	-	-	-	1	1	2	-
Cirrhosis of Liver	11	-	-	3	-	3	-	-	2	2	4	-	-	1	1	2	-	-	1	1	1
Other Diseases of Liver and Gall Bladder	32	4	-	10	1	15	-	1	4	5	10	-	-	-	-	-	1	-	-	1	2
Other Dis. of Digestive System	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Dis. of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	31	2	1	10	4	17	1	1	2	2	6	-	-	1	-	1	-	1	-	1	2
Chronic Bright's Disease, Albuminuria	30	-	-	9	3	12	-	-	5	3	8	-	-	2	-	2	-	-	4	1	5
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	13	-	-	2	2	4	-	-	3	3	-	-	-	2	2	4	-	-	1	-	1
Other Dis. of Urinary System	9	1	-	1	1	3	-	1	2	1	4	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

43

Registered during the Month of MARCH 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	-	-	1	-	1	-	-	1	1	2	-	-	2	1	3	1	-	-	2	3
Apoplexy, Hemiplegia	-	-	7	-	7	-	-	1	4	5	-	-	5	5	5	-	-	-	2	2
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	1	-	3	6	10	8	-	-	5	13	2	-	1	3	6	1	-	2	4	7
Pneumonia { Lobar, Croupous	-	-	-	-	-	-	1	2	1	4	-	-	1	-	1	-	-	1	-	1
{ Catarrhal, Lobular, Broncho-	2	1	-	-	3	2	-	-	2	1	1	-	1	3	3	2	1	-	1	4
{ Not otherwise defined	1	-	2	1	4	3	-	3	2	8	1	-	3	3	7	-	-	-	1	1
Emphysema, Asthma	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pleurisy	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	1	-	1
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Oesophagus (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	-	-	6	-	6	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Gastro-enteritis	-	1	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Appendicitis, Perityphlitis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Hernia	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2
Intestinal Obstruction	-	1	1	1	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	-	-	1	-	1	-	-	-	2	2	1	-	-	-	1	-	-	-	1	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	-	-	2	-	2	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-

45

45

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts ; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MARCH 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	22,477	42	6	38	0	0	0	0	1	0	0	0	1	3	4
Ayr,	31,299	73	18	42	0	0	0	3	1	1	0	0	0	5	4
Banff, with Macduff,	8,283	16	1	10	0	0	0	1	0	0	0	0	0	1	1
Blairgowrie,	4,232	9	2	5	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,147	2	1	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,231	16	4	9	0	0	0	0	0	0	0	1	1	2	0
Cathcart,*	8,221	11	1	7	0	0	0	0	0	0	0	0	0	0	0
Coatbridge,	41,763	134	12	64	0	3	0	4	0	0	0	0	0	9	3
Crief,	5,774	9	2	9	0	0	0	0	0	0	0	0	1	1	1
Dumbarton,	20,731	60	9	30	0	0	0	4	0	0	0	2	0	6	1
Dumfries, with Troqueer,	24,971	41	13	48	0	0	0	5	1	0	0	0	0	10	2
Dunfermline,	32,421	71	20	40	0	0	1	0	0	0	0	0	0	6	1
Dunoon,	9,340	9	2	15	0	0	0	0	0	0	0	0	0	1	0
Eastwood,*	15,756	37	3	19	0	0	0	1	0	0	0	0	0	3	5
Elgin,	11,819	17	6	24	0	0	0	0	0	0	0	0	0	3	7
Falkirk,	39,528	118	16	50	0	0	0	0	0	0	0	2	0	10	3
Forfar,	12,708	22	4	17	0	0	0	0	0	0	0	0	0	2	2
Galashiels,	13,230	23	11	25	0	1	0	0	1	0	0	1	0	4	2
Govan—(1) Plantation,*	28,401	96	12	38	0	2	0	3	0	0	0	2	0	8	3
(2) Govan,*	60,799	192	24	110	0	1	0	6	1	1	0	2	0	16	14
(3) Partick,*	59,360	181	17	56	0	0	0	2	1	0	0	2	0	9	5
Haddington,	5,106	14	1	8	0	0	0	0	0	0	0	0	0	2	1
Hawick, with Wilton,	18,069	23	16	24	0	0	0	0	0	0	0	1	0	2	3
Inverness,	27,734	46	10	52	0	0	0	0	0	0	0	0	0	8	2
Kilmarnock, with Riccarton,	38,598	95	19	77	0	0	3	0	3	1	0	1	0	3	3
Kilmore and Kilbride (Oban),	6,437	11	2	11	0	0	0	0	0	0	0	0	0	2	0
Kinning Park,*	13,891	39	8	21	0	0	0	0	1	0	0	0	0	5	1
Kirkcaldy and Abbotshall,	24,307	44	12	33	0	0	0	0	0	0	0	2	0	4	3
Kirkcudbright,	3,272	6	0	8	0	0	0	0	1	0	0	1	0	1	0
Largs, with Skelmorlie,	5,542	10	1	10	0	0	0	0	0	0	0	0	0	2	0
Logie (Bridge of Allan),	4,473	5	0	8	0	0	0	0	0	0	0	1	0	1	1
Moffat	2,760	5	3	0	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,903	24	3	22	0	0	0	0	0	0	0	0	0	2	2
Moulin (Pitlochry),	2,237	3	1	2	0	0	0	0	0	1	0	0	0	0	0
Nairn,	5,846	10	2	3	0	0	0	0	0	0	0	0	0	1	0
New Monkland (Airdrie),	37,507	115	15	65	0	2	0	0	0	0	0	2	0	17	7
North Berwick,	3,802	4	1	4	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	14,996	41	7	21	0	3	0	0	0	0	0	0	0	3	2
Rothsay,	9,439	11	1	15	0	0	0	0	0	0	0	0	0	1	0
St Andrews and St Leonards,	9,564	9	4	9	0	0	0	0	0	0	0	0	0	0	0
Shettleston,*	25,019	71	5	30	0	0	1	1	1	0	0	3	0	9	0
Stirling,	16,674	29	14	27	0	0	0	0	0	1	0	0	0	6	3
Stranraer,	6,001	15	1	8	0	0	0	0	0	0	0	0	0	2	0
Wick,	11,166	19	4	11	0	0	0	0	0	0	0	0	0	2	1

* Excluding portion within the Municipal Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 153 feet above the sea-level.

For the month of MARCH 1903.

Mean barometric pressure, 29.538 inches; less than the average for the same month of 1856-1900 by 0.288 inch.

Barometric monthly range, 1.467 inch; greater by 0.031 inch.

Mean temperature, $42^{\circ}1$; greater by $1^{\circ}8$.

Mean daily range of temperature, $11^{\circ}1$; less by $0^{\circ}5$.

Mean humidity, 83 per cent.; being the average.

Rain, number of days, 27; greater by 12 days.

Rain, depth in inches, 5.60; greater by 3.01 inches.

Wind, pressure on square foot, 2.84 lbs.; greater by 0.83 lb.

Wind, direction; a 9 days' excess of winds from S. and S.W.

Hence the weather of March 1903 was characterised by an exceedingly low mean barometric pressure, with a monthly range about the average; a somewhat high mean temperature, with a slightly high mean daily range; an average humidity; a mean rainfall more than twice the average, and falling on 12 days more than the average number; a remarkable excess of strong winds from S. and S.W.

The mean barometric pressure was 29.538 inches, or 0.288 inch below the average. This is the third lowest pressure on record for March, the lowest being 29.388 inches in 1876 and the next lowest 29.478 inches in 1897. Pressure was very variable throughout the whole month. At Leith the barometer, at sea-level, rose above 30 inches only on the 8th, 14th and 31st, the extremes there being 30.205 inches on the 8th and 28.629 inches on the 2nd.

The mean temperature was $42^{\circ}1$, or $1^{\circ}8$ above the average, the days being $1^{\circ}6$ and the nights $2^{\circ}0$ above their respective averages. The excess was well marked at all the chief towns and ranged from $2^{\circ}9$ at Paisley to $1^{\circ}0$ at Perth. The mean temperature of the first week of the month was from 1° to 2° below the average, but thereafter, excepting on the 14th and 15th, it remained above the average. Very little frost was reported and at Greenock and Leith the sheltered minimum did not fall to 32° . The absolute maximum at any of the towns was $57^{\circ}3$ at Paisley on the 31st, the minimum being $26^{\circ}0$ at Perth on the 14th.

The mean rainfall was 5.60 inches, or 115 per cent. above the average. This is the largest mean rainfall recorded for March since observations were organised in 1856, and brings the total for the first quarter of the year up to 17.32 inches, as against an average of 9.13 inches, and 5.59 inches for the first three months of 1902. At Greenock rain fell on every day of the month, the amount being less than a tenth on only five days, and the greatest daily falls being 1.77 inches on the 22nd and 1.17 inches on the 16th. At Paisley rain fell on 30 days, the greatest daily amount being 0.97 inch on the 22nd. At Aberdeen the total for the month was 30 per cent. below the average, whilst at Dundee there was an excess of 32 per cent., and at Perth of 86 per cent. At Leith and Edinburgh, the rainfall was more than twice the average, whilst at Greenock nearly thrice, at Glasgow fully thrice, and at Paisley three and a half times the average amount was recorded. The mean number of rainy days exceeded the average by no less than 12 days, so that the month was extraordinary both as regards the great rainfall, and the number of rainy days.

Snow fell in small amounts during the first six days of the month, and hail showers were not infrequent, especially in the West, and during the last four days of the month. Thunder was heard at Glasgow on the 5th.

The month was characterised by very high winds from the S.W., frequently reaching gale force. The 21st was in general the stormiest day.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of MARCH 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables. 2nd Edit.				RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.	
GLASGOW, Medical Officer of Health, Glasgow.	54	29.489	29.549	1.532	56.8	31.0	42.7	25.8	11.6	19.8	41.7	39.6	37.0	.221	2.55	85	29	7.19	2	2	13	1	1	0	7	3	2	1.21	
EDINBURGH, Professor COPPELAND, Royal Observatory.	441	29.069	29.553	1.533	54.5	30.7	41.9	23.8	9.9	18.5	41.0	38.5	35.4	.206	2.45	81	23	4.10	0	0	1	1	12	8	2	1	0	4.71	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.352	29.534	1.470	54.6	28.4	41.3	26.2	11.2	19.9	40.8	33.7	36.0	.212	2.49	84	27	2.47	0	2	0	3	2	18	2	4	0	1.44	
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29.460	29.509	1.305	53.0	27.5	41.5	25.5	12.0	18.5	41.0	39.0	36.5	.215	2.50	84	18	1.64	0	1	0	3	3	19	3	2	0	3.45	
PAISLEY, DONALD, Coats Observatory.	107	29.420	29.539	1.525	57.3	31.9	42.9	25.4	10.7	17.7	42.1	39.7	36.7	.219	2.53	82	30	9.02	0	2	1	3	12	8	3	1	1	3.50	
LEITH, JAMES BULAM, Navigation School, and GEORGE REDPATH.	76	29.465	29.549	1.576	57.0	33.0	43.5	24.0	10.0	16.4	43.0	40.0	36.4	.215	2.50	78	26	3.47	0	0	2	2	3	7	16	1	0	3.61	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	238	29.281	29.533	1.530	50.4	32.2	41.6	18.2	10.7	21.0	41.6	39.6	37.1	.222	2.56	85	31	12.56	0	1	0	4	0	11	12	3	0	3.24	
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.422	29.539	1.412	55.5	26.0	41.1	29.5	13.0	21.0	40.7	38.4	35.5	.208	2.41	82	—	4.34	0	0	2	1	4	14	6	1	3	1.56	
Means	153	29.370	29.538	1.467	57.3	26.0	42.1	24.8	11.1	19.1	41.5	39.2	36.3	.215	2.50	83	27	5.60	0	1	2	2	5	11	7	2	1	2.84	

North Latitude.—Glasgow, 56° 59'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 3'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

APRIL 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of April 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4563 children, of whom 2350 were males, and 2213 females. Of these 4293 were legitimate and 270 illegitimate. The illegitimate births thus constituted 5·9 per cent. of the whole, being in the proportion of one illegitimate to every 16·9 births. In Greenock, the rate of illegitimacy was 2·4 per cent.; in Paisley, 4·8; in Glasgow, 5·3; in Leith, 6·5; in Edinburgh, 6·9; in Dundee, 7·4; in Aberdeen, 7·6; and in Perth, 8·0.

During the month 1236 marriages were recorded in these eight towns, being 17 above the average for April during the last ten years, increase of population being allowed for:

The Deaths of 2560 persons were registered in these towns during April, of whom 1301 were males, and 1259 females. Allowing for increase of population, this number is 446 below the average for the month during the ten years immediately preceding.

The deaths registered in Paisley are equivalent to an annual mortality rate of 14·4 per thousand of population; in Leith, to one of 15·3; in Aberdeen, and in Perth, 17·0; in Dundee, 17·4; in Edinburgh, 18·5; in Glasgow, 19·3; and in Greenock, 19·9.

Of the 1247 deaths registered in Glasgow, 274 were of infants under one year

of age, and 245 of persons over 60 years ; of the 498 in Edinburgh, 86 were of infants under 1 year, and 143 of persons over 60 years ; of the 233 in Dundee, 55 were of infants under one year, and 80 of persons over 60 years ; of the 224 in Aberdeen, 47 were under one, and 69 over 60 ; of the 98 in Paisley, 19 were under one, and 22 over 60 ; of the 100 in Leith, 26 were under one, and 24 over 60 ; of the 113 in Greenock, 27 were under one, and 28 over 60 ; and of the 47 in Perth, 6 were under 12 months, and 15 over 60 years.

Of the whole 2560 deaths, 892 were of children under five years of age, being at the rate of 34·8 per cent. In Perth, 23·4 per cent. of the deaths were of children of this age ; in Edinburgh, 30·3 per cent. ; in Dundee, 32·6 ; in Aberdeen, 33·9 ; in Glasgow, 36·6 ; in Leith 37·0 ; in Greenock, 39·8 ; and in Paisley, 40·8.

The seven principal Epidemic diseases accounted for 207 deaths, being 8·1 per cent. of the total mortality. This rate was exceeded in Paisley from the combined mortality from Scarlet Fever, Hooping-cough and Diarrhœa, and in Greenock from the prevalence of Hooping-cough.

Measles caused 37 deaths, or 1·4 per cent. of the whole. In Edinburgh, the percentage of deaths from this disease was 3·2 and in Aberdeen 5·4.

Nine deaths were assigned to Scarlet Fever.

From Hooping-cough there resulted 103 deaths, being 4·0 per cent. of the whole mortality. In Glasgow, 4·9 per cent. of the deaths were caused by Hooping-cough, and in Greenock 9·7 per cent.

To Diphtheria 14 deaths were attributed ; to Diarrhœa, 26 ; and to Fevers 18, one (in Greenock) being due to Typhus, and the remainder to Enteric Fever.

Five deaths were ascribed to Puerperal Septicæmia, and 7 to Puerperal Fever.

The deaths due to Malignant tumours amounted to 118, of which 57 were assigned to Carcinoma, 6 to Sarcoma, and 55 to Cancer or Malignant Disease of an unspecified nature.

Alcoholism accounted for 8 deaths ; Premature Birth Debility for 85 ; Diseases of the Heart for 216 ; and Cerebral Hæmorrhage, Apoplexy, and Hemiplegia for 144

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 512, constituting 20·0 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 222, being 8·7 per cent. of the whole. Two deaths resulted from Croup.

The deaths of 103 persons resulted from Violent Causes, of which 7 were Suicidal (2 each by cut-throat and poison, and 1 each by drowning, hanging and shooting).

Two males and nine females were aged 90 years and upwards, the oldest of whom was a coachman aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, APRIL 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	786,897	1132	1102	2234	2115	119	606	639	608	1247
EDINBURGH,	276,652	317,459	327,441	407	378	785	731	54	230	245	253	498
DUNDEE,	154,118	161,173	162,805	221	184	405	375	30	144	113	120	233
ABERDREN,	124,943	153,503	160,780	220	201	421	389	32	89	123	101	224
PAISLEY,	66,425	79,363	82,608	117	114	231	220	11	56	55	43	98
LEITH,	68,707	77,439	79,552	104	97	201	188	13	43	47	53	100
GREENOCK,	63,423	68,142	69,252	117	94	211	206	5	44	56	57	113
PERTH,	29,919	32,373	33,577	32	43	75	69	6	21	23	24	47
TOTAL,	1,443,380	1,651,661	1,702,912	2350	2213	4563	4293	270	1236	1301	1259	2560

APRIL 1902,	Mean Temp. 45°·0	2393	2349	4747	4450	297	1251	1591	1545	3136
APRIL 1901,	Mean Temp. 45°·6	2242	2144	4386	4095	291	1246	1537	1629	3216
APRIL 1900,	Mean Temp. 46°·3	2230	2234	4464	4170	294	1314	1431	1421	2852
APRIL 1899,	Mean Temp. 44°·1	2137	2055	4192	3920	272	1230	1269	1261	2560
APRIL 1898,	Mean Temp. 47°·1	2192	2110	4308	4043	265	1093	1495	1411	2906
APRIL 1897,	Mean Temp. 42°·8	2132	2052	4134	3918	266	974	1489	1423	2912
APRIL 1896,	Mean Temp. 43°·5	2266	2080	4346	4061	285	1166	1238	1224	2462
APRIL 1895,	Mean Temp. 46°·3	2175	2107	4282	3982	300	1121	1473	1460	2933
APRIL 1894,	Mean Temp. 47°·4	1993	1981	3974	3712	262	981	1186	1219	2405
APRIL 1893,	Mean Temp. 47°·8	2058	1935	3993	3730	263	990	1353	1300	2653

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of APRIL 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton,	0	1	2	3	3	7	0
Camlachie,	0	0	0	3	0	0	0
Dennistoun,	0	0	0	7	0	0	3
Calton,	0	1	0	3	0	0	0
Blackfriars,	0	0	0	2	0	0	0
St Rollox,	0	0	0	7	1	0	0
Blythswood,	0	0	0	4	0	0	0
Milton,	0	0	0	3	0	0	1
Kelvin,	0	0	0	2	0	1	1
Anderston,	0	0	0	4	0	0	1
Hutchesontown,	0	0	0	5	0	0	1
Gorbals,	0	2	0	3	0	0	0
Tradeston,	0	1	0	1	0	0	2
Kinning Park,	0	0	0	1	0	0	0
Cathcart,	0	0	0	1	1	0	0
Eastwood,	0	0	0	1	0	0	0
Maryhill,	0	1	0	6	2	3	1
Shettleston,	0	0	0	0	0	0	0
Plantation,	0	0	0	0	0	0	0
Govan,	0	0	0	0	0	0	0
Partick,	0	0	0	0	0	0	0
Rutherglen,	0	0	0	0	0	0	0
EDINBURGH—							
St George,	0	3	1	5	1	0	0
St Andrew,	0	0	0	0	0	0	0
Canongate,	0	6	0	3	0	0	0
St Giles,	0	4	1	10	1	1	1
Newington,	0	3	0	1	0	0	0
EDINBURGH—contd.							
Morningside,	0	0	0	0	0	0	0
Portobello,	0	0	0	0	0	0	0
DUNDEE—							
St Peter,	0	0	0	1	0	0	0
St Mary,	0	0	0	0	2	1	1
St Clement,	0	2	1	0	0	1	1
St Andrew,	0	0	0	5	0	0	3
Lochee,	0	0	0	0	0	0	0
Mains,	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas,	0	3	1	0	1	0	2
St Machar,	0	2	0	1	0	0	1
Woodside,	0	1	0	0	0	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg,	0	1	0	0	0	0	1
PAISLEY,	0	0	3	3	2	0	3
LEITH—							
North,	0	0	0	1	0	0	0
South,	0	1	0	1	0	0	1
GREENOCK—							
East,	0	0	0	8	0	0	1
West,	0	0	0	3	0	2	1
PERTH,	0	0	0	0	0	1	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

53

Registered during the month of APRIL 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	40	2	34	22	98	37	8	31	24	100	45	8	32	28	113	11	-	21	15	47
A. GENERAL DISEASES -	18	1	7	3	29	24	3	12	1	40	20	4	8	4	36	4	-	10	2	16
B. LOCAL DISEASES :—																				
1. DISEASES OF NERVOUS SYSTEM	5	-	2	-	7	-	-	-	-	-	4	-	2	-	6	1	-	-	1	2
2. „ ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
3. „ HEART -	1	-	6	4	11	1	-	5	7	13	1	-	6	4	11	-	-	1	1	2
4. „ BLOOD VESSELS -	-	-	2	3	5	-	-	5	7	12	-	-	5	6	11	-	-	3	2	5
5. „ RESPIRATORY SYSTEM -	10	-	9	2	21	9	2	6	3	20	11	1	5	11	28	3	-	2	4	9
6. „ DIGESTIVE SYSTEM -	2	1	4	1	8	-	-	-	1	1	3	1	2	-	6	1	-	1	2	4
7. „ LYMPHATIC AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. „ URINARY SYSTEM -	-	-	2	1	3	-	2	-	1	3	-	-	1	1	2	-	-	-	1	1
9. „ GENERATIVE SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. „ PREGNANCY AND CHILDBIRTH -	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
11. „ LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
12. „ THE SKIN -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -	2	-	1	7	10	2	-	1	3	6	5	1	-	1	7	-	-	-	1	1
E. VIOLENT DEATHS -	2	-	-	1	3	1	-	1	1	3	-	1	2	1	4	2	-	4	1	7
A. GENERAL DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Plague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hooping-cough -	3	-	-	-	3	2	-	-	-	2	11	-	-	-	11	-	-	-	-	-
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1
Asiatic Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea -	2	-	-	1	3	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-
Dysentery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

55

Registered during the Month of APRIL 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapphæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-
Phthisis (not otherwise defined)	1	-	3	-	4	2	-	3	-	5	-	2	3	1	6	-	-	4	-	4
Tuberculous Meningitis	-	1	-	-	1	3	-	-	-	3	1	-	-	-	1	1	-	-	-	1
Tuberculous Peritonitis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tabes Mesenterica	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
General Tuberculosis	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism - - -	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Rheumatism of Heart - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Chronic Rheumatism - -	5	-	-	1	2	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - -	5	-	-	-	1	1	-	-	1	2	3	-	-	-	-	-	-	-	1	-	1
Gout - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - -	57	-	-	13	9	22	-	-	7	9	16	-	-	1	3	4	-	-	5	2	7
Sarcoma - - -	6	-	-	2	1	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	55	-	-	16	12	28	-	-	8	7	15	-	-	2	3	5	-	-	-	3	3
Rickets - - -	5	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Purpura - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Hæmophilia, Hæmorrhagic Diathesis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	10	-	-	2	-	2	-	-	1	4	5	-	-	-	-	-	-	-	-	1	1
Diabetes Mellitus - -	14	1	-	2	2	5	-	1	4	2	7	-	-	-	-	-	-	1	1	-	2
Premature Birth - - -	85	32	-	-	-	32	18	-	-	-	18	9	-	-	-	9	8	-	-	-	8
Congenital Defects - -	19	11	-	-	-	11	4	-	-	-	4	1	-	-	-	1	3	-	-	-	3
Injury at Birth - - -	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Atelectasis - - -	4	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - -	16	10	-	-	-	10	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - -	47	26	4	2	1	33	3	2	-	-	5	1	1	-	-	2	1	1	-	-	2
Softening of Brain - -	5	-	-	2	1	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1
General Paralysis of Insane -	3	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Chorea - - -	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - -	6	1	2	1	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - -	43	15	1	-	-	16	10	-	-	-	10	4	-	-	-	4	9	-	-	-	9
Laryngismus Stridulus -	3	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - -	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Paraplegia, and Dis. of Cord	13	-	1	2	2	5	-	-	1	2	3	-	-	2	1	3	-	-	1	1	2
Neuritis; Peripheral, Poly-	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis - - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Nervous System	16	1	1	2	4	8	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	8	-	1	1	-	2	-	1	1	-	2	-	-	-	-	-	2	-	1	-	3
Epistaxis, Disease of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	57	-	2	19	6	27	-	1	3	4	8	-	-	2	1	3	-	-	2	6	8
Pericarditis - - -	6	-	1	1	1	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - -	9	-	-	1	-	1	-	-	-	3	3	-	-	1	-	1	-	-	-	3	3
Dilatation of Heart - -	4	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	1	-	1
Fatty Degeneration of Heart	7	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1
Syncope, Heart Disease (not specified) - - -	132	3	3	27	22	55	-	-	7	20	27	1	2	3	11	17	-	-	4	7	11

DEATHS FROM ALL CAUSES at Four Periods of Life.

57

Registered during the Month of APRIL 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	1	-	1	-	-	3	1	4	-	-	-	2	2	-	-	1	-	1
Sarcoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Rickets - - - - -	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth - - - - -	3	-	-	-	3	10	-	-	-	10	3	-	-	-	3	2	-	-	-	2
Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	1	-	-	-	1	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	1	-	1	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	3	2	5	1	-	-	2	3	-	-	2	1	3	-	-	-	-	-
Pericarditis - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Syncope, Heart Disease (not specified) - - - - -	1	-	2	2	5	-	-	3	5	8	1	-	4	3	8	-	-	1	-	1

Registered during the Month of APRIL 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
B. LOCAL DISEASES— <i>contd.</i>																	
DISEASES OF BLOOD VESSELS.																	
Cerebral Hemorrhage, Embolism, Thrombosis	62	-	-	9	12	21	-	-	2	13	15	-	-	5	3	8	-
Apoplexy, Hemiplegia	82	-	-	18	23	41	-	-	1	8	9	-	-	2	8	10	-
Aneurism	15	-	-	1	1	2	-	-	8	2	10	-	-	1	1	1	-
Senile Gangrene	7	-	-	-	1	1	-	-	2	2	-	-	-	1	1	-	-
Embolism, Thrombosis (not Cerebral)	3	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	5	-	-	-	1	1	-	-	1	2	3	-	-	-	1	1	-
DISEASES OF RESPIRATORY SYSTEM.																	
Laryngitis	5	3	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	2	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Other Dis. of Larynx & Trachea	2	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Bronchitis	191	42	2	29	31	104	7	1	6	14	28	6	1	4	8	19	4
Pneumonia {Lobar, Croupous	30	1	1	11	2	15	-	-	1	2	3	1	2	2	2	7	1
{Catarrh, Lobul., Broncho-	93	23	5	1	47	15	1	1	1	18	6	1	3	-	-	10	1
{Not otherwise defined	146	23	1	51	12	87	5	-	6	4	15	2	-	3	5	10	6
Emphysema, Asthma	4	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
Pleurisy	17	2	1	6	-	9	-	-	1	1	2	-	-	3	1	4	-
Fibroid Disease of Lung	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	20	6	1	2	2	11	-	-	1	1	2	1	-	-	1	1	-
DIS. OF DIGESTIVE SYSTEM.																	
Tonsillitis, Quinsy	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, (Esophagus (not Specific))	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Gastric Ulcer	15	-	1	6	2	9	-	-	1	-	1	-	-	1	1	2	-
Gastric Catarrh	16	5	2	3	-	10	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Stomach (not Malignant)	7	2	-	2	1	5	-	-	1	-	1	-	-	-	-	-	-
Enteritis (not Epidemic)	18	5	2	3	-	10	2	-	1	-	3	2	-	-	-	2	-
Gastro-enteritis	19	9	-	1	-	10	5	-	-	-	5	-	-	-	-	1	-
Appendicitis, Perityphlitis	9	-	-	3	-	3	-	3	-	-	3	-	-	-	-	-	-
Hernia	5	-	-	1	1	2	-	-	-	-	-	-	1	-	1	2	-
Intestinal Obstruction	17	2	-	3	1	6	1	1	2	-	4	-	-	1	1	1	-
Other Diseases of Intestines	3	-	1	-	-	1	-	-	1	-	1	-	-	1	-	1	-
Peritonitis (not Puerperal)	20	-	3	7	-	10	1	2	2	-	5	1	-	1	-	2	-
Cirrhosis of Liver	6	-	-	3	1	4	-	-	2	-	2	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	8	1	-	2	2	5	-	-	1	1	2	-	-	-	1	1	-
Other Dis. of Digestive System	9	-	-	1	1	2	-	-	2	3	5	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																	
Diseases of Spleen	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																	
Acute Nephritis, Uremia	29	1	-	11	3	15	-	1	4	1	6	-	-	1	2	3	-
Chronic Bright's Disease, Albuminuria	42	-	-	11	9	20	-	1	6	1	8	-	-	6	2	8	-
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	12	-	-	2	1	3	-	-	1	1	-	-	-	-	3	3	-
Other Dis. of Urinary System	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-

59

59

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hemorrhage, Embolism, Thrombosis	-	-	1	-	1	-	-	2	1	3	-	-	4	-	4	-	-	-	1	1
Apoplexy, Hemiplegia	-	-	1	3	4	-	-	3	4	7	-	-	1	5	6	-	-	2	1	3
Aneurism	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	1	-	2	2	5	1	-	2	-	3	6	-	2	7	15	3	-	1	2	6
Pneumonia { Lobar, Croupous	6	-	-	-	7	6	1	2	-	9	-	-	-	-	-	-	-	-	-	-
{ Catarrhal, Lobular, Broncho-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
{ Not otherwise defined	2	-	5	-	7	2	-	2	2	6	2	1	2	2	7	-	-	1	1	2
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleurisy	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
Fibroid Disease of Lung	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	1	-	-	-	1	-	-	1	1	2	-	-	1	3	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Oesophagus (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	1	1
Gastric Catarrh	2	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1
Other Diseases of Stomach (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gastro-enteritis	-	-	1	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Appendicitis, Perityphlitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	-	-	2	1	3	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1
Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uremia	-	-	1	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	-	1	1	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

61

Registered during the Month of APRIL 1903.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—APRIL 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	22,477	43	21	35	0	0	0	0	1	0	0	0	1	8	5
Ayr,	31,299	83	24	41	0	0	0	3	0	2	0	1	0	2	6
Banff, with Macduff,	8,283	15	0	12	0	0	0	0	0	0	0	0	0	2	1
Blairgowrie,	4,252	6	1	4	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,147	3	0	0	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,231	23	4	15	0	1	0	0	0	0	0	2	0	1	1
Cathcart,*	8,221	23	1	6	0	0	0	0	0	0	0	0	0	1	1
Coatbridge,	41,763	153	12	56	0	0	0	3	0	0	0	0	0	13	4
Crief,	5,774	9	0	7	0	0	0	0	0	0	0	0	0	1	0
Dumbarton,	20,731	55	9	32	0	0	0	1	0	0	0	0	0	8	2
Dumfries, with Troqueer,	24,971	63	19	41	† 1	0	0	4	0	0	0	3	0	0	7
Dunfermline,	32,421	74	14	24	0	0	0	0	0	0	0	0	0	5	6
Dunoon,	9,340	16	1	14	0	0	0	0	0	0	0	2	0	2	1
Eastwood,*	15,756	55	11	13	0	0	0	2	0	0	0	2	0	3	1
Elgin,	11,819	24	3	16	0	0	0	0	1	0	0	0	0	1	3
Falkirk,	39,528	132	19	51	0	0	0	2	0	0	0	1	0	11	5
Forfar,	12,708	27	3	15	0	0	0	0	0	0	0	0	0	0	1
Galashiels,	13,230	30	9	22	0	1	0	0	0	0	0	1	0	3	1
Govan—(1) Plantation,*	28,401	82	14	38	0	2	0	2	0	0	0	0	0	9	4
(2) Govan,*	60,799	209	45	129	0	0	4	7	0	1	0	0	0	36	14
(3) Partick,*	59,360	185	33	67	0	0	0	2	0	0	0	5	0	11	11
Haddington,	5,106	16	5	9	0	0	0	0	0	0	0	0	0	2	0
Hawick, with Wilton,	18,069	42	20	24	0	0	0	0	0	0	0	0	0	1	6
Inverness,	27,734	54	6	49	0	0	0	0	0	0	0	0	0	11	7
Kilmarnock, with Riccarton,	38,598	120	29	49	0	0	0	0	0	1	0	2	0	9	2
Kilmore and Kilbride (Oban),	6,437	18	3	12	0	0	0	0	0	0	0	0	0	0	1
Kinning Park,*	13,891	55	12	24	0	0	0	2	0	0	0	0	2	8	6
Kirkcaldy and Abbotshall,	24,307	53	12	27	0	0	0	0	0	0	0	0	1	3	5
Kirkcudbright,	3,272	3	1	4	0	0	0	0	1	1	0	0	0	0	0
Largs, with Skelmorlie,	5,542	15	1	4	0	0	0	0	0	1	0	0	0	0	0
Logie (Bridge of Allan),	4,473	8	5	5	0	0	0	0	0	0	0	1	0	2	0
Moffat,	2,760	9	1	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,903	24	4	24	0	0	0	0	0	0	0	0	0	4	5
Moulin (Pitlochry),	2,237	3	2	3	0	0	0	0	0	0	0	0	0	0	1
Nairn,	5,846	10	2	9	0	0	0	0	0	0	0	0	0	1	3
New Monkland (Airdrie),	37,507	107	21	42	0	0	0	0	0	0	0	1	1	6	3
North Berwick,	3,802	4	1	6	0	0	0	0	0	0	0	1	0	2	1
Peterhead, with Boddam,	14,996	50	5	41	0	13	0	0	1	0	0	0	0	2	1
Rothsay,	9,439	17	3	14	0	0	0	0	0	0	0	0	0	2	0
St Andrews and St Leonards,	9,564	18	1	9	0	0	0	0	0	0	0	0	0	0	1
Shettleston,*	25,019	89	6	25	0	0	0	0	1	1	0	0	0	3	7
Stirling,	16,674	40	10	33	0	0	1	0	0	0	0	0	0	4	5
Stranraer,	6,001	10	3	9	0	0	0	0	0	0	0	1	0	0	0
Wick,	11,166	29	3	13	0	0	0	0	0	0	0	0	0	2	0

* Excluding portion within the Municipal Burgh of Glasgow.

† Chicken-pox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'N.$, and Long. $3^{\circ}30'W.$, and height 153 feet above the sea-level.

For the month of APRIL 1903.

Mean barometric pressure, 29·839 inches; less than the average for the same month of 1856–1900 by 0·061 inch.

Barometric monthly range, 1·085 inch; less by 0·127 inch.

Mean temperature, $42^{\circ}·4$; less by $2^{\circ}·7$.

Mean daily range of temperature, $14^{\circ}·2$; greater by $0^{\circ}·3$.

Mean humidity, 78 per cent.; less by 1·9.

Rain, number of days, 15; greater by 2 days.

Rain, depth in inches, 1·53; less by 0·64 inch.

Wind, pressure on square foot, 1·74 lbs.; less by 0·06 lb.

Wind, direction: a 4 days' excess of winds from N.W. and N.

Hence the month of April 1903 was characterised by a somewhat low mean barometric pressure, with a rather low monthly range; a very low mean temperature, with a mean daily range about the average; a low mean humidity; a mean rainfall below the average, but falling on 2 days more than the average number; a considerable excess of winds of about average force from N.W. and N.

The mean barometric pressure was 29·839 inches, or 0·127 inch below the average. Pressure was highest about the middle of the month and lowest towards the end, the extremes at Leith being at sea-level 30·467 inches on the 17th, and 29·345 inches on the 29th.

The mean temperature was $42^{\circ}·4$, or $2^{\circ}·7$ below the average, the days being $2^{\circ}·6$ and the nights $2^{\circ}·8$ below their respective averages. The defect in temperature was everywhere well marked, and at Perth and Aberdeen was as much as $3^{\circ}·6$. During the first ten days of the month westerly winds prevailed, and temperature was high and rose steadily; but thereafter, northerly and then easterly winds were the accompaniment of a remarkable spell of cold weather, with temperatures in some places lower than any recorded since January. The contrast between the week ending on the 11th and the following week was very great. Thus at Glasgow the mean temperature of the former week was $45^{\circ}·6$, or $2^{\circ}·1$ above the average, and of the latter $36^{\circ}·7$ or $7^{\circ}·9$ below the average. At some places the corresponding difference was as much as 10° , the means for the two weeks at Aberdeen being $45^{\circ}·5$ and $34^{\circ}·9$. At Leith frost occurred on five days, whilst in March none was reported at that place. The absolute maximum at any of the towns was $60^{\circ}·5$ at Perth on the 9th, the minimum, also at Perth, being $23^{\circ}·0$ on the 24th.

The mean rainfall was 1·53 inches, or 30 per cent. below the average. In Shetland, Orkney, and in the North of Scotland the rainfall was above the average, the excess being about 75 per cent. at Deerness, Wick, and Laig. At all the chief towns except Paisley, where there was an excess of 23 per cent., the amounts registered were below the average, the totals for Perth and Dundee being only about half the normal. The largest daily amounts reported at any of the chief towns were 0·82 inch at Greenock on the 3rd, and 0·76 inch at Glasgow on the 14th. The rainfall of the month was thus in every way a contrast to the remarkably heavy records of the first three months of the year.

Snow and hail were frequent about the middle of the month, and on the 15th a snowstorm of considerable severity was general over the country.

During the last four days of the month fog was very prevalent on the East coast. On the afternoon of the 30th, a sharp thunderstorm, with hail, was reported at many places, and on the morning of the 18th an Aurora was noted at Glasgow.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,
During the Month of APRIL 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.					HYGRO- METER.	DEDUCTIONS from Glaisher's Tables. 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.	lbs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Mean at Station and 32°.	Mean at Sea level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.		Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																				N	NE	E	SE	S	SW	W	NW			Calm or Variable.	N	NE	E	SE	S	SW	W	NW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
GLASGOW, Medical Officer of Health, Glasgow.	54	29.789	29.849	1.070	59.2	24.2	43.1	35.0	16.3	29.3	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Paisley, 55° 58'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Paisley, 3° 27'; Greenock, 3° 43'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MAY 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of May 1903, the number of births registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth amounted to 4558, of which 2337 were of male children, and 2221 of female. Of these 4269 were legitimate, and 289 illegitimate. The illegitimate births thus constituted 6·3 per cent. of the whole, or one birth in every 15·8 was illegitimate. In Paisley, 4·4 per cent. of the births were illegitimate; in Greenock, and Perth, 5·8; in Leith 5·9; in Aberdeen 6·0; in Glasgow, 6·3; in Dundee, 7·0; and in Edinburgh, 7·3 per cent.

553 marriages were registered during the month, being 21 below the average for the month during the last ten years, allowance being made for the increase in population.

There were registered during May the deaths of 2497 persons, of whom 1293 were males, and 1204 females. This number is 348 below the average for the month during the last decennial period, allowance being made for increase of population.

During the month the annual rate of mortality per thousand of population was 14·0 in Perth; 15·1 in Aberdeen; 15·4 in Dundee; 16·3 in Leith; 16·8 in Edinburgh and Paisley; 18·1 in Glasgow; and 21·9 in Greenock.

Of the 1213 persons whose deaths were registered in Glasgow, 274 were under one year, and 251 over 60 years of age; of the 468 in Edinburgh, 72 were under one year

and 110 over 60 years; of the 213 in Dundee, 51 were under one, and 54 over 60, of the 206 in Aberdeen, 47 were under one, and 70 over 60; of the 118 in Paisley, 20 were under one, and 35 over 60; of the 110 in Leith, 24 were under one, and 29 over 60; of the 129 in Greenock, 36 were under one, and 20 over 60; and of the 40 in Perth, 4 were under one year, and 16 over 60 years.

The deaths of children under five years of age amounted to 851, or 34·1 per cent. of the total. In Perth, these deaths constituted 12·5 per cent. of the whole; in Edinburgh, 27·6; in Paisley, 31·4; in Dundee, 32·4; in Aberdeen, 33·5; in Leith, 35·5; in Glasgow 36·5; and in Greenock, 46·5 per cent.

The deaths from the seven principal Epidemic diseases amounted to 234, being 9·4 per cent. of the total mortality. This rate was greatly exceeded in Greenock on account of the prevalence of Hooping-cough.

From Measles 40 deaths resulted, or 1·6 per cent. of the whole. In Edinburgh 3·0 and in Leith 2·7 per cent. of the deaths were due to this disease.

Scarlet Fever accounted for 17 deaths in all, and caused 4·2 per cent. of the mortality in Paisley.

There were 111 deaths from Hooping-cough, being 4·4 per cent. of the total mortality. The rate in Leith was 6·4, and in Greenock 14·7 per cent. of the total deaths in these towns respectively.

Diphtheria caused 20 deaths, Fevers 17 (16 Enteric and 1 Simple continued), and Diarrhœa and Dysentery, 29.

Eight deaths were due to Puerperal Septicæmia and Fever.

The deaths from Malignant diseases amounted to 110, of which 46 were returned as due to Carcinoma, 7 to Sarcoma, and 57 to Cancer or Malignant disease of an undefined nature.

Deaths due to Alcoholism numbered 11; to Cerebral Hæmorrhage, Apoplexy, and Hemiplegia 125; to Diseases of the Heart 238; and to Premature Birth Debility, 75.

Inflammatory diseases of the Respiratory System (not including Phthisis or Hooping-cough) accounted for 456 deaths, or 18·3 per cent. of the whole. 254 deaths, or 10·2 per cent. of the total were due to Pulmonary Tuberculosis and Phthisis. Two deaths resulted from Croup.

102 deaths were due to Violent Causes, of which 2 were Suicidal (both by hanging).

The deaths of three males and six females aged 90 years and upwards were registered, of whom the oldest was a farmer's widow aged 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MAY 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legit. mate.	Illegit. mate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	736,897	1146	1120	2266	2124	142	255	623	535	1213
EDINBURGH,	276,652	317,459	327,441	364	338	702	651	51	113	255	213	468
DUNDEE,	154,118	161,173	162,805	229	211	440	409	31	47	103	105	213
ABERDEEN,	124,943	153,503	160,780	231	236	467	439	28	75	102	104	206
PAISLEY,	66,425	79,363	82,608	104	100	204	195	9	21	67	51	113
LEITH,	68,707	77,439	79,552	115	105	220	207	13	13	53	57	110
GREENOCK,	63,423	68,142	69,252	96	77	173	163	10	21	59	70	129
PERTH,	29,919	32,373	33,577	52	34	86	81	5	8	21	19	40
TOTAL,	1,443,380	1,651,661	1,702,912	2337	2221	4558	4269	289	553	1293	1204	2497

MAY 1902,	Mean Temp. 46°·7	2235	2085	4320	4040	280	513	1415	1320	2735
MAY 1901,	Mean Temp. 52°·2	2260	2176	4436	4163	273	497	1471	1371	2842
MAY 1900,	Mean Temp. 50°·2	2209	2159	4368	4083	285	472	1413	1218	2636
MAY 1899,	Mean Temp. 47°·2	2459	2327	4786	4467	319	659	1324	1264	2588
MAY 1898,	Mean Temp. 48°·6	2296	2223	4519	4214	305	569	1405	1429	2834
MAY 1897,	Mean Temp. 48°·2	2152	2035	4187	3887	300	639	1415	1398	2813
MAY 1896,	Mean Temp. 54°·4	2105	2002	4107	3336	271	502	1222	1151	2373
MAY 1895,	Mean Temp. 52°·7	2192	2068	4260	3923	332	439	1347	1266	2613
MAY 1894,	Mean Temp. 47°·0	2055	1971	4026	3726	300	493	1235	1174	2409
MAY 1893,	Mean Temp. 53°·3	2221	2235	4456	4124	332	567	1378	1313	2691

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MAY 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH—contd.							
Bridgeton,	0	1	3	7	3	6	0	Morningside,	0	2	0	1	0	0	0
Camlachie,	0	0	0	4	0	0	1	Portobello,	0	0	0	0	0	0	0
Dennistoun,	0	1	0	5	1	0	1	DUNDEE—							
Calton,	0	2	0	4	0	0	2	St Peter,	0	0	0	0	0	1	0
Blackfriars,	0	4	0	3	0	0	1	St Mary,	0	0	0	0	1	1	4
St Rollox,	0	1	0	6	0	0	1	St Clement,	0	0	0	0	0	1	0
Blythswood,	0	0	0	0	0	0	2	St Andrew,	0	0	1	2	0	0	0
Milton,	0	0	0	9	0	0	1	Lochee,	0	0	0	0	0	0	0
Kelvin,	0	0	0	4	0	0	1	Mains,	0	0	0	0	0	0	1
Anderston,	0	0	0	2	0	0	2	ABERDEEN—							
Hutchesontown,	0	0	0	3	0	0	1	St Nicholas,	0	1	0	0	0	1	3
Gorbals,	0	1	0	2	0	0	0	St Machar,	0	0	0	2	1	0	1
Tradeston,	0	1	0	3	1	0	1	Woodside,	0	0	0	0	0	0	0
Kinning Park,	0	2	0	0	0	0	0	Old Aberdeen,	0	0	0	0	0	0	0
Cathcart,	0	0	0	0	0	0	1	E. Peterculter,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0	Nigg,	0	0	0	0	0	0	0
Maryhill,	0	8	1	7	7	1	0	PAISLEY,	0	1	5	1	1	2	2
Shettleston,	0	0	0	0	0	0	0	LEITH—							
Plantation,	0	0	0	0	0	0	0	North,	0	0	0	4	0	0	0
Govan,	0	0	0	0	0	0	0	South,	0	3	0	3	0	0	1
Partick,	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen,	0	0	0	0	0	0	0	East,	0	0	0	3	0	0	1
EDINBURGH—								West,	0	0	1	11	1	1	0
St George,	0	3	1	2	0	1	0	PERTH,	0	0	0	0	0	0	0
St Andrew,	0	1	0	1	0	0	0								
Canongate,	0	1	0	6	0	0	0								
St Giles,	0	6	5	10	4	2	1								
Newington,	0	1	0	1	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

69

Registered during the month of MAY 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	37	12	34	35	118	39	6	36	29	110	60	11	38	20	129	5	1	18	16	40
A. GENERAL DISEASES -	15	5	15	5	40	18	4	19	8	49	32	6	11	1	50	3	1	14	2	20
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	4	1	3	2	10	2	-	-	2	4	5	1	1	-	7	-	-	1	-	1
2. " ORGANS OF SPECIAL SENSE - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " HEART - - -	-	2	5	7	14	-	1	5	6	12	-	1	6	8	15	1	-	1	2	4
4. " BLOOD VESSELS - -	1	-	1	3	5	-	-	1	3	4	-	-	3	1	4	-	-	-	1	1
5. " RESPIRATORY SYSTEM	7	2	3	8	20	5	1	6	2	14	14	8	7	3	27	1	-	1	7	9
6. " DIGESTIVE SYSTEM -	3	1	-	1	5	3	-	2	1	6	2	-	4	-	6	-	-	-	2	2
7. " LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. " URINARY SYSTEM -	-	-	3	2	5	1	-	1	2	4	-	-	2	1	3	-	-	-	-	-
9. " GENERATIVE SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. " PREGNANCY AND CHILD BIRTH -	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
1. " LOCOMOTOR SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. " THE SKIN - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -	6	-	1	6	13	5	-	-	5	10	7	-	-	5	12	-	-	-	2	2
E. VIOLENT DEATHS -	1	1	2	1	5	5	-	1	-	6	-	-	3	1	4	-	-	1	-	1
A. GENERAL DISEASES.																				
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	-	-	1	-	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	5	-	-	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	-	1	-	-	1	7	-	-	-	7	18	1	-	-	19	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea - -	1	-	-	1	2	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
Dysentery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of MAY 1903.

71

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Erysipelas	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Phthisis (not otherwise defined)	-	1	7	-	8	-	1	11	2	14	-	2	8	-	10	-	-	9	-	9
Tuberculous Meningitis	-	-	-	-	-	1	1	-	-	2	2	-	-	-	2	-	-	-	-	-
Tuberculous Peritonitis	-	-	-	-	-	1	-	1	-	2	-	1	-	-	1	-	1	-	-	1
Tabes Mesenterica	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	1	-	-	-	1
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Potomane Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism - - -	5	-	1	1	-	2	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1
Rheumatism of Heart - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic Rheumatism - -	3	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Rheumatic Arthritis, Rheumatic Gout - - -	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Carcinoma - - - - -	46	-	-	10	6	16	-	-	9	6	15	-	-	2	2	4	-	-	-	3	3
Sarcoma - - - - -	7	-	-	-	3	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease (not otherwise defined)	57	-	-	10	12	22	-	-	9	4	13	-	-	6	5	11	-	-	1	2	3
Rickets - - - - -	7	5	-	-	-	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Purpura - - - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Hæmophilia, Hæmorrhagic Diathesis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anæmia, Leucocythæmia -	12	1	2	2	-	5	-	-	3	-	3	-	-	-	-	-	-	-	1	-	
Diabetes Mellitus - -	8	-	1	4	1	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Premature Birth - - -	75	35	-	-	-	35	14	-	-	-	14	10	-	-	-	10	8	-	-	8	
Congenital Defects - -	18	5	-	-	-	5	3	1	-	-	4	4	-	-	-	4	1	-	-	1	
Injury at Birth - - -	6	4	-	-	-	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
Atelectasis - - - -	6	4	-	-	-	4	-	-	-	-	-	2	-	-	-	2	-	-	-	-	
Want of Breast Milk - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Teething - - - - -	10	6	-	-	-	6	2	-	-	-	2	-	-	-	-	-	1	-	-	1	
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - - - -	53	21	3	6	1	31	3	1	1	-	5	1	3	1	-	5	3	-	-	3	
Softening of Brain - - -	8	-	-	2	1	3	-	-	-	2	2	-	-	-	-	-	-	-	1	1	
General Paralysis of Insane -	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	
Insanity (not Puerperal) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chorea - - - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - - - -	6	-	-	-	-	-	-	-	5	-	5	-	-	-	-	-	-	-	-	-	
Convulsions - - - - -	40	20	-	-	-	20	7	-	-	-	7	4	-	-	-	4	5	1	-	6	
Laryngismus Stridulus - -	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotor Ataxy - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	
Paraplegia, and Dis. of Cord -	9	-	-	2	-	2	-	-	3	1	4	-	-	-	1	1	-	-	-	-	
Neuritis; Peripheral, Polyneuritis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
Brain Tumour (not Specific) -	3	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	
Other Dis. of Nervous System	14	1	-	1	2	4	-	1	1	2	4	-	-	-	-	-	-	-	1	1	
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease - -	10	3	4	-	-	7	1	-	-	-	1	-	-	1	-	1	-	-	1	1	
Epistaxis, Disease of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ophthalmia, Disease of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	60	-	2	17	8	27	-	-	9	3	12	-	-	3	1	4	-	-	3	3	
Pericarditis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hypertrophy of Heart - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina Pectoris - - - -	7	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dilatation of Heart - - -	7	-	-	-	-	-	-	-	2	-	2	-	-	-	3	3	-	-	-	1	
Fatty Degeneration of Heart	12	-	-	2	7	9	-	-	1	-	1	-	-	-	-	-	-	-	1	1	
Syncope, Heart Disease (not specified) - - - -	150	2	3	38	26	69	1	3	14	11	29	1	-	3	8	12	-	-	1	11	

DEATHS FROM ALL CAUSES at Four Periods of Life.

73

Registered during the Month of MAY 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	1	1	2	-	-	1	3	4	-	-	-	-	-	-	-	1	1	2
Sarcoma	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	1	2	3	-	-	2	1	3	-	-	-	1	1	-	-	1	-	1
Rickets	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Premature Birth	2	-	-	-	2	1	-	-	-	1	4	-	-	-	4	1	-	-	-	1
Congenital Defects	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Teething	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	4	1	-	-	5	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
General Paralysis of Insane	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Convulsions	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	2	2	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	2	2	3	7	-	-	-	1	1	-	1	2	-	3	-	-	-	-	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified)	-	-	3	4	7	-	1	5	3	9	-	-	3	6	9	1	-	1	1	3

75

75

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

77

Registered during the Month of MAY 1903.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MAY 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	22,477	58	1	28	0	0	0	0	0	0	0	2	0	6	3
Ayr,	31,299	95	7	45	0	0	0	2	0	0	0	1	0	6	2
Banff, with Macduff, . . .	8,283	26	3	14	0	1	0	0	0	0	0	1	0	1	2
Blairgowrie,	4,232	15	1	9	0	0	0	1	0	0	0	0	0	1	1
Callander,	2,147	4	0	5	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,231	21	1	13	0	0	0	0	0	0	0	1	0	4	1
Cathcart,*	8,251	19	1	7	0	0	0	0	0	0	0	1	0	0	0
Coatbridge,	41,763	149	8	63	0	1	0	3	0	1	0	2	0	10	6
Crief,	5,774	12	0	7	0	0	0	0	0	1	0	0	0	2	0
Dumbarton,	20,731	63	1	41	0	0	1	3	1	1	0	1	0	7	4
Dumfries, with Troqueer, . .	24,971	76	8	48	0	0	0	1	0	0	0	2	0	6	10
Dunfermline,	32,451	88	5	41	0	3	0	0	0	0	0	1	1	5	4
Dunoon,	9,340	13	1	17	0	0	0	0	0	0	0	2	0	2	1
Eastwood,*	15,756	45	5	15	0	0	1	0	0	1	0	0	0	3	3
Elgin,	11,819	22	2	14	0	0	0	0	0	0	0	0	0	2	0
Falkirk,	39,528	129	6	51	0	0	0	1	0	0	0	0	0	12	9
Forfar,	12,708	31	2	21	0	0	0	0	0	0	0	0	0	3	2
Galashiels,	13,230	28	0	17	0	0	0	1	0	0	0	1	0	1	1
Govan—(1) Plantation,* . .	28,401	73	1	54	† 1	8	0	4	0	0	0	1	0	12	4
(2) Govan,*	60,799	178	13	125	0	3	1	11	0	1	0	2	2	29	18
(3) Partick,*	59,360	171	8	65	0	1	0	5	0	0	0	0	2	16	6
Haddington,	5,106	10	0	4	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton, . . .	18,069	43	2	25	0	0	0	0	1	0	0	0	1	3	2
Inverness,	27,734	70	7	40	0	0	0	0	0	0	0	0	0	10	5
Kilmarnock, with Riccarton, .	38,598	125	6	54	0	0	0	0	1	1	0	5	0	7	6
Kilmore and Kilbride (Oban), .	6,437	8	2	7	0	0	0	0	0	0	0	0	0	0	0
Kinning Park,*	13,891	38	8	29	0	5	0	7	0	0	0	2	0	5	1
Kirkcaldy and Abbotshall, . .	24,307	49	2	24	0	0	0	0	0	0	0	2	0	1	1
Kirkcaldy,	3,272	5	1	8	0	0	0	0	1	0	0	0	0	1	0
Large, with Skelmorlie, . . .	5,542	13	2	6	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan), . . .	4,473	11	0	6	0	0	0	0	0	0	0	0	0	3	0
Moffat,	2,760	2	0	3	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,903	26	2	24	0	0	1	0	0	0	0	0	0	3	1
Moulin (Pitlochry),	2,237	8	0	0	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	13	0	14	0	0	1	0	0	0	0	0	0	3	2
New Monkland (Airdrie), . . .	37,507	143	7	52	0	0	0	1	2	1	0	2	0	7	4
North Berwick,	3,802	6	0	4	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam, . . .	14,996	43	4	24	0	7	1	0	0	0	0	3	0	4	0
Rothsay,	9,439	20	1	7	0	0	0	0	0	0	0	0	0	0	0
St Andrews and St Leonards, . .	9,564	15	2	8	0	0	0	0	0	0	0	0	1	2	2
Shettleston,*	25,019	78	4	30	0	0	2	0	0	1	0	2	0	9	2
Stirling,	16,674	45	4	29	0	0	1	0	0	0	0	0	0	8	5
Stranraer,	6,001	14	3	14	0	0	0	0	0	0	0	0	0	0	3
Wick,	11,166	20	2	13	0	0	0	0	1	0	0	0	0	1	0

* Excluding portion within the Municipal Burgh of Glasgow.

† Chicken-pox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 153 feet above the sea-level.

For the month of MAY 1903.

Mean barometric pressure, 29·879 inches; less than the average for the same month of 1856–1900 by 0·068 inch.

Barometric monthly range, 1·165 inch; greater by 0·067 inch.

Mean temperature, $49^{\circ}5$; less by $0^{\circ}3$.

Mean daily range of temperature, $14^{\circ}8$; being the average.

Mean humidity, 79 per cent.; greater by 2·0.

Rain, number of days, 14; being the average.

Rain, depth in inches, 2·07; less by 0·17 inch.

Wind, pressure on square foot, 1·31 lbs.; less by 0·24 lb.

Wind, direction: a 4 days' excess of winds from N.E. and E.

Hence the month of May 1903 was characterised by a somewhat low mean barometric pressure, with a slightly high monthly range; a mean temperature slightly below the average, with an average mean daily range; a mean humidity a little above the average; a mean rainfall slightly below the average, and falling on the average number of days; a considerable excess of winds of moderate force from N.E. and E.

The mean barometric pressure was 29·879 inches, or 0·068 inch below the average. Pressure was lowest at the beginning of the month and highest towards the end, the extremes at Leith being at sea-level, 30·463 inches on the 26th, and 29·281 inches on the 5th.

The mean temperature was $49^{\circ}5$, or $0^{\circ}3$ below the average, the days being $0^{\circ}4$ and the nights $0^{\circ}2$ below their respective averages. At most places temperature approximated closely to the normal, the greatest differences being at Greenock, where there was an excess of $0^{\circ}7$, and at Aberdeen, where the mean showed a defect of $0^{\circ}6$. During the first half of the month temperature remained continuously below the normal and on the morning of the 11th, which was everywhere the coldest day, frost was registered at Glasgow and Paisley, whilst at the latter place a minimum thermometer exposed on grass fell to $24^{\circ}1$. After the 20th temperature was almost uniformly high and at Glasgow the maximum was above 70° on six days. The absolute maximum at any of the towns was $75^{\circ}5$ at Perth on the 25th, and the minimum $31^{\circ}6$ at Glasgow on the 11th.

The mean rainfall was 2·07 inches, or 8 per cent. below the average. At Aberdeen there was an excess of 10 per cent., at Paisley of 36, at Greenock of 19, and at Glasgow of 13. At the other four towns there was a deficiency of from 30 to 40 per cent. On the East coast fully half the rain was registered during the first five days of the month and at Aberdeen none fell after the 16th. After the 22nd very little was anywhere recorded except on the 30th. The heaviest daily amounts were 0·63 inch at Glasgow on the 13th and 0·60 inch at Greenock on the 16th.

No gales occurred during the month, and fog was very prevalent on the East coast from the 1st to the 5th and again after the 26th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of May 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables. 2nd Edit.				RAIN.		WINDS.										
		Mean at Sea-level and 32°.	Inch.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pres- sure on Sq. ft.	lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29-818	29-878	1-144	72-4	31-6	49-9	40-8	15-7	30-2	°	50-0	48-6	°	284	3-27	79	16	2-52	7	1	16	1	0	0	2	2	0	0-81
EDINBURGH, Professor COPPELAND, Royal Observatory.	441	29-410	29-889	1-180	8-2	35-5	47-5	32-7	12-9	24-0	°	47-3	44-4	°	269	2-96	80	13	1-17	1	6	9	1	4	3	6	0	1	1-50
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	134	29-687	29-878	1-170	70-2	32-2	49-2	38-0	15-6	31-5	°	48-9	45-8	°	274	3-06	80	10	1-30	0	7	4	10	0	7	2	1	0	1-21
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29-832	29-881	1-150	68-2	34-2	49-0	34-0	15-6	30-2	°	48-2	45-4	°	270	3-08	81	10	2-24	4	3	5	4	2	9	1	3	0	1-21
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29-756	29-874	1-207	75-3	31-9	51-0	43-4	15-8	31-8	°	50-4	46-7	°	276	3-17	76	17	2-95	2	6	7	1	2	3	4	3	3	0-81
LEITH, JAMES BOLAM, Navigation School, and GEORGE KEDDACH.	76	29-799	29-883	1-182	69-3	37-1	49-6	32-2	11-3	23-3	°	49-0	45-9	°	274	3-08	78	15	1-18	1	7	11	2	1	3	5	0	1	2-25
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	233	29-623	29-872	1-153	74-1	33-7	50-0	40-4	12-9	25-1	°	49-5	46-1	°	272	3-08	77	16	3-89	0	4	10	4	0	3	6	3	1	1-69
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29-760	29-875	1-134	75-5	33-5	49-5	42-0	18-8	33-5	°	49-2	46-2	°	278	3-14	79	—	1-30	2	2	9	2	5	6	0	5	1-00	
Means	153	29-712	29-879	1-165	75-5	31-6	49-5	37-9	14-3	28-7	°	49-1	45-9	°	273	3-10	79	14	2-07	2	4	9	3	2	4	3	2	2	1-31
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																													

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JUNE 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of June 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 4785 children, of whom 2410 were males, and 2375 females. The illegitimate births amounted to 278, and thus constituted 5·8 per cent. of the whole, being in the proportion of one illegitimate in every 17·2 births. In Leith 2·4 per cent. of the births were illegitimate; in Paisley, 4·1; in Glasgow, 4·9; in Edinburgh, 5·8; in Perth, 6·2; in Greenock, 6·6; and in Dundee and Aberdeen, 9·3 per cent.

During the month 2195 marriages were recorded in these towns, being 18 below the average for June during the ten years immediately preceding, allowing for increase of population.

The deaths of 2601 persons were notified in these eight towns during the month, being equal to the average for the same month during the ten previous years, after allowance is made for the increase of population. Of the 2601 deaths recorded, 1360 were of males, and 1241 of females.

The deaths registered in Leith were equivalent to an annual mortality rate of 15·1 per thousand of population; in Aberdeen, to a rate of 15·5 per thousand; in Paisley, to one of 16·3; in Dundee, 17·0; in Edinburgh, 18·4; in Perth, 18·8; in Glasgow, 20·0; and in Greenock, 21·3.

Of the 1293 deaths registered in Glasgow, 297 were of infants under one year of

age, and 236 of persons over 60 years; of the 494 in Edinburgh, 93 were of infants under one year, and 135 of persons over 60 years; of the 228 in Dundee, 33 were of infants under one, and 64 of persons over 60; of the 205 in Aberdeen, 48 were under one, and 60 over 60; of the 109 in Paisley, 23 were under one, and the same number over 60; of the 99 in Leith, 18 were under one, and 23 over 60; of the 121 in Greenock, 23 were under one, and 28 over 60; and of the 52 in Perth, 6 were under one year, and 16 over 60 years.

Of the whole 2601 deaths, 874, or 33·6 per cent., were of children under five years of age. In Perth, the deaths of children of this age constituted 19·2 per cent. of the whole; in Leith, 25·3 per cent.; in Dundee, 25·9; in Edinburgh, 28·7; in Aberdeen, 31·7; in Greenock, 36·4; in Glasgow, 37·6; and in Paisley, 39·4 per cent.

The seven principal Epidemic diseases accounted for 220 deaths, being 8·5 per cent. of the total mortality. This rate was exceeded in Greenock from the prevalence of Hooping-cough, and in Paisley from the combined mortality from Measles, Scarlet Fever, Hooping-cough, and Diarrhœa.

Measles caused 36 deaths in all, and was most fatal in Paisley, where 5·5 per cent. of the mortality resulted therefrom.

Scarlet Fever accounted for 20 deaths. 4·6 per cent. of the deaths in Paisley were due to this disease.

From Hooping-cough there resulted 99 deaths, or 3·8 per cent. of the whole mortality. In Greenock 11·6 per cent. of the deaths were attributed to this cause.

Diphtheria accounted for 14 deaths, Fevers for 10 (all Enteric), and Diarrhœa and Dysentery for 41.

Two deaths were due to Puerperal Septicæmia, and 6 to Puerperal "Fever."

The deaths of 139 persons resulted from Malignant diseases, of which 70 were assigned to Carcinoma, 12 to Sarcoma, and 57 to Cancer or Malignant disease of an unspecified nature.

To Alcoholism 8 deaths were ascribed; to Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 126; to Diseases of the Heart, 249; and to Premature Birth Debility, 91.

Inflammatory diseases of the Respiratory organs (not including Phthisis or Hooping-cough) accounted for 397 deaths, or 15·3 per cent. of the total. Pulmonary Tuberculosis and Phthisis caused 256 deaths, or 9·8 per cent.

The deaths of 109 persons were due to Violent Causes, of which 10 were Suicidal (4 by Hanging, 3 by Cut-throat, and 1 each by Drowning, Shooting, and Precipitation).

Three males and two females died aged 90 years and upwards, the oldest of these being a Dulse Vendor aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JUNE 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	786,897	1199	1186	2385	2369	116	1025	684	609	1293
EDINBURGH,	276,652	317,459	327,441	402	358	760	716	44	480	262	232	494
DUNDEE,	154,118	161,173	162,805	232	229	461	418	43	166	107	121	228
ABERDEEN,	124,943	153,503	160,780	222	242	464	421	43	218	107	98	205
PAISLEY,	66,425	79,363	82,608	131	111	242	232	10	84	57	52	109
LEITH,	68,707	77,489	79,552	94	116	210	205	5	96	48	51	99
GREENOCK,	63,423	68,142	69,252	85	98	183	171	12	80	70	51	121
PERTH,	29,919	32,873	33,577	45	35	80	75	5	56	25	27	52
TOTAL,	1,443,380	1,651,661	1,702,912	2410	2375	4785	4507	278	2195	1360	1241	2601

JUNE 1902,	Mean Temp. 53°·5	2174	2045	4219	3946	273	2335	1329	1215	2544
JUNE 1901,	Mean Temp. 55°·4	2085	2098	4183	3895	258	2015	1222	1144	2366
JUNE 1900,	Mean Temp. 56°·7	2236	2126	4362	4061	391	2225	1237	1134	2371
JUNE 1899,	Mean Temp. 53°·6	2150	2152	4302	4015	287	2235	1225	1152	2377
JUNE 1898,	Mean Temp. 55°·7	2179	2178	4357	4071	286	2261	1338	1347	2685
JUNE 1897,	Mean Temp. 54°·8	2213	2198	4411	4135	276	2224	1329	1202	2531
JUNE 1896,	Mean Temp. 57°·2	2179	2193	4732	4033	339	2089	1219	1183	2402
JUNE 1895,	Mean Temp. 56°·7	2054	1903	3957	3657	300	1847	1157	1069	2226
JUNE 1894,	Mean Temp. 54°·8	1935	1911	3846	3585	261	1747	1078	1087	2165
JUNE 1893,	Mean Temp. 58°·4	2103	2004	4107	3802	305	1663	1349	1214	2563

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JUNE 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH—contd.							
Bridgeton,	0	1	7	3	2	4	1	Morningside,	0	1	0	1	0	0	0
Camlachie,	0	0	0	4	0	0	2	Portobello,	0	0	0	0	0	0	0
Dennistoun,	0	2	0	5	0	0	3	DUNDEE—							
Calton,	0	3	0	4	0	0	1	St Peter,	0	0	0	1	0	0	0
Blackfriars,	0	0	0	2	0	0	2	St Mary,	0	0	0	0	1	0	0
St Rollox,	0	0	0	6	1	0	2	St Clement,	0	0	0	0	0	0	0
Blythswood,	0	0	0	2	0	0	1	St Andrew,	0	0	1	1	0	1	3
Milton,	0	0	0	6	0	0	3	Lochee,	0	0	0	0	0	0	0
Kelvin,	0	0	1	4	0	0	1	Mains,	0	0	0	0	0	0	0
Anderston,	0	1	0	2	3	0	1	ABERDEEN—							
Hutchesontown,	0	1	0	4	0	0	3	St Nicholas,	0	0	0	0	0	0	3
Gorbals,	0	3	0	4	0	0	0	St Machar,	0	0	1	1	0	0	2
Tradeston,	0	1	0	0	0	0	0	Woodside,	0	0	0	0	0	0	0
Kinning Park,	0	2	0	0	0	0	0	Old Aberdeen,	0	0	0	0	0	0	0
Cathcart,	0	0	0	0	0	0	0	E. Peterculter,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0	Nigg,	0	0	0	1	0	0	0
Maryhill,	0	4	1	6	1	2	0	PAISLEY,	0	6	5	4	0	0	4
Shettleston,	0	0	0	0	0	0	0	LEITH—							
Plantation,	0	0	0	0	0	0	0	North,	0	0	0	0	0	0	0
Govan,	0	1	0	0	0	0	0	South,	0	1	0	1	0	0	1
Partick,	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen,	0	0	0	0	0	0	0	East,	0	0	0	13	0	0	0
EDINBURGH—								West,	0	0	0	1	0	2	1
St George,	0	4	0	2	0	0	0	PERTH,	0	0	0	0	1	0	0
St Andrew,	0	0	0	4	1	0	0								
Canongate,	0	1	0	1	0	0	3								
St Giles,	0	4	4	9	3	1	3								
Newington,	0	0	0	1	0	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.

85

Registered during the month of JUNE 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	43	5	38	23	109	25	15	36	23	99	44	18	31	28	121	10	5	21	16	52
A. GENERAL DISEASES -	27	4	17	3	51	14	10	3	4	36	27	4	15	7	53	6	2	9	4	21
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	7	-	1	-	8	3	1	3	1	8	4	1	3	-	8	2	2	2	-	6
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3. " HEART -	-	1	4	2	7	-	-	10	8	18	-	-	2	8	10	-	-	5	4	9
4. " BLOOD VESSELS -	1	7	7	15	24	-	-	2	5	7	-	-	-	5	5	-	-	3	3	6
5. " RESPIRATORY SYSTEM	3	-	6	6	15	4	1	5	2	12	6	2	6	4	18	1	1	-	1	3
6. " DIGESTIVE SYSTEM -	2	-	2	1	5	1	1	4	-	6	1	1	3	-	5	1	-	1	1	3
7. " LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. " URINARY SYSTEM -	-	-	-	-	-	-	-	-	1	1	1	1	-	2	4	-	-	-	-	-
9. " GENERATIVE SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. " PREGNANCY AND CHILDBIRTH -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
11. " LOCOMOTOR SYSTEM	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
12. " THE SKIN -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -	2	-	1	4	7	1	-	-	2	3	5	-	-	2	7	-	-	-	2	2
E. VIOLENT DEATHS -	1	-	-	-	1	1	2	3	-	6	-	8	2	-	10	-	-	1	1	2
A. GENERAL DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	6	-	-	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	-	3	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Hooping-cough -	-	4	-	-	4	1	-	-	-	1	13	1	-	-	14	-	-	-	-	-
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Asiatic Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea	-	4	-	-	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dysentery -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	3	2	5	-	1	-	1	7	1	9	1	1	1	-	2
Phthisis (not otherwise defined)	-	2	9	1	12	1	4	2	1	8	-	-	-	-	-	-	-	-	-	8
Tuberculous Meningitis	-	1	1	-	2	1	1	-	-	2	5	-	-	-	5	-	-	-	-	-
Tuberculous Peritonitis	-	1	-	-	1	1	2	-	-	3	1	-	-	-	1	1	-	-	-	1
Tabes Mesenterica	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1
General Tuberculosis	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Potomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism - - -	9	-	-	3	-	3	-	1	2	-	3	-	-	1	-	1	-	-	1	-	1
Rheumatism of Heart - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic Rheumatism - -	5	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
Rheumatic Arthritis, Rheumatic Gout - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Gout - - - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Carcinoma - - - - -	70	-	-	18	9	27	-	-	11	10	21	-	-	3	4	7	-	-	4	1	5
Sarcoma - - - - -	12	-	2	2	3	7	-	-	3	-	3	-	-	1	-	1	-	-	1	-	1
Cancer, Malignant Disease (not otherwise defined)	57	-	-	20	9	29	-	-	6	5	11	-	-	2	4	6	-	-	1	4	5
Rickets - - - - -	10	4	-	-	-	4	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	19	-	1	2	1	4	-	1	1	4	6	-	-	3	1	4	-	-	-	-	-
Diabetes Mellitus - -	7	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	-	-	-
Premature Birth - - -	91	44	-	-	-	44	20	-	-	-	20	4	-	-	-	4	12	-	-	-	12
Congenital Defects - -	30	11	-	-	-	11	10	-	-	-	10	3	-	-	-	3	3	-	-	-	3
Injury at Birth - - -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - -	8	3	-	-	-	3	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Want of Breast Milk - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Teething - - - - -	13	3	-	-	-	3	4	-	-	-	4	-	-	-	-	-	1	-	-	-	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - - - -	74	32	8	5	-	45	3	-	1	-	4	9	1	1	1	12	1	-	-	-	1
Softening of Brain - - -	6	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
General Paralysis of Insane -	9	-	-	1	-	1	-	-	7	-	7	-	-	-	-	-	-	-	1	-	1
Insanity (not Puerperal) -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Chorea - - - - -	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	13	-	-	2	3	5	-	1	1	1	3	-	-	-	-	-	-	-	1	-	1
Convulsions - - - - -	35	16	2	-	-	18	4	-	1	-	5	2	-	-	-	2	4	-	-	-	4
Laryngismus Stridulus -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - -	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Paraplegia, and Dis. of Cord	9	-	-	4	2	6	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Neuritis; Peripheral, Poly-																					
Neuritis - - - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	5	-	-	2	-	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Other Dis. of Nervous System	13	-	1	1	2	4	-	-	2	3	5	-	-	-	1	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	7	2	1	2	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Epistaxis, Disease of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	64	-	6	15	7	28	-	1	12	6	19	-	1	3	2	6	-	-	1	2	3
Pericarditis - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
Hypertrophy of Heart - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - -	7	-	-	-	4	4	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Dilatation of Heart - -	5	-	-	1	1	2	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Fatty Degeneration of Heart	8	-	-	1	3	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) - - - -	162	1	4	34	22	61	-	1	6	15	22	-	1	9	13	23	1	-	12	11	24

DEATHS FROM ALL CAUSES at Four Periods of Life.

89

Registered during the Month of JUNE 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	2	1	3	-	-	1	2	3	-	-	1	2	3	-	-	-	1	1
Sarcoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	3	1	4	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	2	3	-	-	-	1	1
Diabetes Mellitus - - - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Premature Birth - - - - -	2	-	-	-	2	3	-	-	-	3	4	-	-	-	4	2	-	-	-	2
Congenital Defects - - - - -	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	4	-	-	-	4	1	1	-	-	2	2	1	-	-	3	2	-	1	-	3
Softening of Brain - - - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3
Convulsions - - - - -	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	1	-	-	1	-	-	2	2	4	-	-	-	2	2	-	-	1	-	1
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Angina Pectoris - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) - - - - -	-	-	3	2	5	-	-	7	5	12	-	-	2	6	8	-	-	3	4	7

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis	61	-	1	10	14	25	1	-	4	5	10	-	-	1	4	5	-	-	2	3	5
Apoplexy, Hemiplegia	65	-	1	12	22	35	-	-	2	9	11	-	-	1	3	3	-	-	2	2	4
Aneurism	13	-	-	1	1	2	-	-	2	3	5	-	-	1	1	2	-	-	1	-	1
Senile Gangrene	8	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Embolism, Thrombosis (not Cerebral)	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	3	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	158	38	-	23	28	89	-	1	5	12	18	3	-	7	5	15	9	-	2	5	16
Pneumonia { Lobar, Croupous	37	5	1	8	5	19	1	1	5	3	10	-	-	2	2	4	-	-	2	1	3
	65	32	1	2	1	36	7	-	2	5	12	4	-	3	-	7	4	-	1	1	6
	100	17	-	25	5	47	3	1	7	3	14	2	-	6	3	11	-	1	4	5	10
Emphysema, Asthma	8	-	-	2	1	3	-	-	2	2	-	-	1	-	1	-	-	1	-	1	2
Pleurisy	10	1	-	3	-	4	-	-	3	-	3	-	-	-	-	-	-	-	2	-	1
Fibroid Disease of Lung	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	18	10	-	1	-	11	-	-	2	2	4	-	-	1	1	-	-	-	-	-	-
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Esophagus (not Specific)	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Gastric Ulcer	8	-	-	3	-	3	-	1	1	2	-	-	-	-	-	-	-	-	1	-	1
Gastric Catarrh	21	9	-	1	2	12	2	-	1	1	4	1	-	1	2	1	-	-	-	-	1
Other Diseases of Stomach (not Malignant)	9	2	-	1	2	5	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-
Enteritis (not Epidemic)	10	4	-	3	-	7	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1
Gastro-enteritis	24	14	1	1	-	16	1	1	-	2	1	-	-	-	1	4	-	-	-	-	4
Appendicitis, Perityphilitis	11	-	2	1	-	3	1	1	2	4	-	2	-	1	-	2	-	-	-	-	-
Hernia	8	1	-	3	-	4	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-
Intestinal Obstruction	18	1	-	1	5	7	1	-	2	2	5	1	-	3	-	4	1	-	-	-	1
Other Diseases of Intestines	6	-	-	2	2	-	1	2	-	3	-	-	1	-	1	-	-	-	-	-	-
Peritonitis (not Puerperal)	25	6	-	6	1	13	-	-	2	2	-	1	1	-	2	-	1	1	2	4	1
Cirrhosis of Liver	7	-	-	4	1	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Liver and Gall Bladder	17	-	-	1	3	4	-	1	2	2	5	1	-	2	1	4	1	-	1	2	-
Other Dis. of Digestive System	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	3	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	-	1
Diseases of Thyroid Body	2	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	2	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	24	-	-	9	2	11	-	-	3	2	5	-	1	2	4	7	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	47	1	-	23	6	30	-	-	5	3	8	-	-	2	1	3	-	-	1	1	2
Calculus (not Biliary)	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	2	1	3	-	-	-	2	2	-	-	-	-	-	1	-	-	-	1
Other Dis. of Urinary System	6	1	-	1	-	2	-	-	-	3	3	-	-	1	1	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hemorrhage, Embolism, Thrombosis	-	-	4	4	8	-	-	1	2	3	-	-	-	2	2	-	-	2	1	3
Apoplexy, Hemiplegia	1	-	2	2	5	-	-	1	2	3	-	-	-	-	3	-	-	-	1	1
Aneurism	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Senile Gangrene	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	2	-	2	3	7	1	-	4	1	6	1	1	1	1	4	1	1	-	1	3
Pneumonia { Lobar, Croupous	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
{ Catarrhal, Lobular, Broncho-	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
{ Not otherwise defined	-	-	3	3	6	2	-	-	-	2	2	1	5	2	10	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Pleurisy	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Fibroid Disease of Lung	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Oesophagus (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
Gastric Catarrh	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Gastro-enteritis	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Appendicitis, Perityphlitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	-	-	-	-	-	-	3	-	-	3	-	1	-	-	1	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Other Diseases of Digestive System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	-	-	-	-	-	-	1	1	-	1	-	2	3	-	-	-	-	-
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[illegible]

93

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JUNE 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,477	56	12	21	0	0	0	0	0	0	0	1	0	2	4
Ayr,	31,299	75	42	49	0	0	0	0	1	1	0	3	0	7	2
Banff, with Macduff,	8,283	28	8	12	0	0	0	0	0	0	0	1	0	2	0
Blairgowrie,	4,232	9	8	6	0	0	0	0	0	0	0	0	0	2	3
Callander,	2,147	3	3	4	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,231	23	11	11	0	0	0	0	0	0	0	0	0	0	1
Cathcart,*	8,251	23	4	10	0	0	0	0	0	0	0	0	0	0	1
Coatbridge,	41,763	167	49	64	0	0	0	2	1	1	0	2	0	12	4
Crieff,	5,774	7	2	3	0	0	0	0	0	0	0	0	0	1	1
Dumbarton,	20,731	65	16	43	0	0	4	1	0	0	0	0	0	12	4
Dumfries, with Troqueer,	24,971	74	31	53	0	0	0	3	6	0	0	2	0	6	12
Dunfermline,	32,421	83	49	41	0	1	0	0	0	1	0	2	2	2	2
Dunoon,	9,340	16	4	21	0	0	0	0	0	0	0	0	0	4	2
Eastwood,*	15,756	51	8	21	0	0	2	1	0	1	0	1	0	3	2
Elgin,	11,819	30	10	15	0	0	0	0	0	0	0	0	0	1	5
Falkirk,	39,528	113	57	35	0	0	0	6	1	0	0	1	0	5	2
Forfar,	12,708	27	19	23	0	0	0	0	1	0	0	0	0	2	4
Galashiels,	13,230	36	14	17	0	0	0	1	0	0	0	0	0	2	4
Govan—(1) Plantation,*	28,401	77	20	53	0	9	0	11	0	0	0	1	0	5	3
(2) Govan,*	60,799	226	52	117	0	9	0	10	0	0	0	2	0	20	11
(3) Partick,*	59,360	199	72	63	0	1	1	2	0	0	0	4	0	14	3
Haddington,	5,106	13	6	5	0	0	0	0	0	0	0	0	0	0	2
Hawick, with Wilton,	18,069	41	18	27	0	0	0	0	1	0	0	2	0	3	4
Inverness,	27,734	66	31	49	0	0	0	1	0	0	0	1	0	5	6
Kilmarnock, with Riccarton,	38,598	102	53	45	0	0	0	1	0	1	0	3	0	8	5
Kilmore and Kilbride (Oban),	6,437	18	11	7	0	0	0	0	0	0	0	0	0	0	0
Kinning Park,*	13,891	50	30	41	0	10	0	8	0	0	0	3	0	5	1
Kirkcaldy and Abbotshall,	24,307	65	24	25	0	0	0	0	0	4	0	3	0	3	4
Kirkcudbright,	3,272	3	2	2	0	0	0	0	0	0	0	0	0	0	0
Largs, with Skelmorlie,	5,542	16	3	7	0	0	1	0	0	6	0	0	0	1	0
Logie (Bridge of Allan),	4,473	9	1	8	0	0	0	0	0	0	0	0	0	1	0
Moffat,	2,760	3	1	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,903	16	14	22	0	0	0	0	0	0	0	1	0	3	4
Moulin (Pitlochry),	2,237	4	0	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	15	6	7	0	0	0	1	0	0	0	0	0	0	0
New Monkland (Airdrie),	37,507	138	44	51	0	0	0	1	0	0	0	1	0	7	7
North Berwick,	3,802	4	5	5	0	0	0	0	1	0	0	0	0	1	1
Peterhead, with Boddam,	14,996	42	8	20	0	0	0	0	0	1	0	0	0	4	0
Rothsay,	9,439	17	5	10	0	0	0	0	0	0	0	0	0	3	0
St Andrews and St Leonards,	9,564	15	11	11	0	0	0	0	0	0	0	0	0	2	1
Shettleston,*	25,019	78	28	26	0	0	0	0	0	1	0	0	1	6	8
Stirling,	16,674	33	27	29	0	0	0	0	0	0	0	0	0	8	4
Stranraer,	6,001	13	7	8	0	0	0	0	0	0	0	1	0	2	2
Wick,	11,166	40	4	19	0	0	0	0	0	0	0	0	0	2	3

* Excluding portion within the Municipal Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'N.$, and Long. $3^{\circ}30'W.$, and height 153 feet above the sea-level.

For the month of JUNE 1903.

Mean barometric pressure, 30.098 inches; greater than the average for the same month of 1856-1900 by 0.154 inch.

Barometric monthly range, 0.727 inch; less by 0.203 inch.

Mean temperature, $54^{\circ}4$; less by $1^{\circ}4$.

Mean daily range of temperature, $15^{\circ}0$; less by $0^{\circ}3$.

Mean humidity, 78 per cent.; being the average.

Rain, number of days, 12; less by 1 day.

Rain, depth in inches, 1.96; less by 0.60 inch.

Wind, pressure on square foot, 1.23 lb.; less by 0.10 lb.

Wind, direction of: an 8 days' excess of winds from N., N.E., E., and S.E.

Hence the month of June 1903 was characterised by an exceedingly high mean barometric pressure, with an extremely low monthly range; a rather low mean temperature, with a mean daily range about equal to the average; an average mean humidity; a somewhat low mean rainfall, falling on 1 day less than the average number; a remarkable excess of winds of about average force from between N. and S.E.

The mean barometric pressure was 30.098 inches, or 0.154 inch above the average. So high a pressure for June has not been recorded since 1887, when the mean for the month was 30.183 inches. The range of 0.727 inch was lower than any recorded since 1859, when the monthly range was 0.638 inch. At Leith the barometer at sea-level stood below 30 inches only on the 1st, from the 15th to 19th, from 26th to 28th, and on the morning of the 29th, the extremes there being 30.448 inches on the 6th, and 29.759 inches on the 18th.

The mean temperature was $54^{\circ}4$, or $1^{\circ}4$ below the average, the days being $1^{\circ}6$ and the nights $1^{\circ}3$ below their respective averages. At Paisley and Greenock temperature was fractionally above the average, but at the other towns there was a deficiency which increased northwards, and at Aberdeen amounted to $2^{\circ}4$. Temperature was high at the beginning and end of the month, but during the second and third weeks persistent winds from E. and N.E. brought very cold weather, the mean temperature of the third week being at Aberdeen $7^{\circ}0$, and at Leith $6^{\circ}0$, below the average of the week. Lowest temperatures were everywhere recorded on the 14th or 20th, and on the morning of the latter day minimum thermometers exposed on grass registered $8^{\circ}0$ of frost at Fort-William and at Inverness, and $2^{\circ}0$ at Paisley, Corstorphine, and Smeaton. The absolute maximum at any of the towns was $82^{\circ}0$ at Perth on the 4th, and the minimum also at Perth, $32^{\circ}5$, on the 14th.

The mean rainfall was 1.96 inch, or 23 per cent. below the average. At Paisley there was an excess of 22 per cent., and at Dundee of 12 per cent., but at all the other towns there was a deficiency which was nowhere less than 20, and was at Edinburgh as much as 46 per cent. At Greenock the aggregate for the first three weeks of the month was only 0.09 inch, and at Paisley 0.27 inch. Early in the morning of the 5th there was on the East Coast a heavy fall of rain, but thereafter, except on the 16th and 17th, little fell anywhere till after the 21st.

Thunder occurred at many places on the 24th, 25th, and early on the 29th, the storms being of great severity in Central Perthshire. At Glasgow, Edinburgh, and Greenock thunder was not reported. . .

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JUNE 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables, 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Inch.	Inch.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.		Greatest Daily Range.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.										
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	N	
GLASGOW, Medical Officer of Health, Glasgow.	54	30.027	0.736			72.2	36.8	54.5	35.4	23.2	23.2	49.0	.349	3.93	80	14	1.93			3	0	17	0	0	0	8	1	1	0.50
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29.623	30.103	0.698		74.2	39.7	53.2	34.5	11.6	26.0	45.6	.307	3.47	73	11	1.03			2	7	9	1	3	2	5	1	0	1.70
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	144	29.923	30.103	0.740		77.7	36.5	53.7	41.2	16.2	33.0	47.6	.330	3.70	80	17	2.30			0	10	2	8	1	6	1	2	0	0.82
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	30.060	30.109	0.770		73.8	33.6	52.3	40.2	13.9	25.6	46.1	.314	3.55	80	9	1.49			3	3	1	6	3	4	1	2	1	1.96
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.967	30.084	0.722		75.1	38.0	56.6	37.1	16.6	28.2	47.9	.336	3.78	77	12	2.80			3	6	8	3	1	4	2	3	0	0.80
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDFAIR.	76	30.016	30.099	0.689		78.6	42.9	55.4	35.7	12.1	23.6	46.5	.317	3.57	75	12	1.57			2	4	12	4	1	2	2	2	1	2.25
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	233	29.841	30.082	0.714		72.2	40.4	55.3	31.3	14.7	21.2	47.3	.325	3.69	77	11	2.85			6	6	9	2	0	4	4	5	0	1.40
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.991	30.105	0.744		82.0	32.5	54.4	49.5	19.4	39.5	47.0	.321	3.63	77	—	1.66			0	5	6	4	4	2	2	3	4	0.40
Means	153	29.931	30.098	0.737		82.0	32.5	54.4	38.2	15.0	28.8	47.1	.325	3.66	73	12	1.96			2	5	8	4	2	3	3	2	1	1.23
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 28'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth 3° 29'; Mean, 3° 30'.																													

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JULY 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and so d
by OLIVER & BOYD, Edinburgh.

REPORT.

The number of births recorded in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, during the month of July 1903, was 4418, of which 2234 were of males and 2184 of females. Of these births 289 were illegitimate, being at the rate of 6·5 per cent., or one illegitimate in every 15·3 births. The rate of illegitimacy in Leith was 3·2 per cent.; in Greenock, 3·8; in Paisley, 4·5; in Glasgow, 6·4; in Edinburgh, 6·6; in Aberdeen, 8·6; in Perth, 8·7; and in Dundee, 8·8 per cent.

During the month 2027 marriages were registered in the above mentioned towns, being 85 above the average for the same month during the last ten years, allowance being made for the increase of population.

The deaths of 2262 persons were recorded in these towns during July, of whom 1186 were males and 1076 females. Allowing for the increase of population, this number is 315 below the average for the month during the preceding decennium.

The mortality in Perth was at the annual rate of 12·3 deaths per thousand of the estimated population; in Leith, at the rate of 13·8; in Dundee, 14·5; in Aberdeen, 14·6; in Edinburgh, 15·1; in Glasgow, 16·1; in Greenock, 17·3; and in Paisley, 19·5.

Of the 1075 deaths registered in Glasgow, 249 were of infants under one year of age, and 204 of persons over 60 years; of the 420 in Edinburgh, 84 were of infants

under one year, and 108 of persons over 60 years; of the 200 in Dundee, 41 were of infants under one, and 53 of persons over 60; of the 200 in Aberdeen, 45 were under one, and 67 over 60; of the 137 in Paisley, 32 were under one, and 27 over 60; of the 93 in Leith, 24 were under one, and 19 over 60; of the 102 in Greenock, 22 were under one, and 28 over 60; and of the 35 in Perth, 6 were under one year, and 15 over 60 years.

Of the whole 2262 deaths, 776 were of children under five years of age, being at the rate of 34·3 per cent. In Dundee, 26·5 per cent. of the deaths were of children under five years; in Aberdeen, 27·0 per cent.; in Perth, 28·5; in Edinburgh, 29·3; in Greenock, 32·4; in Glasgow, 37·7; in Paisley, 42·3; and in Leith, 43·0.

From the seven principal Epidemic diseases there resulted 228 deaths, being 10·1 per cent. of the total mortality. This rate was exceeded in Edinburgh from the combined mortality from Measles and Hooping-cough, and in Greenock from the prevalence of Hooping-cough.

One death from Small-pox was registered in Edinburgh.

The deaths from Measles amounted to 40, being 1·8 per cent. of the total mortality. In Paisley 8·0 per cent. of the deaths were due to this cause.

From Scarlet Fever there resulted 18 deaths.

To Hooping-cough were ascribed 66 deaths, or 2·9 per cent. of the whole. In Greenock the percentage from this disease was 8·8.

Diphtheria accounted for 15 deaths, and Fevers for 28, of which 1 (in Glasgow) was due to Typhus, 1 to Simple Continued, and the remainder to Enteric Fever.

From Diarrhoea and Dysentery 62 deaths resulted, being 2·7 per cent. of the whole mortality.

Two deaths were attributed to Puerperal Septicæmia, and 6 to Puerperal "Fever."

The deaths of 129 persons were ascribed to Malignant diseases, of which 55 were returned as due to Carcinoma, 7 to Sarcoma, and 67 to Cancer or Malignant disease of an unspecified nature.

From Alcoholism there resulted 8 deaths; from Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 115; from diseases of the Heart, 198; and from Premature birth debility, 61.

Inflammatory affections of the Respiratory organs (not including Phthisis or Hooping-cough) amounted to 362 or 16·0 per cent. of the total. Pulmonary Tuberculosis and Phthisis accounted for 194 deaths, or 8·6 per cent.

The deaths of 116 persons were due to Violent Causes, of which 4 were Suicidal, (3 by Hanging, and 1 by Cut-throat). The deaths from Violence in Glasgow include 13 which occurred in St. Enoch station from the railway accident on the 27th of the month.

One male and four females died aged 90 years and upwards, the oldest being a female aged 93.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JULY 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	786,897	1133	1090	2223	2081	142	964	578	497	1075
EDINBURGH,	276,652	317,459	327,441	378	368	746	697	49	400	229	191	420
DUNDEE,	154,118	161,173	162,805	183	188	376	343	33	214	97	103	200
ABERDEEN,	124,943	153,503	160,780	208	224	432	395	37	179	106	94	200
PAISLEY,	66,425	79,363	82,608	91	108	199	190	9	75	65	72	137
LEITH,	68,707	77,439	79,552	96	93	189	183	6	72	52	41	93
GREENOCK,	63,423	68,142	69,252	104	80	184	177	7	85	50	52	102
PERTH,	20,919	32,373	33,577	36	33	69	63	6	38	9	26	35
TOTAL,	1,443,380	1,651,661	1,702,912	2234	2184	4418	4129	289	2027	1136	1076	2262

JULY 1902,	Mean Temp. 55°·7	2241	2179	4420	4131	289	1726	1207	1102	2309
JULY 1901,	Mean Temp. 62°·5	2399	2145	4544	4257	287	2004	1415	1267	2682
JULY 1900,	Mean Temp. 60°·6	2231	2108	4339	4024	315	1972	1233	1227	2460
JULY 1899,	Mean Temp. 60°·3	2135	2084	4219	3913	306	2109	1185	1076	2261
JULY 1898,	Mean Temp. 58°·3	2174	1968	4142	3859	283	1864	1291	1179	2473
JULY 1897,	Mean Temp. 59°·3	2086	2059	4145	3829	316	1828	1209	1178	2337
JULY 1896,	Mean Temp. 58°·1	2075	2013	4088	3794	294	1780	1229	1152	2381
JULY 1895,	Mean Temp. 57°·2	2120	2070	4190	3887	303	1705	1221	1255	2476
JULY 1894,	Mean Temp. 59°·5	2038	1859	3897	3589	308	1614	1018	1003	2021
JULY 1893,	Mean Temp. 58°·7	1974	1916	3890	3594	296	1514	1305	1283	2588

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JULY 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH—contd.							
Bridgeton,	0	0	4	6	3	7	3	Morningside,	0	1	0	3	1	0	2
Camlachie,	0	4	0	1	0	0	3	Portobello,	0	0	0	0	0	0	0
Dennistoun,	0	0	1	3	0	1	3	DUNDEE—							
Calton,	0	0	0	1	0	0	1	St Peter,	0	0	0	1	0	0	1
Blackfriars,	0	0	0	0	1	0	3	St Mary,	0	0	0	1	0	2	3
St Rollox,	0	1	0	5	1	0	8	St Clement,	0	0	0	0	0	1	4
Blythswood,	0	0	1	0	0	0	0	St Andrew,	0	0	0	1	0	0	2
Milton,	0	0	0	4	0	0	3	Lochee,	0	0	0	0	0	0	0
Kelvin,	0	3	0	0	1	0	1	Mains,	0	0	0	0	0	0	0
Anderston,	0	0	0	4	0	0	1	ABERDEEN—							
Hutchesontown,	0	0	0	2	0	1	0	St Nicholas,	0	0	1	2	0	1	2
Gorbals,	0	2	1	0	1	0	0	St Machar,	0	0	0	1	0	0	2
Tradeston,	0	0	0	2	0	0	0	Woodside,	0	0	0	0	0	0	1
Kinning Park,	0	0	0	2	0	0	0	Old Aberdeen,	0	0	0	0	0	0	1
Cathcart,	0	0	0	0	0	0	0	E. Peterculter,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0	Nigg,	0	0	0	0	0	0	0
Maryhill,	0	3	2	4	1	2	0	PAISLEY,	0	11	3	2	1	1	5
Shettleston,	0	0	0	0	0	0	0	LEITH—							
Plantation,	0	0	0	3	0	0	0	North,	0	0	0	1	0	0	0
Govan,	0	0	0	0	0	0	0	South,	0	0	0	2	0	2	3
Partick,	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen,	0	0	0	0	0	0	0	East,	0	0	0	9	0	0	1
EDINBURGH—								West,	0	0	1	0	1	3	0
St George,	0	4	0	1	1	1	2	PERTH,	0	0	0	0	0	0	1
St Andrew,	0	0	0	0	0	0	0								
Canongate,	0	2	1	1	1	1	3								
St Giles,	1	4	3	7	1	6	1								
Newington,	0	0	0	0	1	0	3								

DEATHS FROM ALL CAUSES at Four Periods of Life.

101

Registered during the month of JULY 1903.

[illegible]

Registered during the Month of JULY 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Malarial Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - - -	15	2	-	-	-	2	3	-	1	-	4	3	1	1	-	5	2	-	-	-	2
Gonorrhoea, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sappremia - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - -	6	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Erysipelas - - -	6	-	-	-	1	1	-	-	1	-	1	-	-	-	1	1	1	-	1	-	2
Septicæmia (not Puerperal)	5	-	-	2	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Pyæmia (not Puerperal)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Phlegmon, Carbuncle (not Anthrax) - - -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1
Phagedæna - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Infective Endocarditis - -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis) -	33	-	1	10	-	11	2	2	5	1	10	-	2	5	-	7	1	-	1	-	2
Phthisis (not otherwise def.) -	161	9	10	51	3	73	-	3	26	3	32	-	2	13	2	17	1	3	13	1	18
Tuberculous Meningitis -	35	12	5	-	-	17	2	2	-	-	4	2	-	-	-	2	1	1	-	-	2
Tuberculous Peritonitis -	27	8	6	1	-	15	-	1	4	-	5	-	-	-	-	-	1	1	-	-	2
Tabes Mesenterica - - -	7	3	1	-	-	4	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Lupus - - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs -	11	1	3	-	-	4	1	-	2	-	3	-	-	1	-	1	1	-	-	-	1
General Tuberculosis - -	24	5	2	1	-	8	3	2	-	-	5	2	1	1	-	4	-	-	-	-	-
Scrofula - - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Parasitic Diseases - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	8	-	-	3	-	3	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

103

103

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	-	-	2	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Phthisis (not otherwise defined)	-	1	9	-	10	-	3	5	-	8	-	-	1	-	1	-	-	2	-	2
Tuberculous Meningitis	-	1	1	-	2	6	-	-	-	6	1	-	-	-	1	1	-	-	-	1
Tuberculous Peritonitis	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	1	1	-	-	2
Tabes Mesenterica	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
General Tuberculosis	-	3	1	1	5	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute Rheumatism - - -	9	-	3	2	-	5	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Rheumatism of Heart - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Chronic Rheumatism - - -	5	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Rheumatic Arthritis, Rheumatic Gout - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	
Gout - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Carcinoma - - -	55	-	-	13	10	23	-	-	9	8	17	-	-	4	-	4	-	-	3	2	5
Sarcoma - - -	7	-	1	2	-	3	1	-	2	3	3	-	-	-	-	-	-	1	-	1	
Cancer, Malignant Disease (not otherwise defined)	67	-	-	9	11	20	-	-	15	3	18	-	-	3	2	5	-	-	4	5	9
Rickets - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Purpura - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - -	12	-	1	8	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - -	7	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Premature Birth - - -	61	26	-	-	-	26	13	-	-	-	13	5	-	-	-	5	9	-	-	-	9
Congenital Defects - - -	15	8	-	-	-	8	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Injury at Birth - - -	4	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Atelectasis - - -	4	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Want of Breast Milk - - -	3	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Teething - - -	6	5	-	-	-	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - -	56	25	9	3	-	37	6	-	1	-	7	2	-	-	-	2	1	-	-	-	1
Softening of Brain - - -	3	-	-	1	2	3	-	-	1	1	2	-	-	1	1	2	-	-	-	-	-
General Paralysis of Insane - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Insanity (not Puerperal) - - -	4	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
Chorea - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy - - -	6	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Convulsions - - -	34	17	-	1	-	18	3	-	-	-	3	2	-	1	-	3	3	-	1	-	1
Laryngismus Stridulus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Locomotor Ataxy - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord - - -	11	-	-	3	2	5	-	-	2	-	2	-	-	1	1	2	-	-	1	-	1
Neuritis; Peripheral, Polyneuritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - -	6	-	1	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	2	-	2
Other Dis. of Nervous System - - -	18	1	1	4	1	7	-	-	2	4	6	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease - - -	5	2	1	-	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Epistaxis, Disease of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	69	-	2	18	9	29	-	2	5	7	14	-	-	5	2	7	-	1	3	7	11
Pericarditis - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Angina Pectoris - - -	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Dilatation of Heart - - -	7	-	-	1	-	1	-	-	2	1	3	-	-	2	-	2	-	-	-	-	-
Fatty Degeneration of Heart - - -	5	-	-	-	1	1	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-
Syncope, Heart Disease (not specified) - - -	110	3	1	21	22	47	2	1	6	7	16	2	1	2	7	12	-	-	4	9	13

DEATHS FROM ALL CAUSES at Four Periods of Life.

105

Registered during the Month of JULY 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	1	1	2	-	-	-	1	1	-	-	2	1	3	-	-	-	-	-
Sarcoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	4	2	6	-	-	1	2	3	-	-	2	3	5	-	-	1	-	1
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Premature Birth - - - - -	2	-	-	-	2	2	-	-	-	2	4	-	-	-	4	-	-	-	-	-
Congenital Defects - - - - -	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	3	-	-	-	3	1	-	1	-	2	3	-	-	-	3	1	-	-	-	1
Softening of Brain - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	3	-	-	-	3	2	-	1	-	2	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Neuritis; Peripheral, Poly-Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	2	-	2	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Epistaxis, Disease of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	-	-	-	-	2	2	-	4	-	-	1	1	2	-	-	-	2	2
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) - - - - -	-	-	2	3	5	-	-	-	2	2	-	1	10	2	13	-	-	-	2	2

107

107

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
3. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hemorrhage, Embolism, Thrombosis	-	-	-	1	1	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-
Apoplexy, Hemiplegia	-	-	1	2	3	-	-	1	2	3	-	-	-	4	4	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	8	-	1	3	12	1	-	2	2	5	-	-	2	1	3	-	-	-	3	3
Pneumonia { Lobar, Croupous	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Catarrhal, Lobular, Broncho-	2	-	-	-	2	-	-	-	-	-	2	-	-	-	2	-	-	-	1	1
{ Not otherwise defined	3	-	2	-	5	2	1	1	-	4	1	-	4	2	7	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Fibroid Disease of Lung	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Oesophagus (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Gastric Ulcer	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	1	-	2	1	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1
Appendicitis, Perityphlitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-
Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Peritonitis (not Puerperal)	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	2
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	-	1	1	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1903.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

109

Registered during the Month of JULY 1903.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts ; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.— JULY 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Fleury's.	Consumption.
Arbroath,	22,477	60	34	18	0	0	0	0	0	0	0	2	0	2	2
Ayr,	31,299	89	22	39	0	0	0	0	0	1	0	5	0	1	4
Banff, with Macduff,	8,283	15	6	10	0	0	0	1	0	0	0	0	0	0	0
Blairgowrie,	4,232	7	3	9	0	0	0	0	0	0	0	0	0	2	4
Callander,	2,147	3	0	5	0	0	0	0	0	0	0	0	0	1	1
Campbeltown,	10,231	20	6	12	0	0	0	1	0	0	0	1	0	0	1
Cathcart,*	8,221	14	1	9	0	0	0	0	0	0	0	0	0	1	1
Coatbridge,	41,763	139	36	57	0	0	0	1	0	0	0	9	0	6	7
Crieff,	5,774	13	2	7	0	0	0	0	0	0	0	1	0	0	2
Dumbarton,	20,731	58	13	26	0	0	0	1	0	1	0	1	0	3	3
Dumfries, with Troqueer, . .	24,971	78	24	50	0	0	1	1	6	0	0	1	0	7	11
Dunfermline,	32,421	85	46	42	0	2	0	0	0	0	0	0	0	11	5
Dunoon,	9,340	15	3	17	0	0	0	0	0	0	0	0	0	0	1
Eastwood,*	15,756	51	19	16	0	0	0	1	0	0	0	2	0	3	1
Elgin,	11,819	23	7	16	0	0	0	0	0	0	0	2	0	4	2
Falkirk,	39,528	137	28	46	0	0	0	1	0	0	0	2	0	2	6
Forfar,	12,708	22	10	13	0	0	0	0	1	0	0	0	0	1	1
Galashiels,	13,230	29	14	19	0	0	0	1	0	0	0	1	0	2	4
Govan—(1) Plantation,* . . .	28,401	82	17	41	0	2	0	6	0	0	0	5	0	3	6
(2) Govan,*	60,799	201	60	128	0	9	0	3	2	0	0	15	1	21	14
(3) Partick,*	59,360	162	40	53	0	1	0	2	1	0	0	4	0	10	6
Haddington,	5,106	13	1	10	0	4	0	0	0	0	0	0	0	1	0
Hawick, with Wilton,	18,069	45	13	24	0	0	0	0	0	1	0	3	0	2	4
Inverness,	27,734	80	19	51	0	0	0	0	0	0	0	2	0	3	5
Kilmarnock, with Riccarton, .	38,598	107	23	43	0	0	0	3	1	1	0	5	1	6	3
Kilmore and Kilbride (Oban), .	6,437	19	9	4	0	0	0	0	0	0	0	0	0	1	0
Kinning Park,*	13,891	49	23	18	0	2	0	2	0	0	0	1	0	6	1
Kirkcaldy and Abbotshall, . .	24,307	58	24	19	0	0	0	0	0	0	0	0	0	1	0
Kirkcudbright,	3,272	5	3	4	0	0	0	0	0	0	0	0	0	1	0
Largs, with Skelmorlie, . . .	5,542	4	1	9	0	0	2	0	0	0	0	0	0	0	1
Logie (Bridge of Allan), . . .	4,473	6	3	3	0	0	0	0	0	0	0	0	0	0	1
Moffat,	2,760	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,903	22	10	23	0	0	0	0	0	0	0	0	0	3	2
Moulin (Pitlochry),	2,237	9	0	2	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	5	2	8	0	0	0	0	0	0	0	0	0	2	1
New Monkland (Airdrie), . . .	37,507	115	50	35	0	0	0	0	0	0	1	0	7	3	3
North Berwick,	3,802	6	1	2	0	0	0	0	0	0	0	0	0	0	1
Peterhead, with Boddam, . . .	14,996	33	6	22	0	1	0	0	0	0	0	0	0	7	0
Rothsay,	9,439	12	1	10	0	0	0	0	0	0	1	1	2	1	1
St Andrews and St Leonards, .	9,564	16	1	9	0	0	0	0	0	0	0	0	0	1	0
Shettleston,*	25,019	78	21	30	0	0	1	1	1	1	0	3	0	6	3
Stirling,	16,674	43	19	28	0	0	0	0	0	0	0	1	2	6	6
Stranraer,	6,001	16	9	8	0	0	0	0	0	0	0	0	0	0	1
Wick,	11,166	20	3	15	0	0	0	0	0	0	0	0	0	2	2

* Excluding portion within the Municipal Burgh of Glasgow

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 153 feet above the sea-level.

For the month of JULY 1903.

Mean barometric pressure, 29.846 inches; less than the average for the same month of 1856-1900 by 0.041 inch.

Barometric monthly range, 0.737 inch; less by 0.177 inch.

Mean temperature, $57^{\circ}0$; less by $1^{\circ}3$.

Mean daily range of temperature, $14^{\circ}0$; less by $0^{\circ}5$.

Mean humidity, 80 per cent.; greater by 1.2.

Rain, number of days, 19; greater by 3 days.

Rain, depth in inches, 4.26; greater by 1.16 inch.

Wind, pressure on square foot, 1.64 lb.; greater by 0.27 lb.

Wind, direction: a 6 days' excess of winds from N., N.E., E., and S.E.

Hence the month of July 1903 was characterised by a rather low mean barometric pressure, with a very low monthly range; a rather low mean temperature, with a slightly low mean daily range; a mean humidity a little above the average; a high mean rainfall, falling on 3 days more than the average number; a great excess of winds of rather more than average force from between N. and S.E.

The mean barometric pressure was 29.846 inches, or 0.041 inch below the average. Pressure was irregular during the first six days of the month and on the 5th a fall of about half-an-inch was accompanied by somewhat stormy weather. Thereafter there were no very great barometric fluctuations. The extremes at Leith were, at sea-level $30^{\circ}225$ inches on the 9th and $29^{\circ}454$ inches on the 5th.

The mean temperature was $57^{\circ}0$, or $1^{\circ}3$ below the average, the days and nights both having temperatures below their respective averages by that amount. At Edinburgh and Leith temperature was all but equal to the average, whilst at Aberdeen there was a deficiency of $2^{\circ}0$ and at Glasgow of $1^{\circ}4$. The month commenced with temperatures much above the average, followed by a short cold period with high temperatures again on the 9th and 10th. From the 14th to 21st cold Easterly winds prevailed and low temperatures were recorded, as again from the 27th to 29th. At Aberdeen on the 16th the sheltered maximum rose to only $52^{\circ}7$, the mean temperature there for the week ending July 18th being $51^{\circ}5$, as compared with $59^{\circ}2$ for the week ending July 4th, the corresponding figures for Leith being $54^{\circ}1$ and $61^{\circ}2$, and for Glasgow $54^{\circ}0$ and $58^{\circ}6$. The absolute maximum at any of the towns was $78^{\circ}1$ at Aberdeen on the 9th, and the minimum $37^{\circ}2$ at Greenock on the 14th.

The mean rainfall was 4.26 inches, being 37 per cent. above the average, and the largest July rainfall since 1895 when the mean was 4.40 inches. At Glasgow there was an excess of only 4 per cent., but at Greenock, Edinburgh and Leith, of between 30 and 40, at Paisley and Dundee, of 45, whilst at Aberdeen there was an excess of 2.19 inches amounting to 76 per cent. of the average. On the 5th heavy falls occurred in the northern counties, 2.50 inches at Wick, 1.40 at Gordon Castle and 1.04 at Nairn, whilst a feature of the month was the heavy rainfall in the eastern counties on the 16th, when Dundee reported 1.63 inch, Aberdeen 1.20 and Edinburgh 1.00. The heaviest daily amount reported from the western towns was 0.72 inch at Greenock on the 5th. At Edinburgh and Leith the monthly amount exceeded the aggregate of April, May and June.

A good deal of Thunder was reported on the 2nd and towards the end of the month. On the 5th and 6th very strong winds from the North prevailed, reaching gale force at many places.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JULY 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables, 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.											
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.		
GLASGOW, Medical Officer of Health, Glasgow.	54	29-790	29-849	0-730	75-6	42-2	57-3	33-4	14-8	23-0	57-6	54-8	52-3	0-393	4-38	83	17	3-19	5	1	17	0	0	0	5	3	0	1-00		
EDINBURGH, Professor CARL RD., Royal Observatory.	441	29-870	29-854	0-772	74-6	42-5	56-5	32-1	13-0	23-7	55-2	52-1	49-1	0-350	3-91	81	16	3-82	3	3	3	2	2	5	10	3	0	1-50		
DUNDEE, JOHN CARNOGHAN, Curator of Cemeteries.	164	29-660	29-833	0-760	75-7	43-4	57-5	32-3	16-1	23-9	56-6	53-9	51-4	0-380	4-25	82	19	4-47	1	7	0	9	1	5	3	5	0	1-21		
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29-781	29-829	0-670	78-1	38-4	55-3	39-7	12-9	26-2	54-9	51-9	49-0	0-349	3-98	80	16	5-03	1	2	1	9	5	6	0	7	0	2-25		
PAISLEY, DONALD MACLEAN, The Coals Observatory.	107	29-786	29-853	0-743	74-9	43-2	53-1	31-7	14-6	24-8	57-6	54-2	51-1	0-377	4-20	79	20	4-10	4	2	6	1	4	1	2	4	1	0-90		
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29-767	29-849	0-771	76-6	43-1	53-2	33-5	13-1	25-4	57-5	53-7	50-3	0-365	4-06	77	21	4-11	3	2	5	4	3	3	9	1	1	2-25		
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	293	29-603	29-850	0-710	72-0	37-2	56-1	34-8	13-4	21-5	56-1	52-7	49-5	0-357	4-00	78	21	5-04	0	1	7	2	0	5	9	6	1	2-36		
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Means	153	29-674	29-846	0-737	78-1	37-2	57-0	33-9	14-0	24-6	56-5	53-8	50-4	0-367	4-11	80	19	4-26	2	3	6	4	2	4	6	4	0	1-64		
North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 36'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 56° 53'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

AUGUST 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

During the month of August 1903 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth the births of 4043 children, of whom 2033 were males and 2010 females. Of these births 300 were illegitimate, being at the rate of 7·4 per cent., or one illegitimate in every 13·5 births. In Greenock the illegitimate births constituted 4·9 per cent. of the total; in Leith, 5·1; in Glasgow, 6·6; in Edinburgh, 7·9; in Perth, 8·1; in Paisley, 8·2; in Dundee, 9·6; and in Aberdeen, 10·3 per cent.

The number of marriages recorded in these towns during the month was 1016, which number, allowing for increase of population, is 11 below the average for the month during the previous ten years.

The deaths of 2170 persons were registered in the above mentioned towns during August, of whom 1040 were males and 1130 females. After allowance is made for increase of population, the mortality is found to be 374 below the average for the month during the last ten years.

The deaths registered in Edinburgh are equivalent to an annual rate of 12·8 per thousand of the estimated population; in Perth, to a rate of 14·0; in Aberdeen, 14·1; in Dundee, 14·8; in Glasgow, 15·7; in Leith, 16·3; in Paisley, 16·7; and in Greenock, 16·8.

Of the 1049 deaths registered in Glasgow, 297 were of infants under one year of

age, and 179 of persons over 60 years; of the 357 in Edinburgh, 84 were of infants under one year, and 94 of persons over 60 years; of the 205 in Dundee, 54 were of infants under one, and 49 of persons over 60; of the 193 in Aberdeen, 37 were under one, and 57 over 60; of the 117 in Paisley, 36 were under one, and 25 over 60; of the 110 in Leith, 29 were under one, and 21 over 60; of the 99 in Greenock, 27 were under one, and 18 over 60; and of the 40 in Perth, 3 were under one, and 13 over 60.

Of the whole 2170 deaths, 829, or 38·2 per cent., were of children under five years of age. The deaths of children of this age constituted 15·0 per cent. of the mortality in Perth; 25·9 per cent. of that in Aberdeen; 31·9 in Edinburgh; 35·1 in Dundee; 39·4 in Greenock; 40·0 in Leith; 43·1 in Glasgow; and 44·4 in Paisley.

The seven principal epidemic diseases accounted for 239 deaths, equal to 11·0 per cent. of the total mortality. This rate was slightly exceeded in Glasgow, Paisley, and Greenock, Diarrhoea being in each of these towns the most fatal of the epidemic diseases.

Two deaths from Small-pox were registered in Greenock.

Measles caused 24 deaths, and Scarlet Fever 18, nine of the latter having occurred in Edinburgh.

From Hooping-cough there resulted 41 deaths, from Diphtheria 16, and from Fevers 28, of which 1 (in Glasgow) was due to Typhus, 1 to Simple Continued, and 26 to Enteric Fever.

The Diarrhoeal diseases caused 112 deaths, being 5·2 per cent. of the total mortality. To these diseases were due 5·4 per cent. of the deaths in Dundee, 6·6 per cent. of those in Glasgow, 6·8 in Paisley, 8·1 in Greenock, and 9·1 in Leith.

Five deaths were ascribed to Puerperal Septicæmia, and 8 to Puerperal Fever.

The deaths of 110 persons were due to malignant diseases, of which 54 were ascribed to Carcinoma, 7 to Sarcoma, and 49 to Cancer or malignant disease of an unspecified nature.

To Alcoholism 7 deaths were attributed; to Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 123; to Diseases of the Heart, 180; and to Premature Birth Debility, 87.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 232, being 10·7 per cent. of the total. Pulmonary Tuberculosis and Phthisis caused 193 deaths, or 8·9 per cent.

The deaths of 100 persons resulted from Violence, of which 8 were Suicidal (3 by Cut-throat, 2 each by Drowning and Hanging, and 1 by Shooting).

One male and four females were aged over 90 years, the oldest being a widow aged 94.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, AUGUST 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males	Females	Total.	Legitimate	Illegitimate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	736,897	1022	985	2007	1875	132	429	519	530	1049
EDINBURGH,	276,652	317,459	327,441	324	310	634	584	50	233	164	193	357
DUNDEE,	154,118	161,173	162,805	185	200	385	348	37	71	90	115	205
ABERDEEN,	124,943	153,503	160,730	192	217	409	367	42	105	95	98	193
PAISLEY,	66,425	79,363	82,608	102	105	207	190	17	74	58	59	117
LEITH,	68,707	77,439	79,552	102	73	175	166	9	38	52	58	110
GREENOCK,	63,423	68,142	69,252	77	87	164	156	8	28	42	57	99
PERTH,	29,919	32,873	33,577	29	33	62	57	5	28	20	20	40
TOTAL,	1,443,380	1,651,661	1,702,912	2033	2010	4043	3743	300	1016	1040	1130	2170

AUGUST 1902,	Mean Temp. 55°·4	2055	1963	4018	3759	259	1065	998	982	1980
AUGUST 1901,	Mean Temp. 59°·1	2050	1942	3992	3702	290	942	1345	1249	2594
AUGUST 1900,	Mean Temp. 56°·8	2158	2070	4228	3939	289	935	1221	1149	2370
AUGUST 1899,	Mean Temp. 61°·0	2191	2046	4237	3958	279	1048	1370	1395	2765
AUGUST 1898,	Mean Temp. 58°·5	2136	2177	4313	4015	298	1081	1321	1341	2662
AUGUST 1897,	Mean Temp. 60°·2	2091	1949	4040	3744	296	1023	1364	1287	2651
AUGUST 1896,	Mean Temp. 56°·4	1996	1945	3941	3643	298	937	1090	1011	2101
AUGUST 1895,	Mean Temp. 59°·1	1976	1868	3844	3568	276	871	1122	1071	2193
AUGUST 1894,	Mean Temp. 56°·6	1942	1829	3771	3486	285	806	936	1003	1939
AUGUST 1893,	Mean Temp. 61°·0	2021	1942	3963	3642	321	869	1243	1228	2471

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of AUGUST 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH—contd.							
Bridgeton,	0	4	1	5	1	11	3	Morningside,	0	1	1	0	1	0	0
Camachie,	0	1	0	4	0	0	7	Portobello,	0	0	0	0	1	0	0
Dennistoun,	0	1	1	2	0	0	2	DUNDEE—							
Calton,	0	3	0	1	0	0	7	St Peter,	0	0	0	2	0	0	5
Blackfriars,	0	0	0	0	0	0	4	St Mary,	0	0	0	2	0	0	3
St Rollox,	0	0	0	2	0	0	5	St Clement,	0	0	1	0	0	4	1
Blythswood,	0	1	0	0	0	1	1	St Andrew,	0	0	0	1	0	0	1
Milton,	0	0	0	3	0	0	6	Lochee,	0	0	0	0	0	0	1
Kelvin,	0	0	0	1	1	0	3	Mains,	0	0	0	0	0	0	0
Anderson,	0	0	1	1	0	1	13	ABERDEEN—							
Hutchesontown,	0	0	0	1	0	0	15	St Nicholas,	0	0	0	1	1	0	1
Gorbals,	0	2	0	1	0	0	1	St Machar,	0	0	0	0	0	0	1
Tradeston,	0	1	0	0	0	0	5	Woodside,	0	0	0	0	0	0	0
Kinning Park,	0	1	0	1	0	0	1	Old Aberdeen,	0	0	0	3	1	0	0
Cathcart,	0	0	0	0	1	0	0	E. Peterculter,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	6	Nigg,	0	0	0	0	0	0	0
Maryhill,	0	1	3	2	4	5	3	PAISLEY,	0	3	1	1	0	2	8
Shettleston,	0	0	0	0	0	0	0	LEITH—							
Plantation,	0	0	0	0	0	0	0	North,	0	0	0	0	0	0	3
Govan,	0	0	0	0	0	0	0	South,	0	0	0	1	0	0	7
Partick,	0	0	0	0	0	0	2	GREENOCK—							
Rutherglen,	0	0	0	0	0	0	0	East,	2	0	0	3	0	1	5
EDINBURGH—								West,	0	0	1	1	0	0	3
St George,	0	2	0	2	2	0	0	PERTH,	0	0	0	0	1	0	1
St Andrew,	0	0	0	0	0	0	0								
Canongate,	0	0	0	2	0	0	0								
St Giles,	0	3	3	0	2	0	3								
Newington,	0	9	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the month of AUGUST 1903.

117

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	52	6	34	25	117	44	15	30	21	110	39	3	39	18	99	6	8	13	13	40
A. GENERAL DISEASES -	26	5	11	5	47	24	12	6	7	49	24	1	17	5	47	2	3	7	1	13
B. LOCAL DISEASES:--																				
1. DISEASES OF NERVOUS SYSTEM	4	-	2	-	6	4	-	2	-	6	4	-	1	1	6	2	-	-	-	2
2. " ORGANS OF SPECIAL SENSE	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
3. " HEART	-	-	5	5	10	-	-	5	2	7	-	-	6	5	11	-	1	-	2	3
4. " BLOOD VESSELS	-	-	1	4	5	-	-	4	5	9	-	-	3	1	4	-	-	2	1	3
5. " RESPIRATORY SYSTEM	5	-	3	3	11	3	-	5	1	9	2	-	4	2	8	1	1	2	2	6
6. " DIGESTIVE SYSTEM	9	-	5	2	16	7	1	2	2	12	6	1	-	2	9	1	2	-	3	6
7. " LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. " URINARY SYSTEM	-	-	1	-	1	1	-	1	1	3	-	-	1	-	1	-	-	1	-	1
9. " GENERATIVE SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
10. " PREGNANCY AND CHILD BIRTH	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
11. " LOCOMOTOR SYSTEM	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
12. " THE SKIN	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES	6	-	-	5	11	3	1	1	3	8	2	-	-	1	3	-	-	-	3	3
E. VIOLENT DEATHS	-	-	4	1	5	1	1	4	-	6	1	1	4	1	7	-	1	1	1	3
A. GENERAL DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
No statement-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	1	-	-	1	1	-	-	-	1	4	-	-	-	4	-	-	-	-	-
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea	-	5	-	1	6	5	-	1	-	6	3	-	1	1	5	1	-	-	-	1
Dysentery	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

Registered during the Month of AUGUST 1903.

119

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	2	1	1	-	4	-	-	-	-	-	-	1	3	-	4
Phthisis (not otherwise defined)	-	-	2	6	1	9	1	4	2	1	8	2	-	8	-	10	-	2	-	2
Tuberculous Meningitis	-	-	3	-	-	3	-	4	-	4	1	-	-	-	1	-	-	-	-	-
Tuberculous Peritonitis	-	-	2	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	1	-	-	1
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	-	1	-	-	1	2	1	-	3	1	-	-	-	1	-	-	1	-	1
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	5	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	2	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Gout -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Carcinoma -	54	-	-	14	6	20	-	7	4	11	-	-	2	4	6	-	-	4	4	8	8
Sarcoma -	7	-	-	2	-	2	-	2	-	2	-	-	1	-	1	-	-	1	1	2	2
Cancer, Malignant Disease (not otherwise defined)	49	-	-	9	10	19	-	4	6	10	-	-	3	4	7	-	-	3	1	4	4
Rickets -	8	3	-	-	-	3	2	-	-	2	2	-	-	-	2	-	-	-	-	-	-
Purpura -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	9	-	-	3	1	4	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus -	7	-	-	2	1	3	-	1	1	2	-	1	-	-	1	-	-	1	-	1	1
Premature Birth -	87	45	-	-	-	45	13	-	-	13	10	-	-	-	10	6	-	-	-	-	6
Congenital Defects -	17	3	-	-	-	3	4	-	-	4	2	-	-	-	2	2	-	-	-	-	2
Injury at Birth -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis -	5	1	-	-	-	1	3	-	-	3	1	-	-	-	1	-	-	-	-	-	-
Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething -	12	8	-	-	-	8	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	63	27	8	3	1	39	4	-	1	-	5	2	2	1	-	5	4	1	-	-	5
Softening of Brain -	8	-	-	1	3	4	-	-	1	-	1	-	-	2	-	2	-	-	1	1	1
General Paralysis of Insane -	7	-	-	-	-	-	-	-	6	-	6	-	-	-	-	-	-	-	1	-	-
Insanity (not Puerperal)	5	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	3	1	-	2	1	4	-	1	-	1	1	1	-	-	1	-	-	1	-	1	1
Convulsions -	34	12	1	-	-	13	9	-	-	1	10	1	-	-	1	7	-	-	-	-	7
Laryngismus Stridulus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	7	-	-	2	1	3	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-
Neuritis; Peripheral, Poly-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	6	1	1	-	-	2	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Other Dis. of Nervous System	10	-	-	1	-	1	2	-	-	2	4	-	-	-	-	-	-	1	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	5	2	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	53	-	2	9	4	15	-	1	15	6	22	-	-	2	-	2	-	-	1	3	4
Pericarditis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Dilatation of Heart -	3	-	-	1	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Fatty Degeneration of Heart	7	-	-	1	-	1	-	-	1	2	3	-	-	1	-	1	-	-	1	-	1
Syncope, Heart Disease (not specified) -	115	2	3	21	28	54	1	-	7	9	17	-	-	2	4	6	-	1	7	11	19

DEATHS FROM ALL CAUSES at Four Periods of Life.

121

Registered during the Month of AUGUST 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	-	3	3	-	-	2	1	3	-	-	1	1	2	-	-	-	1	1
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	1	-	1	-	-	2	-	2	-	-	2	3	5	-	-	1	-	1
Rickets	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	-	4	-	-	4	2	-	-	-	2	6	-	-	-	6	1	-	-	-	1
Congenital Defects	-	2	-	-	2	3	1	-	-	4	-	-	-	-	-	-	-	-	-	-
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	3	-	-	-	3	2	-	-	-	2	2	-	-	1	3	1	-	-	-	1
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	1	-	1	-	2	1	-	-	-	1	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Epistaxis, Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	-	3	-	3	-	-	2	1	3	-	-	2	1	3	-	1	-	-	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Syncope, Heart Disease (not specified)	-	-	2	5	7	-	-	3	1	4	-	-	4	3	7	-	-	-	1	1

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60 etc.	Total.	0-5	5-20	20-60	60 etc.	Total.	0-5	5-20	20-60	60 etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hemorrhage, Embolism, Thrombosis	55	-	-	9	11	20	-	-	4	14	18	-	-	3	3	-	-	2	2	-	
Apoplexy, Hemiplegia	68	-	-	13	19	32	-	-	2	7	9	-	-	1	9	10	-	4	3	7	
Aneurism	7	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	1	-	1	
Senile Gangrene	2	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Embolism, Thrombosis (not Cerebral)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Membranous Laryngitis (not Diphtheritic)	3	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Larynx & Trachea	93	10	1	11	18	40	6	-	2	8	16	3	-	2	2	7	4	-	1	7	
Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia { Lobar, Croupous	17	-	-	4	1	5	-	-	3	1	4	-	-	3	-	3	1	2	-	4	
{ Catarrh, Lobul., Broncho-	40	24	-	1	-	25	5	-	1	-	6	5	-	-	5	2	-	-	-	2	
{ Not otherwise defined	56	14	2	12	6	34	2	-	2	1	5	1	2	4	1	8	-	1	-	1	
Emphysema, Asthma	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pleurisy	13	2	1	1	1	5	1	-	1	2	-	2	-	-	2	-	-	1	-	-	
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Respiratory Syst.	7	3	1	-	1	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Mouth, Pharynx, Esophagus (not Specific)	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Gastric Ulcer	10	-	1	2	-	3	-	1	1	2	-	1	-	1	-	1	-	2	-	2	
Gastric Catarrh	16	3	-	2	1	6	1	-	2	3	-	-	-	-	3	-	-	-	-	3	
Other Diseases of Stomach (not Malignant)	9	-	-	2	-	2	-	1	-	1	1	-	1	2	-	1	-	1	-	1	
Enteritis (not Epidemic)	31	15	-	-	-	15	3	-	1	4	3	-	-	3	2	3	2	-	-	2	
Gastro-enteritis	83	51	2	2	1	56	5	-	-	5	7	-	1	8	2	-	-	-	-	2	
Appendicitis, Parityphilitis	8	1	-	2	3	3	1	-	-	1	-	-	-	-	-	-	-	1	-	1	
Hernia	6	-	1	1	1	3	-	1	-	1	-	-	1	1	-	1	-	1	-	1	
Intestinal Obstruction	22	3	1	6	2	12	2	-	2	4	-	1	-	1	1	1	1	-	-	2	
Other Diseases of Intestines	5	2	-	2	-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Peritonitis (not Puerperal)	13	-	2	1	-	3	1	1	-	2	-	1	3	-	4	-	1	1	2	-	
Cirrhosis of Liver	8	-	-	1	-	1	-	3	-	3	-	-	-	-	-	-	-	1	1	1	
Other Diseases of Liver and Gall Bladder	6	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	1	1	2	-	
Other Dis. of Digestive System	5	-	-	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Lymphatic Syst.	6	-	-	2	1	3	-	-	1	1	-	-	-	-	-	-	-	2	-	2	
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uremia	20	2	-	5	-	7	-	3	2	5	-	-	3	1	4	-	-	1	-	1	
Chronic Bright's Disease, Albuminuria	30	-	2	9	8	19	-	-	2	5	7	-	-	-	-	-	-	3	-	3	
Calculus (not Biliary)	2	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	1	1	
Dis. of Bladder and of Prostate	6	-	-	-	1	1	-	-	2	2	-	-	-	1	1	-	-	1	1	2	
Other Dis. of Urinary System	7	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

123

Registered during the Month of AUGUST 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
3. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	-	-	-	2	2	-	-	1	3	4	-	-	1	1	2	-	-	1	1	2
Apoplexy, Hemiplegia	-	-	1	2	3	-	-	2	2	4	-	-	2	-	2	-	-	1	-	1
Aneurism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	3	-	-	3	6	2	-	1	1	4	2	-	1	2	5	1	-	1	1	3
Pneumonia { Lobar, Croupous	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Catarrhal, Lobular, Broncho-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
{ Not otherwise defined	1	-	1	-	2	-	-	3	-	3	-	-	3	-	3	-	-	-	-	-
Emphysema, Asthma	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Pleurisy	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Œsophagus (not Specific)	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	2	-	-	-	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Enteritis (not Epidemic)	3	-	-	-	3	1	-	-	-	1	1	-	-	1	2	1	-	-	-	1
Gastro-enteritis	4	-	-	-	4	3	-	-	-	3	5	-	-	-	5	-	-	-	-	-
Appendicitis, Perityphlitis	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	-	-	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Cirrhosis of Liver	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver and Gall Bladder	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	-	-	-	-	-	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

125

125

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts ; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—AUGUST 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,477	38	20	24	0	0	0	0	1	0	0	0	0	4	2
Ayr,	31,299	80	18	52	0	0	0	0	0	0	0	7	0	5	5
Banff, with Macduff,	8,283	16	3	12	0	0	0	0	0	0	0	0	0	3	1
Blairgowrie,	4,232	7	2	7	0	0	0	0	0	0	0	0	0	1	2
Callander,	2,147	2	0	4	0	1	0	0	0	0	0	0	0	0	1
Campbeltown,	10,231	22	3	13	0	0	0	0	0	0	0	0	0	3	5
Cathcart,*	8,221	22	1	8	0	0	0	0	0	0	0	1	0	1	0
Coatbridge,	41,763	120	13	47	0	0	0	1	0	1	0	1	1	4	9
Crief,	5,774	9	1	8	0	0	0	2	0	0	0	1	0	0	1
Dumbarton,	20,731	48	5	19	0	0	0	1	0	0	0	2	0	0	2
Dumfries, with Troqueer,	24,971	44	24	32	0	0	0	3	0	1	0	2	0	8	0
Dunfermline,	32,441	57	15	29	0	0	1	0	1	1	0	1	0	3	3
Dunoon,	9,340	10	1	11	0	0	0	0	0	0	0	0	0	3	0
Eastwood,*	15,756	34	5	18	0	0	0	1	1	0	0	2	0	2	2
Elgin,	11,819	19	3	16	0	0	0	0	0	0	0	0	0	0	4
Falkirk,	39,528	114	18	39	0	0	0	0	0	0	0	4	1	3	1
Forfar,	12,708	20	5	19	0	0	1	0	2	0	0	0	0	1	4
Galashiels,	13,230	23	12	17	0	0	0	0	1	0	0	0	0	0	3
Govan—(1) Plantation,*	28,401	72	6	25	0	1	0	6	0	0	0	2	0	1	4
(2) Govan,*	60,799	191	26	122	0	3	1	1	3	3	0	16	0	14	12
(3) Partick,*	59,360	188	20	71	0	1	0	4	1	0	0	16	0	6	8
Haddington,	5,106	7	2	5	0	0	0	0	0	0	0	1	0	0	1
Hawick, with Wilton,	18,069	28	15	20	0	0	1	1	0	1	0	1	0	1	1
Inverness,	27,734	34	8	40	0	0	1	1	0	0	0	1	0	3	5
Kilmarnock, with Riccarton,	38,598	72	22	55	0	0	0	2	0	0	0	5	0	4	6
Kilmore and Kilbride (Oban),	6,437	11	4	5	0	0	0	0	0	0	0	1	0	0	0
Kinning Park,*	13,891	34	8	19	0	0	0	1	0	0	0	3	0	1	3
Kirkcaldy and Abbotshall,	24,307	54	12	16	0	0	1	0	1	0	0	0	0	0	0
Kirkcudbright,	3,272	1	0	6	0	0	0	0	0	0	0	0	0	1	1
Largs, with Skelmerlie,	5,542	4	1	6	0	0	0	0	0	1	0	0	0	1	0
Logie (Bridge of Allan),	4,473	7	3	4	0	0	0	0	0	0	0	1	0	1	0
Moffat,	2,760	3	0	0	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,903	20	8	18	0	0	0	0	0	0	0	1	1	1	2
Moulin (Pitlochry),	2,237	3	0	0	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	9	3	9	0	0	0	1	0	0	0	0	0	0	1
New Monkland (Airdrie),	37,507	117	10	23	0	0	0	0	0	0	0	4	0	0	2
North Berwick,	3,802	3	0	2	0	0	0	0	0	0	0	0	0	0	1
Peterhead, with Boddam,	14,996	49	5	22	0	0	0	0	0	0	0	2	0	2	0
Rothsay,	9,439	10	3	13	0	0	0	0	0	0	0	0	0	1	3
St Andrews and St Leonards,	9,564	17	4	12	0	0	0	0	0	0	0	0	0	2	2
Shettleston,*	25,019	80	7	27	0	1	0	0	1	2	0	2	0	3	3
Stirling,	16,674	46	8	24	0	0	0	0	0	0	0	2	0	2	2
Stranraer,	6,001	11	5	6	0	0	0	0	0	0	0	0	0	0	1
Wick,	11,166	21	1	11	0	0	0	0	1	0	0	1	0	0	1

* Excluding portion within the Municipal Burgh of Glasgow

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 153 feet above the sea-level.

For the month of AUGUST 1903.

Mean barometric pressure, 29·678 inches; less than the average for the same month of 1856–1900 by 0·182 inch.

Barometric monthly range, 1·168 inch; greater by 0·191 inch.

Mean temperature, $55^{\circ}5$; less by $2^{\circ}1$.

Mean daily range of temperature, $14^{\circ}2$; being the average.

Mean humidity, 81 per cent.; being the average.

Rain, number of days, 23; greater by 6 days.

Rain, depth in inches, 5·46; greater by 2·00 inches.

Wind, pressure on square foot, 2·15 lbs.; greater by 0·83 lb.

Wind, direction: a 6 days' excess of winds from between S.W. and N.W.

Hence the month of August 1903 was characterised by an extremely low mean barometric pressure, with a high monthly range; a low mean temperature, with an average mean daily range; an average mean humidity; a very high mean rainfall, falling on 6 days more than the average number; a large excess of winds of considerably more than average force from a Westerly quarter.

The mean barometric pressure was 29·678 inches, or 0·182 inch below the average. Lowest readings were everywhere noted on the 15th, when a severe thunderstorm occurred at many places, and on the 30th a fall of fully half-an-inch was accompanied by stormy weather. The extremes at Leith were, at sea-level, 30·071 inches on the 25th and 28·882 inches on the 15th.

The mean temperature was $55^{\circ}5$, or $2^{\circ}1$ below the average, the days being $2^{\circ}0$ and the nights $2^{\circ}3$ below their respective averages. In the Edinburgh district temperature was about half-a-degree below the average, whilst at Greenock there was a defect of $2^{\circ}3$, at Perth of $2^{\circ}4$, and at Aberdeen of $2^{\circ}7$. Temperature differed little from the average at the beginning of the month, but thereafter at most places remained almost continuously below the mean, the coldest week being that ending the 22nd, the mean temperature of which showed at Aberdeen and Fort William a defect of $3^{\circ}7$, and at Ochertyre of $5^{\circ}5$. The absolute maximum at any of the towns was $70^{\circ}4$ at Perth on the 14th, and the minimum $37^{\circ}0$, also at Perth, on the 23rd and 25th.

The mean rainfall was 5·46 inches, being 58 per cent. above the average. Over the country generally there was a decided excess, which was relatively larger in Western districts than in Eastern. At Paisley the monthly amount was 5·45 inches above, or more than two-and-a-half times, the average, and at Greenock there was an excess of 83 per cent. At Leith the excess amounted to 27 per cent., at Perth to 13, at Dundee to 73, and at Aberdeen to 39. The largest daily fall at any of the Eastern towns was 0·95 inch at Dundee on the 30th, and at the Western 1·46 inch at Paisley on the same day. The period from the 15th to 25th was the least rainy time of the month, and at Greenock, where there were only three rainless days, about half the total fell during the last six days of the month, 1·10 inch being registered on the 26th and 1·32 inch on the 30th.

Thunder was unusually frequent during the month, being reported at Gordon Castle on 9, at Aberdeen on 8, at Leith on 5, and at Paisley on 3 days. Most of the occurrences were between the 11th and 23rd.

The weather of the month was in general very unsettled, especially on the West coast, and on the 30th a gale was generally reported.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of August 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables. 2nd Edit.					RAIN.		WINDS.									Mean Pres- sure on Sq. ft.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.		Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																				N	NE	E	SE	S	SW	W	NW		Calm or Variable.	lbs.	—	—	2-25	1-00	1-81	1-21	2-56	1-69	2-15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
GLASGOW, Medical Officer of Health, Glasgow.	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

North Latitude.—Glasgow, 56° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 19'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 3° 27'; Greenock, 3° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

SEPTEMBER 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of September 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3892 children, of whom 1939 were males and 1953 females. The number of legitimate births was 3633, and of illegitimate, 259, the latter thus constituting 6·7 per cent. of the whole, or, one birth in every 15·0 being of this nature. In Paisley, the percentage of illegitimate births was 3·6; in Leith, 4·7; in Greenock, 4·8; in Perth, 5·5; in Dundee, 6·3; in Glasgow and Aberdeen, 7·0; and in Edinburgh, 7·6.

During the month 1096 marriages were recorded, being 11 above the average number for the month in the preceding ten years, allowance being made for the increase of population.

The deaths of 2262 persons were registered during the month, 1180 being of males, and 1082 of females. This number is 173 less than the average number for September in the last decennial period, allowing for the increase of population.

The annual mortality rate during the month was 12·5 per thousand persons in Leith; 14·6 in Greenock; 15·6 in Edinburgh; 16·0 in Aberdeen; 16·5 in Glasgow; 17·0 in Dundee and Perth; and 18·1 in Paisley.

Of the 1069 deaths registered in Glasgow, 288 were of infants under one year of age, and 203 of persons over 60 years; of the 420 in Edinburgh, 79 were under

one, and 111 over 60; of the 227 in Dundee, 58 were under one, and 53 over 60; of the 211 in Aberdeen, 74 were under one, and 60 over 60; of the 123 in Paisley, 33 were under one, and 30 over 60; of the 82 in Leith, 24 were under one, and 23 over 60; of the 83 in Greenock, 18 were under one, and 19 over 60; and of the 47 in Perth, 9 were under one year, and 17 over 60 years of age.

Of the 2262 deaths recorded, 838, or 37·0 per cent., were of children under five years of age. In Greenock the percentage of deaths at these ages was 28·9; in Perth, 29·7; in Edinburgh, 30·0; in Dundee, 32·6; in Leith, 34·1; in Glasgow, 39·9; in Aberdeen, 43·1; and in Paisley, 44·7.

The seven principal epidemic diseases accounted for 219 deaths, being thus 9·7 per cent. of the whole. This rate was exceeded in Paisley, owing to the prevalence of the Diarrhoeal diseases.

Measles caused 24 deaths, of which 19 occurred in Glasgow.

Scarlet Fever accounted for 11 deaths.

Thirty-eight deaths were due to Hooping-cough.

From Diphtheria 22 deaths resulted. The percentage of deaths from this cause in Perth was 6·4.

Fever caused 27 deaths, all of which were stated to have been due to Enteric.

Diarrhoea accounted for 97 deaths, being at the rate of 4·3 per cent. of the whole. In Dundee and Paisley the rates were 7·9 and 11·4 per cent. respectively.

Five deaths were due to Puerperal Fever, and two each to Puerperal Septicæmia and Pyæmia.

Malignant disease caused 116 deaths, of which 59 were attributed to Carcinoma, 5 to Sarcoma, and 52 to Cancer or malignant disease of an unspecified nature.

Alcoholism caused 7 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 134; Diseases of the Heart, 187; and Premature Birth Debility, 63.

The deaths from Inflammatory Affections of the Respiratory System (excluding Phthisis and Hooping-cough) amounted to 294, being 13·0 per cent. of the total. Those from Pulmonary Tuberculosis and Phthisis amounted to 202, or 8·9 per cent. of the whole. Three deaths were due to Croup.

Violence accounted for 110 deaths, of which 11 were Suicidal. Four of these were due to Hanging, 3 to Cut-throat, 2 to Gunshot Wounds, and one each to Precipitation and Drowning.

Two males and 5 females were aged 90 years and upwards, the oldest of whom was a retired shipmaster aged 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, SEPTEMBER 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	786,897	961	950	1911	1777	134	561	574	495	1069
EDINBURGH, .	276,652	317,450	327,441	310	332	642	593	49	234	218	202	420
DUNDEE, . .	154,118	161,173	162,805	197	166	363	340	23	58	112	115	227
ABERDEEN, .	124,943	153,503	160,780	194	179	373	347	26	102	105	106	211
PAISLEY, . .	66,425	79,363	82,608	88	105	193	186	7	36	56	67	123
LEITH, . . .	68,707	77,439	79,552	102	89	191	182	9	48	51	31	82
GREENOCK, .	63,423	68,142	69,252	53	93	146	139	7	42	42	41	83
PERTH, . . .	20,919	32,873	33,577	34	39	73	69	4	15	22	25	47
TOTAL, . .	1,443,380	1,651,661	1,702,912	1939	1953	3892	3633	259	1096	1180	1082	2262

SEPTEMBER 1902,	Mean Temp. 53°·8	2061	1946	4007	3719	288	1237	1067	1055	2122
SEPTEMBER 1901,	Mean Temp. 56°·0	2031	1958	3989	3722	267	1174	1189	1110	2299
SEPTEMBER 1900,	Mean Temp. 54°·9	1946	1842	3788	3504	284	1109	1176	1172	2348
SEPTEMBER 1899,	Mean Temp. 53°·4	2008	1977	3985	3725	260	1001	1351	1280	2631
SEPTEMBER 1898,	Mean Temp. 57°·3	2028	1972	4000	3720	280	1002	1324	1288	2612
SEPTEMBER 1897,	Mean Temp. 52°·4	1915	1944	3859	3560	299	924	1172	1212	2384
SEPTEMBER 1896,	Mean Temp. 53°·3	1982	1913	3895	3626	269	1019	1040	988	2028
SEPTEMBER 1895,	Mean Temp. 53°·0	1866	1785	3651	3385	266	943	1097	1115	2212
SEPTEMBER 1894,	Mean Temp. 52°·5	1765	1591	3356	3110	246	840	916	868	1784
SEPTEMBER 1893,	Mean Temp. 53°·2	1869	1799	3668	3364	304	821	1151	1188	2289

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of SEPTEMBER 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH— <i>contd.</i>							
Bridgeton,	0	1	3	5	2	5	5	Morningside,	0	0	0	0	2	1	0
Camlachie,	0	2	0	7	0	0	7	Portobello,	0	0	1	0	0	0	0
Dennistoun,	0	4	0	0	0	0	2	DUNDEE—							
Calton,	0	2	0	1	0	0	4	St Peter,	0	0	0	0	0	0	2
Blackfriars,	0	0	0	0	0	0	0	St Mary,	0	0	0	2	0	3	5
St Rollox,	0	0	0	2	0	0	1	St Clement,	0	0	0	0	0	3	3
Blythswood,	0	0	0	2	0	0	4	St Andrew,	0	0	0	0	0	1	7
Milton,	0	1	0	2	0	0	3	Lochee,	0	0	0	0	0	0	1
Kelvin,	0	0	0	1	1	0	4	Mains,	0	0	0	0	0	0	0
Anderston,	0	0	0	2	0	0	3	ABERDEEN—							
Hutchesontown,	0	2	0	1	0	0	2	St Nicholas,	0	0	1	0	2	0	3
Gorbals,	0	4	0	1	0	0	3	St Machar,	0	0	0	0	0	0	3
Tradeston,	0	0	0	0	0	0	1	Woodside,	0	0	0	0	0	0	0
Kinning Park,	0	0	0	0	0	0	0	Old Aberdeen,	0	0	0	0	0	0	1
Cathcart,	0	0	0	0	0	1	0	E. Peterculter,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0	Nigg,	0	1	0	1	0	0	1
Maryhill,	0	3	2	3	4	11	3	PAISLEY,	0	3	2	2	0	1	14
Shettleston,	0	0	0	0	0	0	0	LEITH—							
Plantation,	0	0	0	0	0	0	0	North,	0	0	0	0	0	0	2
Govan,	0	0	0	0	0	0	0	South,	0	0	0	0	0	0	0
Partick,	0	0	0	0	1	0	0	GREENOCK—							
Rutherglen,	0	0	0	0	0	0	0	East,	0	0	0	0	0	0	0
EDINBURGH—								West,	0	0	0	0	0	0	3
St George,	0	1	0	2	1	1	1	PERTH,	0	0	0	0	3	0	2
St Andrew,	0	0	0	0	0	0	2								
Canongate,	0	0	0	1	0	0	1								
St Giles,	0	0	1	2	6	0	3								
Newington,	0	0	1	1	0	0	1								

Registered during the Month of SEPTEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	
TOTAL DEATHS (All Causes)	2262	426	85	355	203	1069	126	32	151	111	420	74	30	70	53	227	91	17	43	60	211
A. GENERAL DISEASES -	875	189	50	137	37	413	66	17	77	24	184	36	16	27	7	86	42	4	17	3	-
B. LOCAL DISEASES :-																					
1. DIS. OF NERVOUS SYSTEM	136	38	3	11	8	60	11	2	6	2	21	10	1	6	1	18	7	2	4	3	-
2. " ORGANS OF SPECIAL SENSE -	5	-	-	-	-	-	-	2	-	-	2	-	-	1	-	1	1	-	-	-	-
3. " HEART -	187	4	9	39	19	71	-	1	18	21	40	-	2	6	11	19	1	2	6	13	-
4. " BLOOD VESSELS -	158	-	-	38	37	75	1	-	9	17	27	-	-	7	11	18	-	-	1	11	-
5. " RESPIRATORY SYSTEM	294	73	5	41	39	158	18	3	5	15	41	13	4	5	5	27	16	1	3	10	-
6. " DIGESTIVE SYSTEM -	229	60	9	33	14	116	14	3	9	3	29	8	4	4	1	17	14	4	6	7	-
7. " LYMPHATIC AND DUCTLESS GLANDS	6	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-
8. " URINARY SYSTEM -	61	1	2	9	7	19	-	2	4	8	14	-	2	7	5	14	-	-	1	3	-
9. " GENERATIVE SYSTEM	5	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
10. " PREGNANCY AND CHILDBIRTH -	12	-	-	2	-	2	-	-	7	-	7	-	-	-	-	-	-	-	1	1	-
11. " LOCOMOTOR SYSTEM	6	-	1	1	1	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
12. " THE SKIN -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	177	53	1	5	31	90	12	-	1	15	28	6	-	-	10	16	9	-	1	9	1
E. VIOLENT DEATHS -	110	8	5	35	10	58	4	1	12	5	22	1	1	6	2	10	1	3	2	1	-
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	24	19	-	-	-	19	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	11	3	2	-	-	5	2	1	-	-	3	-	-	-	-	-	1	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	8	1	-	1	3	5	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-
Hooping-cough -	38	26	1	-	-	27	6	-	-	-	6	1	1	-	-	2	1	-	-	-	-
Mumps -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	22	6	1	-	1	8	4	5	-	-	9	-	-	-	-	-	1	1	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	27	-	10	7	-	17	-	1	1	-	2	-	3	4	-	7	-	-	-	-	-
Asiatic Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis -	28	8	-	-	-	8	3	-	-	-	3	7	-	-	-	7	3	-	-	-	-
Diarrhoea, Choleraic Diarrhoea	69	34	-	-	-	34	4	-	1	5	11	-	-	-	-	11	5	-	-	-	-
Dysentery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

133

Registered during the month of SEPTEMBER 1903.

CAUSES OF DEATH.		PAISLEY.					LEITH.					GREENOCK.					PERTH.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -		55	9	29	30	123	28	2	29	23	82	24	9	31	19	83	14	3	13	17	47
A. GENERAL DISEASES -		32	4	9	5	50	15	-	9	5	29	10	5	11	3	29	6	3	8	1	18
B. LOCAL DISEASES:--																					
1. DISEASES OF NERVOUS SYSTEM		7	1	1	-	9	3	-	-	-	3	4	1	2	-	7	2	-	-	-	2
2. " ORGANS OF SPECIAL SENSE -		-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " HEART -		-	1	3	6	10	-	-	4	3	7	-	-	4	7	11	-	-	1	6	7
4. " BLOOD VESSELS -		-	-	6	8	14	-	-	3	3	6	-	-	-	3	3	-	-	2	1	3
5. " RESPIRATORY SYSTEM		6	1	4	4	15	2	-	3	2	7	3	1	4	3	11	2	-	1	2	5
6. " DIGESTIVE SYSTEM -		5	-	1	1	7	4	1	3	5	13	6	1	2	1	10	3	-	1	2	6
7. " LYMPHATIC AND DUCTLESS GLANDS		-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
8. " URINARY SYSTEM -		-	-	-	1	1	-	1	4	2	7	-	1	1	-	2	-	-	-	-	-
9. " GENERATIVE SYSTEM		-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
10. " PREGNANCY AND CHILD BIRTH -		-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
11. " LOCOMOTOR SYSTEM		-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
12. " THE SKIN -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -		4	-	1	5	10	2	-	-	2	4	1	-	2	2	5	-	-	-	5	5
E. VIOLENT DEATHS -		1	1	3	-	5	2	-	2	1	5	-	-	2	-	2	1	-	-	-	1
A. GENERAL DISEASES.																					
Small-pox	Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
How-pox and other effects of Vaccination		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles		3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever		1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough		2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rumps		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3
Cerebro-spinal Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Interic Fever		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asiatic Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic Zymotic Enteritis		3	-	-	-	3	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Diarrhoea, Choleraic Diarrhoea		10	-	-	1	11	1	-	-	-	1	1	-	-	-	1	-	-	1	-	1
Dysentery		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

135

Registered during the Month of SEPTEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	1	-	-	-	1	1	-	3	-	4	-	-	-	-	-	-	-	-	-	-
Phthisis (not otherwise defined)	-	2	5	-	7	1	-	5	-	6	-	1	4	-	5	-	-	4	1	5
Tuberculous Meningitis	-	2	-	-	2	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Tuberculous Peritonitis	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	1
Tabes Mesenterica	-	1	-	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	-	1	-	1	1	-	-	-	1	1	2	-	-	3	1	-	1	-	2
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism - - -	7	-	-	2	-	2	-	-	3	1	4	-	-	1	-	1	-	-	-	-	-
Rheumatism of Heart - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic Rheumatism - - -	6	-	-	2	2	4	-	-	2	2	2	-	-	-	-	-	-	-	-	-	
Rheumatic Arthritis, Rheumatic Gout - - -	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Gout - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Carcinoma - - -	59	-	-	16	13	29	-	-	13	7	20	-	-	1	1	-	-	2	2	4	
Sarcoma - - -	5	1	-	1	-	2	-	-	1	-	1	-	-	1	1	2	-	-	-	-	
Cancer, Malignant Disease (not otherwise defined)	52	-	-	16	10	26	-	-	6	8	14	-	-	1	1	2	-	-	2	3	
Rickets - - -	5	-	-	-	-	-	3	-	1	-	4	-	-	-	-	-	1	-	-	1	
Purpura - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmophilia, Hæmorrhagic Diathesis - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	
Anæmia, Leucocythæmia - -	11	-	-	2	2	4	-	-	1	1	2	-	-	1	1	2	2	-	-	2	
Diabetes Mellitus - - -	12	-	-	4	3	7	-	-	2	-	2	-	-	2	1	3	-	-	-	-	
Premature Birth - - -	63	29	-	-	-	29	14	-	-	-	14	6	-	-	-	6	5	-	-	5	
Congenital Defects - - -	15	9	-	-	-	9	2	-	-	-	2	-	-	-	-	-	1	-	-	1	
Injury at Birth - - -	5	2	-	-	-	2	3	-	-	-	3	-	-	-	-	-	-	-	-	-	
Atelectasis - - -	6	1	-	-	-	1	3	-	-	-	3	1	-	-	-	1	1	-	-	1	
Want of Breast Milk - - -	5	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	3	-	-	3	
Teething - - -	11	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-	2	-	-	2	
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - -	60	26	3	1	3	33	5	-	-	-	5	4	1	1	-	6	4	1	1	6	
Softening of Brain - - -	11	-	-	3	1	4	-	-	3	2	5	-	-	-	-	-	-	-	1	1	
General Paralysis of Insane -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	
Insanity (not Puerperal) - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	
Chorea - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy - - -	5	1	-	1	-	2	-	1	-	-	1	-	1	-	1	-	-	1	-	1	
Convulsions - - -	31	8	-	-	-	8	6	-	-	-	6	5	-	-	-	5	3	1	-	4	
Laryngismus Stridulus - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	5	-	-	-	-	
Locomotor Ataxy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Paraplegia, and Dis. of Cord -	9	-	-	3	2	5	-	-	2	-	2	-	-	-	1	1	-	-	-	-	
Neuritis; Peripheral, Polyneuritis - - -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Brain Tumour (not Specific) -	3	-	-	-	-	-	-	1	-	-	1	-	-	2	-	2	-	-	-	-	
Other Dis. of Nervous System	11	2	-	3	2	7	-	-	-	-	-	1	-	2	-	3	-	-	1	1	
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease - -	5	-	-	-	-	-	-	2	-	-	2	-	-	1	-	1	1	-	-	1	
Epistaxis, Disease of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ophthalmia, Disease of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	42	1	3	11	2	17	-	1	3	3	7	-	1	2	4	7	-	2	1	5	
Pericarditis - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Hypertrophy of Heart - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina Pectoris - - -	6	-	-	1	2	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
Dilatation of Heart - - -	3	-	-	1	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	
Fatty Degeneration of Heart -	15	-	-	3	2	5	-	-	7	2	9	-	-	-	-	-	-	-	-	-	
Syncope, Heart Disease (not specified) - - -	119	3	6	22	13	44	-	-	6	14	20	-	1	4	6	11	1	-	5	8	

Registered during the Month of SEPTEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	1	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Carcinoma - - - - -	-	-	-	1	1	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-
Sarcoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	3	2	5	-	1	1	1	-	-	1	1	1	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth - - - - -	2	-	-	-	2	7	-	-	-	7	-	-	-	-	-	-	-	-	-	-
Congenital Defects - - - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	4	-	-	-	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	4	1	-	-	5	1	-	-	-	1	2	-	-	-	2	2	-	-	-	2
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	3	-	-	-	3	2	-	-	-	2	2	1	-	-	3	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	1	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Syncope, Heart Disease (not specified) - - - - -	-	-	3	5	8	-	-	4	2	6	-	-	4	5	9	-	-	1	6	7

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis	51	-	-	21	7	28	-	-	1	8	9	-	-	3	2	5	-	-	-	4	-
Apoplexy, Hemiplegia	83	-	-	15	26	41	1	-	6	5	12	-	-	3	3	6	-	-	1	4	5
Aneurism	9	-	-	1	1	2	-	-	2	2	4	-	-	2	2	-	-	-	-	-	-
Senile Gangrene	10	-	-	-	2	2	-	-	2	2	-	-	-	2	2	-	-	-	3	3	-
Embolism, Thrombosis (not Cerebral)	2	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Phlebitis	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	2	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	3	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	118	23	3	12	29	67	9	1	-	6	16	4	-	1	3	8	8	-	6	14	-
Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar, Croupous	13	-	1	3	1	5	-	-	-	-	8	5	1	1	1	4	1	-	1	2	5
{ Catarrh, Lobul., Broncho-	50	22	-	3	1	26	7	1	-	-	5	1	-	1	7	4	-	-	1	2	5
{ Not otherwise defined	69	14	1	17	6	38	1	1	3	4	9	1	2	1	4	2	-	2	2	6	-
Emphysema, Asthma	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Pleurisy	13	3	-	3	1	7	-	-	1	2	3	-	-	-	-	-	1	-	-	1	-
Fibroid Disease of Lung	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	20	7	-	2	1	10	1	-	-	3	4	1	-	2	3	1	-	-	-	1	-
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Diseases of Mouth, Pharynx, (Esophagus (not Specific)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	5	-	1	3	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	34	8	-	5	4	17	1	-	1	-	2	2	-	-	2	2	1	1	4	8	-
Other Diseases of Stomach (not Malignant)	9	1	1	3	1	6	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-
Enteritis (not Epidemic)	29	13	-	1	3	17	5	-	-	1	6	-	-	-	3	7	-	-	-	3	-
Gastro-enteritis	57	30	2	1	1	34	4	-	1	5	3	-	1	-	3	-	-	-	-	7	-
Appendicitis, Perityphlitis	19	-	4	2	-	6	1	2	1	-	4	-	2	1	3	-	3	1	-	4	-
Hernia	7	1	-	3	-	4	-	-	1	-	1	-	1	-	3	-	-	-	-	-	-
Intestinal Obstruction	20	2	1	2	2	7	2	-	1	1	4	1	-	-	1	1	-	1	1	3	-
Other Diseases of Intestines	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	18	3	-	4	-	7	-	1	-	-	1	1	-	1	2	1	-	3	1	5	-
Cirrhosis of Liver	5	-	-	2	1	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	19	1	-	4	2	7	-	-	2	-	2	-	-	1	1	-	-	-	1	1	-
Other Dis. of Digestive System	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of Thyroid Body	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uremia	21	1	2	4	1	8	-	1	3	2	6	-	1	2	-	3	-	-	1	1	2
Chronic Bright's Disease, Albuminuria	24	-	-	4	-	4	-	1	-	3	4	-	1	4	4	9	-	-	-	2	2
Calculus (not Biliary)	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	9	-	-	1	2	3	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-
Other Dis. of Urinary System	6	-	-	3	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-

139

Registered during the Month of SEPTEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism,																				
Thrombosis	-	-	1	2	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Apoplexy, Hemiplegia	-	-	5	6	11	-	-	-	3	3	-	-	-	-	3	3	-	-	2	2
Aneurism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diptheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	2	-	2	3	7	-	-	-	1	1	-	1	1	2	1	2	1	-	2	3
Pneumonia {Lobar, Croupous	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
{Catarrhal, Lobular, Broncho-	-	-	1	-	1	1	-	-	-	1	1	1	-	1	1	1	1	-	-	1
{Not otherwise defined	2	1	1	1	5	-	2	1	3	1	-	1	2	4	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Pleurisy	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Oesophagus (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	2	-	-	-	2	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	-	-	-	-	-	1	-	-	1	2	-	-	1	-	1	-	-	-	-	-
Gastro-enteritis	1	-	-	-	1	2	-	-	-	2	3	-	-	-	3	2	-	-	-	2
Appendicitis, Perityphlitis	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2
Other Diseases of Intestines	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver and Gall Bladder	2	-	-	-	2	1	-	1	2	4	-	-	-	1	1	-	-	-	1	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	-	-	-	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-
Calculus (not Biliary)	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

141

141

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total
B. LOCAL DISEASES—continued.																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malignant) -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Generative and Mammary Organs -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Locom. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility -	3	-	1	-	4	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-
Old Age -	-	-	5	-	5	-	-	2	-	2	-	-	-	2	2	-	-	-	5	5
Dropsy, Ascites, Anasarca -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E. VIOLENT DEATHS.																				
In Mines and Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { From Overlying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
{ Otherwise	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
Falls -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	-	1	1	-	2	1	-	1	2	-	-	1	-	1	-	-	-	-	-	-
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—SEPTEMBER 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,477	35	5	24	0	0	0	0	0	0	0	2	0	2	0
Ayr,	31,299	90	30	45	0	0	0	2	0	1	0	1	0	7	4
Banff, with Macduff,	8,283	13	6	8	0	0	0	0	0	0	0	0	0	1	1
Blairstown,	4,232	7	2	4	0	0	0	0	0	0	0	0	0	2	1
Callander,	2,147	2	1	4	0	0	0	0	0	0	0	0	0	1	0
Campbeltown,	10,231	20	5	13	0	0	0	0	0	0	0	1	0	0	3
Cathcart,*	8,221	10	2	7	0	0	0	0	0	0	0	0	0	1	1
Coatbridge,	41,763	111	17	42	0	0	0	2	2	2	0	0	0	4	3
Crieff,	5,774	12	1	7	0	0	0	1	0	0	0	0	0	0	1
Dumbarton,	20,731	69	13	24	0	0	1	0	0	2	0	1	0	4	2
Dumfries, with Troqueer, . . .	24,971	50	11	27	0	0	0	0	6	0	0	2	0	1	3
Dunfermline,	32,421	56	19	40	0	2	0	0	0	1	0	2	0	5	4
Dunoon,	9,340	15	2	16	0	0	0	0	0	0	0	1	0	1	1
Eastwood,*	15,756	28	7	15	0	0	1	0	0	0	0	0	0	3	2
Elgin,	11,819	23	1	9	0	0	0	0	0	0	0	0	0	0	0
Falkirk,	39,528	113	22	41	0	0	0	1	2	2	0	1	0	3	7
Forfar,	12,708	15	6	13	0	0	0	0	0	0	0	0	0	0	0
Galashiels,	13,230	23	9	10	0	0	0	0	0	0	0	0	0	0	4
Govan—(1) Plantation,*	28,401	62	10	26	0	0	0	0	0	0	0	7	0	4	4
(2) Govan,*	60,799	181	30	87	0	0	1	1	1	3	0	2	0	10	15
(3) Partick,*	59,360	151	38	66	0	1	0	2	0	1	0	7	0	9	6
Haddington,	5,106	15	2	3	0	0	0	0	0	0	0	0	0	1	0
Hawick, with Winton,	18,069	34	8	26	0	0	0	7	0	0	0	0	0	2	2
Inverness,	27,734	48	16	29	0	0	0	0	0	0	0	0	0	2	4
Kilmarnock, with Riccarton, . .	38,598	89	18	45	0	0	0	0	0	0	0	5	0	4	4
Kilmore and Kilbride (Oban), . .	6,437	13	4	5	0	0	0	0	0	0	0	0	0	0	0
Kinning Park,*	13,891	41	11	21	0	1	0	5	0	0	0	3	0	3	1
Kirkcaldy and Abbotshall, . . .	24,307	46	11	26	0	0	1	0	0	0	0	1	0	2	1
Kirkcudbright,	3,272	4	1	3	0	0	0	0	0	0	0	1	0	0	0
Largs, with Skelmorlie,	5,542	9	3	4	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,473	8	0	6	0	0	0	0	0	0	0	0	0	0	0
Moffat,	2,760	3	3	4	0	0	0	0	0	0	0	1	0	1	0
Montrose,	13,903	23	7	22	0	0	0	0	0	0	0	1	0	0	2
Moulin (Pitlochry),	2,237	3	2	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	9	3	9	0	0	0	1	0	0	0	0	0	2	0
New Monkland (Airdrie),	37,507	100	14	44	0	0	0	0	0	1	0	5	0	4	1
North Berwick,	3,802	10	2	3	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	14,996	45	11	25	0	0	0	0	0	0	0	1	0	5	2
Rothsay,	9,439	12	8	16	0	0	0	0	0	0	0	0	1	1	1
St Andrews and St Leonards, . .	9,564	14	4	8	0	0	0	1	0	1	0	0	0	0	1
Shettleston,*	25,019	72	14	19	0	0	0	0	0	1	0	0	1	1	2
Stirling,	16,674	28	13	23	0	0	0	0	0	0	0	0	0	2	4
Stranraer,	6,001	13	2	13	0	0	0	0	0	0	0	3	0	1	1
Wick,	11,166	38	11	9	0	0	0	1	0	0	0	0	0	0	0

* Excluding portion within the Municipal Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 160 feet above the sea-level.

For the month of SEPTEMBER 1903.

Mean barometric pressure, 29.958 inches; greater than the average for the same month of 1856-1900 by 0.091 inch.

Barometric monthly range, 1.197 inch; less by 0.103 inch.

Mean temperature, $53^{\circ}2$; less by $0^{\circ}6$.

Mean daily range of temperature, $13^{\circ}3$; being the average.

Mean humidity, 84 per cent; greater by 0.6

Rain, number of days, 17; greater by 1 day.

Rain, depth in inches, 3.09; less by 0.32 inch.

Wind, pressure on square foot, 1.42 lbs.; being the average.

Wind, direction of a 9 days' excess of winds from between E. and S.

Hence the month of September 1903 was characterised by a rather high mean barometric pressure, with a slightly low monthly range; a slightly low mean temperature with an average mean daily range; a mean humidity, fractionally above the average; a slightly low mean rainfall, falling on 1 day more than the average number; a very large excess of winds of average force from a south-easterly quarter.

The mean barometric pressure was 29.958 inches, or 0.091 inch below the average. Lowest readings were everywhere recorded on the 10th, and highest on the 14th or 15th, the extremes at Leith, at sea-level, being 29.326 inches on the 10th and 30.550 inches on the 14th.

The mean temperature was $53^{\circ}2$, or $0^{\circ}6$ below the average, the day and night temperatures being both below their respective averages by that amount. The month opened with fairly high temperatures, the maximum for the month at Edinburgh and Perth being registered on the 1st, and that for Leith on the 4th. Thereafter a spell of cold weather set in, associated with winds from E. and SE. and with lowest temperatures generally on the 15th, on which day the sheltered minimum at Perth fell to $29^{\circ}0$, and at Glasgow to $32^{\circ}0$. At Edinburgh and Paisley ground frosts were reported from 14th to 17th. During the last ten days of the month temperature was again high, with highest readings for the month between the 23rd and 26th. The absolute maximum at any of the towns was $71^{\circ}4$ at Glasgow on the 24th, and the minimum $29^{\circ}0$ at Perth on the 15th.

The mean rainfall was 3.09 inches, or 9 per cent. below the average. At Aberdeen, Paisley, and Glasgow there was a very slight excess, and in the Edinburgh district the average amount was recorded, whilst at Perth and Dundee there was a deficiency of 10, and at Greenock of 15 per cent. Most of the rain was registered during the first ten days of the month, and at Eastern stations heavy falls were reported on the 2nd. At Paisley and Greenock no rain fell from the 11th to the 21st, but towards the end of the month, the weather again became wet and unsettled. The heaviest daily amounts recorded at any of the chief towns were 0.95 inch at Greenock on the 7th, and 0.89 inch at Aberdeen on the 2nd.

Dense fogs occurred on the East coast from the 22nd to 27th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,
During the Month of SEPTEMBER 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables. 2nd Edit.				RAIN.		WINDS.											
		Mean at Sea-level and 32°.	Mean at Station and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Inch.	dys.	Number of Days it blew in certain Directions.									
																					N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29.887	29.947	1.156	71.4	32.0	53.7	39.4	15.4	29.2	53.7	51.1	48.6	.341	3.86	83	16	3.43	0	1	18	0	1	1	6	1	2	1	1.00	
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29.487	29.968	1.229	66.2	37.1	53.0	29.1	11.7	21.7	51.9	49.5	47.1	.324	3.66	85	14	2.03	1	0	6	3	8	5	6	0	1	1	1.69	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	134	29.898	29.978	1.220	64.7	34.2	52.6	30.5	13.0	26.5	51.6	50.1	43.6	.343	3.87	90	20	2.36	1	1	2	13	1	7	1	4	0	1	1.00	
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29.927	29.976	1.200	65.0	32.8	52.3	32.2	12.9	24.4	51.5	49.2	46.8	.321	3.61	84	16	3.05	1	1	1	6	9	8	2	2	0	1	1.69	
PAISLEY, DONALD MAOLACH, The Coats Observatory.	107	29.814	29.931	1.227	66.9	33.5	53.8	33.4	13.9	28.0	53.4	50.6	47.8	.332	3.74	82	16	3.93	2	3	8	3	2	3	3	3	3	1	1.00	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29.882	29.965	1.224	67.1	36.9	54.6	30.2	12.0	22.3	53.7	50.8	48.0	.334	3.77	81	18	2.34	1	1	8	2	6	4	4	2	2	2	2.25	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	238	29.689	29.938	1.147	67.2	37.0	53.4	30.2	13.1	20.5	53.0	50.4	47.8	.332	3.72	82	18	5.00	0	2	3	11	0	2	5	6	1	1	1.69	
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.851	29.967	1.170	66.5	29.0	52.2	37.5	14.4	31.5	51.6	49.5	47.4	.328	3.69	86	—	2.61	1	0	7	2	3	2	8	3	4	1	1.00	
Means	153	29.804	29.958	1.197	71.4	29.0	53.2	32.8	13.3	25.5	52.5	50.2	47.8	.332	3.74	84	17	3.09	1	1	7	5	4	4	4	3	1	1	1.42	

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 46'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

OCTOBER 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of October 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 4114 children, of whom 2036 were males and 2078 females. Of the 4114 births, 260 were illegitimate, being at the rate of 6·3 per cent., or of one illegitimate in every 15·8 births. The rate of illegitimacy in Leith was 2·8 per cent.; in Paisley, 3·3; in Perth, 3·4; in Greenock, 5·0; in Glasgow, 6·5; in Dundee, 6·8; in Edinburgh, 7·1; and in Aberdeen, 7·9 per cent.

During the month 1017 marriages were recorded, being 21 below the average for October for the past ten years, allowance being made for the increase of population.

The deaths of 2385 persons were recorded during the month, of whom 1180 were males, and 1205 females. Allowing for the increase in the population, this number is found to be 253 below the average for October in the last ten years.

During the month the mortality was at the annual rate of 13·6 per thousand persons in Leith; 14·4 in Aberdeen; 15·5 in Edinburgh; 16·5 in Perth; 17·0 in Glasgow; 17·7 in Paisley; 17·9 in Greenock; and 18·6 in Dundee.

Of the 1133 persons whose deaths were recorded in Glasgow, 300 were under one year of age, and 230 were over 60 years of age; of the 431 in Edinburgh, 69 were under one, and 121 over 60; of the 257 in Dundee, 72 were under one, and 55

over 60 ; of the 196 in Aberdeen, 60 were under one, and 56 over 60 ; of the 124 in Paisley, 31 were under one, and 28 over 60 ; of the 92 in Leith, 26 were under one, and 20 over 60 ; of the 105 in Greenock, 23 were under one, and 24 over 60 ; and of the 47 in Perth, 8 were under one year, and 18 over 60 years of age.

Of the 2385 deaths, 876 or 36·7 per cent. were of children under five years of age. In Perth, the percentage of such deaths was 21·3 ; in Edinburgh, 24·1 ; in Paisley, 33·1 ; in Greenock, 33·3 ; in Dundee, 37·7 ; in Aberdeen, 38·3 ; in Glasgow, 41·8 ; and in Leith, 43·5.

From the seven principal epidemic diseases, 217 deaths were registered, constituting thus 9·1 per cent. of the total mortality. This rate was slightly exceeded in Glasgow, Dundee, Paisley, and Perth.

One death from Small-pox occurred in Glasgow.

Measles caused 51 deaths, of which 46 occurred in Glasgow, constituting 4·1 per cent. of the whole.

Seventeen deaths were due to Scarlet Fever, 29 to Hooping-cough, and 16 to Diphtheria.

Enteric Fever caused 27 deaths in all, and accounted for 2·9 per cent. of the mortality in Greenock, and 2·7 of that in Dundee.

The Diarrhoeal diseases accounted for 73 deaths. In Dundee, 6·2 per cent. of the total mortality resulted from these diseases.

Five deaths were ascribed to Puerperal Fever, and 2 to Puerperal Septicæmia.

Malignant disease caused 135 deaths, of which 55 were returned as due to Carcinoma, 14 to Sarcoma, and 66 to Cancer or malignant disease of an unspecified nature.

Alcoholism accounted for 10 deaths ; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 136 ; Diseases of the Heart, 206 ; and Premature Birth Debility, 70.

The deaths from Inflammatory Affections of the Respiratory System (excluding Phthisis and Hooping-cough) amounted to 380 or 15·9 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 218, or 9·1 per cent. of the whole. Three deaths were due to Croup.

The deaths of 77 persons were returned as due to violent causes, of which 3 were suicidal (2 by hanging, and 1 by a gunshot wound).

One male and 5 females were aged 90 years and upwards, the oldest of whom was a widow aged 99 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, OCTOBER 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	786,897	1003	1049	2052	1919	133	493	564	569	1133
EDINBURGH,	276,652	317,459	327,441	314	323	637	592	45	204	218	213	431
DUNDEE,	154,118	161,173	162,805	184	167	351	327	24	134	120	137	257
ABERDEEN,	124,943	153,503	160,780	227	216	443	408	35	77	91	105	196
PAISLEY,	66,425	79,363	82,608	84	98	182	176	6	26	58	66	124
LEITH,	68,707	77,439	79,552	109	102	211	205	6	30	43	49	92
GREENOCK,	63,423	68,142	69,252	92	87	179	170	9	41	62	43	105
PERTH,	29,919	32,873	33,577	23	36	59	57	2	12	24	23	47
TOTAL,	1,443,380	1,651,661	1,702,912	2036	2073	4114	3854	260	1017	1180	1205	2385

OCTOBER 1902,	Mean Temp. 47°·8	2264	2173	4437	4127	310	1030	1305	1163	2463
OCTOBER 1901,	Mean Temp. 47°·4	2122	2059	4181	3915	266	948	1246	1210	2456
OCTOBER 1900,	Mean Temp. 46°·3	2234	2142	4376	4112	264	1028	1338	1317	2655
OCTOBER 1899,	Mean Temp. 48°·6	2210	2076	4286	4026	260	1112	1207	1210	2417
OCTOBER 1898,	Mean Temp. 50°·9	2268	2028	4296	4010	286	1006	1244	1320	2664
OCTOBER 1897,	Mean Temp. 48°·4	2060	1988	4048	3758	290	905	1283	1210	2493
OCTOBER 1896,	Mean Temp. 43°·4	2138	1993	4131	3823	308	951	1143	1204	2347
OCTOBER 1895,	Mean Temp. 44°·0	1940	1863	3803	3523	280	933	1225	1198	2423
OCTOBER 1894,	Mean Temp. 46°·0	2112	2082	4194	3876	318	915	1191	1144	2335
OCTOBER 1893,	Mean Temp. 48°·4	2025	1966	3991	3719	272	854	1142	1209	2342

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of OCTOBER 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH— <i>contd.</i>							
Bridgeton, .	1	20	2	2	0	5	7	Morningside, .	0	2	0	0	0	1	0
Camlachie, .	0	7	0	3	0	0	3	Portobello, .	0	0	2	0	0	0	0
Dennistoun, .	0	5	0	0	0	1	2	DUNDEE—							
Calton, .	0	1	0	0	0	1	12	St Peter, .	0	0	0	0	0	0	2
Blackfriars, .	0	1	0	0	0	0	1	St Mary, .	0	0	0	1	2	2	4
St Rollox, .	0	2	0	1	0	0	1	St Clement, .	0	0	0	0	0	4	4
Blythswood, .	0	0	0	0	0	0	0	St Andrew, .	0	0	0	1	0	1	4
Milton, .	0	3	0	0	0	0	12	Lochee, .	0	0	0	0	0	0	2
Kelvin, .	0	0	0	2	1	0	5	Mains, .	0	0	0	0	0	0	0
Anderson, .	0	0	0	1	0	0	12	ABERDEEN—							
Hutchesontown, .	0	3	0	0	0	0	3	St Nicholas, .	0	1	2	2	0	1	6
Gorbals, .	0	3	0	1	0	1	4	St Machar, .	0	0	0	0	0	0	2
Tradeston, .	0	1	0	1	0	0	0	Woodside, .	0	0	0	0	0	0	1
Kinning Park, .	0	0	0	2	0	0	1	Old Aberdeen, .	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	1	0	E. Peterculter, .	0	0	0	0	0	0	0
Eastwood, .	0	0	0	0	0	0	0	Nigg, .	0	1	0	1	0	0	0
Maryhill, .	0	0	3	4	2	3	2	PAISLEY, .	0	1	1	2	2	2	7
Shettleston, .	0	0	0	0	0	0	0	LEITH—							
Plantation, .	0	0	0	0	0	0	0	North, .	0	0	0	0	0	0	1
Govan, .	0	0	0	0	0	0	0	South, .	0	0	0	0	0	0	4
Partick, .	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen, .	0	0	0	0	0	0	0	East, .	0	0	0	1	0	0	4
EDINBURGH—								West, .	0	0	0	0	0	3	0
St George, .	0	0	0	1	0	0	0	PERTH, .	0	0	2	0	2	1	0
St Andrew, .	0	0	0	0	0	0	0								
Canongate, .	0	0	0	0	0	0	0								
St Giles, .	0	0	4	3	4	0	0								
Newington, .	0	0	1	0	3	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of OCTOBER 1903.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1903.

[illegible]

151

151

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2
Rheumatism of Heart - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	55	-	-	10	8	18	-	-	10	13	23	-	-	3	1	4	-	-	-	2	2
Sarcoma - - - - -	14	-	-	4	-	4	-	1	-	-	1	-	-	2	2	4	-	-	3	-	3
Cancer, Malignant Disease (not otherwise defined)	66	-	-	16	15	31	-	-	6	8	14	-	-	4	-	4	-	-	1	5	6
Rickets - - - - -	5	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Purpura - - - - -	2	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	8	1	-	1	-	2	-	-	2	2	4	1	-	-	-	1	-	-	1	-	1
Diabetes Mellitus - - -	11	-	-	3	1	4	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1
Premature Birth - - -	70	38	-	-	-	38	7	-	-	-	7	11	-	-	-	11	5	-	-	-	5
Congenital Defects - - -	16	5	-	-	-	5	6	-	-	-	6	1	-	-	-	1	1	-	-	-	1
Injury at Birth - - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Atelectasis - - - - -	5	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Want of Breast Milk - -	5	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Teething - - - - -	18	15	-	-	-	15	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - - - -	44	21	4	3	-	28	2	3	-	-	5	4	2	-	-	6	3	-	-	-	3
Softening of Brain - - -	6	-	-	-	2	2	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
General Paralysis of Insane -	9	-	-	1	-	1	-	1	5	1	7	-	-	-	-	-	-	-	1	-	1
Insanity (not Puerperal) -	11	-	-	1	1	2	-	-	-	5	2	7	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	4	-	-	2	-	2	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1
Convulsions - - - - -	33	15	-	-	1	16	4	-	-	-	4	4	-	-	4	5	-	-	-	-	5
Laryngismus Stridulus - -	3	2	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Locomotor Ataxy - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Paraplegia, and Dis. of Cord	11	-	-	2	1	3	1	-	2	1	4	-	-	1	-	1	-	-	1	1	2
Neuritis; Peripheral, Poly-																					
Neuritis - - - - -	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	4	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Other Dis. of Nervous System	15	2	-	2	4	8	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease - -	4	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	65	-	-	21	6	27	-	1	10	5	16	-	-	6	-	6	-	1	2	3	6
Pericarditis - - - - -	3	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	7	-	-	1	-	1	-	-	1	1	-	-	2	-	2	-	-	-	-	2	2
Dilatation of Heart - - -	4	-	-	-	1	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Fatty Degeneration of Heart	12	-	-	2	6	8	-	-	-	1	1	-	-	1	2	3	-	-	-	-	-
Syncope, Heart Disease (not specified) - - - - -	115	-	4	25	24	53	-	1	7	7	15	1	-	6	7	14	2	-	2	6	10

DEATHS FROM ALL CAUSES at Four Periods of Life.

153

Registered during the Month of OCTOBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	2	-	2	-	-	-	2	2	-	1	2	3	3	-	-	-	1	1
Sarcoma	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	3	1	4	-	-	1	1	1	-	-	3	2	5	-	-	1	-	1
Rickets	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Premature Birth	3	-	-	-	3	3	-	-	-	3	3	-	-	-	3	-	-	-	-	-
Congenital Defects	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Teething	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	2	-	-	-	2	-	-	-	1	1	-	-	1	-	1	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	2	2	-	4	-	-	1	-	1	-	-	2	2	4	-	-	-	1	1
Pericarditis	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified)	-	-	5	5	10	-	-	2	2	4	-	-	1	4	5	-	-	1	3	4

Registered during the Month of OCTOBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis	58	-	-	5	9	14	-	-	6	8	14	-	-	8	7	15	-	-	1	3	4
Apoplexy, Hemiplegia	78	-	1	13	26	40	-	-	4	6	10	-	-	1	6	7	-	-	5	5	5
Aneurism	22	-	-	4	2	6	-	-	14	1	15	-	-	-	-	-	-	-	1	-	1
Senile Gangrene	10	-	-	-	3	3	-	-	-	3	3	-	-	-	1	1	-	-	2	-	2
Embolism, Thrombosis (not Cerebral)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Phlebitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea																					
Bronchitis	145	39	3	16	17	75	8	-	-	11	19	8	-	1	5	14	4	-	2	7	13
Pneumonia { Lobar, Croupous	12	-	-	3	1	4	2	1	1	-	4	-	-	2	-	2	-	-	-	-	-
{ Catarrh, Lobular, Broncho-	71	48	-	2	1	51	7	-	-	-	7	4	1	-	5	3	-	-	-	-	3
{ Not otherwise defined	103	26	1	24	7	58	8	1	3	1	13	2	1	4	4	11	3	1	3	1	8
Emphysema, Asthma	6	-	-	2	1	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Pleurisy	12	-	1	3	2	6	-	-	-	3	3	-	-	1	1	2	-	-	1	-	-
Fibroid Disease of Lung	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	22	8	-	2	2	12	-	2	3	1	6	1	-	2	3	-	-	1	-	1	-
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, (Esophagus (not Specific))	5	1	-	1	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-
Gastric Ulcer	9	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	3	1	4	-
Gastric Catarrh	33	10	-	5	5	20	1	-	1	2	4	1	-	-	1	2	-	1	1	4	-
Other Diseases of Stomach (not Malignant)	11	-	-	7	-	7	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic)	23	11	-	2	-	13	4	-	-	2	6	3	-	1	-	4	1	-	-	1	-
Gastro-enteritis	49	20	1	4	1	26	6	-	1	7	7	-	-	-	7	5	-	-	-	5	-
Appendicitis, Perityphlitis	10	-	2	3	-	5	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
Hernia	6	-	-	2	-	2	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-
Intestinal Obstruction	21	1	2	6	11	-	1	2	-	3	-	-	1	-	1	1	2	1	1	5	-
Other Diseases of Intestines	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	23	1	2	5	1	9	-	-	2	1	3	-	1	1	1	3	1	-	-	1	-
Cirrhosis of Liver	8	-	-	2	3	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	8	1	-	2	2	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Other Dis. of Digestive System	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	2	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	22	1	1	3	3	8	-	-	1	-	1	1	-	4	-	5	1	-	-	-	1
Chronic Bright's Disease, Albuminuria	27	1	-	8	5	14	-	-	5	2	7	1	-	-	-	1	-	-	-	1	1
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	10	-	-	1	5	6	-	-	1	2	3	-	-	-	1	1	-	-	-	-	-
Other Dis. of Urinary System	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

155

CAUSES OF DEATH.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hemorrhage, Embolism, Thrombosis	-	-	1	5	6	-	-	-	1	1	-	-	1	1	2	-	-	-	2	2
Apoplexy, Hemiplegia	-	-	3	4	7	-	-	2	1	3	-	-	3	2	5	-	-	-	1	1
Aneurism	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	9	1	2	1	13	2	-	1	-	3	2	-	1	3	8	-	2	1	2	5
Pneumonia { Lobar, Crepous	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Catarrhal, Lobular, Broncho-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	5	1	-	-	-	1
Not otherwise defined	-	-	2	-	2	1	-	2	1	4	-	2	3	1	6	-	-	1	-	1
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibroid Disease of Lung	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Oesophagus (not Specific)	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	-	-	-	1	1	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Enteritis (not Epidemic)	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Gastro-enteritis	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Appendicitis, Perityphlitis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Intestinal Obstruction	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	-	1	1	-	2	-	-	2	-	2	2	-	-	-	2	-	1	-	-	1
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uraemia	-	-	1	1	2	-	1	-	1	2	-	1	1	1	3	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	1	1
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

157

Registered during the Month of OCTOBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Generative and Mammary Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Locom. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility -	7	-	-	-	7	6	-	-	-	6	6	-	-	-	6	1	-	-	-	1
Old Age -	-	-	5	-	5	-	-	-	5	5	-	-	-	3	3	-	-	-	3	3
Dropsy, Ascites, Anasarca -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified -	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
E. VIOLENT DEATHS.																				
In Mines and Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Drowning -	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Suffocation { From Overlying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Otherwise	-	-	1	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Falls -	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—OCTOBER 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarthra and Dysentery.	Croup and Laryngitis.	Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,477	47	10	25	0	0	0	0	0	0	0	2	0	3	4
Ayr,	31,299	64	14	60	0	0	0	0	0	1	0	3	0	6	6
Banff, with Macduff,	8,283	21	2	11	0	0	0	0	0	0	0	0	0	2	1
Blairgowrie,	4,252	8	4	3	0	0	0	0	0	0	0	0	0	0	0
Callander,	2,147	1	1	2	0	0	0	0	0	0	0	0	0	1	0
Campbeltown,	10,231	24	4	13	0	0	0	0	0	0	0	0	0	0	0
Cathcart,*	8,221	24	2	5	0	0	0	0	0	0	0	0	0	2	0
Coatbridge,	41,763	126	15	68	0	1	2	1	1	1	0	9	0	5	5
Crieff,	5,774	13	1	9	0	0	0	0	0	0	0	1	0	2	2
Dumbarton,	20,731	54	2	35	0	0	0	0	1	1	0	4	1	2	2
Dumfries, with Troqueer,	24,971	57	17	38	0	0	0	0	1	0	0	6	0	3	3
Dunfermline,	32,421	65	11	32	0	0	0	0	0	0	0	3	0	5	1
Dunoon,	9,340	19	3	14	0	0	0	0	0	0	0	0	0	0	1
Eastwood,*	15,756	40	12	21	0	0	1	1	0	0	0	2	0	6	2
Elgin,	11,819	31	4	17	0	0	0	1	0	0	0	2	0	3	1
Falkirk,	39,528	108	12	34	0	0	0	0	0	0	0	3	0	9	3
Forfar,	12,708	23	5	14	0	0	0	0	1	0	0	0	0	6	1
Galashiels,	13,230	22	9	21	0	0	0	0	1	0	0	0	0	2	2
Govan—(1) Plantation,*	28,401	79	11	41	†1	0	0	6	0	1	0	2	0	7	4
(2) Govan,*	60,799	210	26	110	0	1	1	0	3	3	0	4	0	24	8
(3) Partick,*	59,360	163	23	62	0	0	0	3	0	0	0	7	0	6	5
Haddington,	5,106	9	1	8	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	18,069	31	11	27	0	0	1	0	1	0	0	1	0	1	5
Inverness,	27,734	51	17	29	0	0	2	0	0	0	0	0	0	5	4
Kilmarnock, with Riccarton,	38,598	73	18	44	0	0	2	1	0	0	0	7	0	4	0
Kilmore and Kilbride (Oban),	6,437	12	9	14	0	0	0	2	0	0	0	0	0	0	0
Kinning Park,*	13,891	42	7	13	0	0	0	0	0	0	0	1	0	7	1
Kirkcaldy and Abbotshall,	24,307	44	10	28	0	0	0	0	1	0	0	1	0	4	2
Kirkcubright,	3,272	9	1	4	0	0	0	0	0	0	0	1	0	1	0
Largs, with Skelmorlie,	5,542	6	2	12	0	0	0	0	1	1	0	0	0	1	1
Logie (Bridge of Allan),	4,473	7	0	6	0	0	0	0	0	0	0	0	0	0	0
Moffat,	2,760	6	1	3	0	0	0	0	0	0	0	0	0	0	1
Montrose,	13,903	26	5	17	0	0	0	0	0	0	0	0	0	1	0
Moulin (Pitlochry),	2,237	4	0	4	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	14	1	6	0	0	0	0	0	0	0	0	0	0	0
New Monkland (Airdrie),	37,507	117	11	35	0	0	0	0	1	0	0	2	0	4	4
North Berwick,	3,802	7	2	4	0	0	0	0	0	1	0	0	0	0	0
Peterhead, with Boddam,	14,996	46	2	19	0	0	0	0	0	0	0	0	0	2	3
Rothsay,	9,439	19	10	19	0	0	0	0	0	0	0	0	0	2	1
St Andrews and St Leonards,	9,564	11	1	6	0	0	0	0	0	0	0	0	0	2	0
Shettleston,*	25,019	82	6	35	0	0	0	1	0	2	0	3	0	2	4
Stirling,	16,674	25	17	25	0	0	0	0	0	0	0	3	0	4	5
Stranraer,	6,001	18	1	7	0	0	0	0	0	0	0	0	0	1	2
Wick,	11,166	42	1	14	0	0	0	1	0	0	0	0	0	1	1

* Excluding portion within the Municipal Burgh of Glasgow.

† Chicken-pox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 153 feet above the sea-level.

For the month of OCTOBER 1903.

Mean barometric pressure, 29.455 inches; less than the average for the same month of 1856-1900 by 0.365 inch.

Barometric monthly range, 1.143 inch; less by 0.262 inch.

Mean temperature, $48^{\circ}0$; greater by $0^{\circ}9$.

Mean daily range of temperature, $10^{\circ}4$; less by $1^{\circ}2$.

Mean humidity, 86 per cent.; greater by 0.6.

Rain, number of days, 27; greater by 10 days.

Rain, depth in inches, 6.85; greater by 3.23 inches.

Wind, pressure on square foot, 1.69 lb.; being the average.

Wind, direction of: an 8 days' excess of winds from between S.E. and S.W.

Hence the month of October 1903 was characterised by an abnormally low mean barometric pressure, with a rather low monthly range; a slightly high mean temperature, with a slightly low mean daily range; a mean humidity, about the average; an abnormally high mean rainfall, falling on 10 days more than the average number; a very large excess of winds of average force from a southerly quarter.

The mean barometric pressure was 29.455 inches, being 0.365 inch below the average, and much lower than any mean for October since observations were organised in 1856, the next lowest being 29.594 inches in 1872. At most places the pressure reduced to sea-level reached 30 inches only on the 18th, the extremes at Leith being 30.046 inches on the 18th and 28.849 inches on the 12th.

The mean temperature was $48^{\circ}0$, or $0^{\circ}9$ above the normal, the days being $0^{\circ}3$ and the nights $1^{\circ}5$ above their respective averages. At Aberdeen temperature hardly equalled the average, but at the other towns there was an excess ranging from $0^{\circ}4$ at Perth to $2^{\circ}4$ at Edinburgh. The month opened with fairly high temperatures, followed by a colder spell, with lowest readings generally on the 10th. Thereafter fluctuations were very slight, and temperature remained almost continuously above the average except for low readings again on 24th and 29th. Perth alone of the chief towns reported a shade reading below $32^{\circ}0$, and at Paisley a minimum on grass fell below freezing only on the 10th, when the reading was $27^{\circ}9$, while at Edinburgh ground-frosts occurred only on 10th and 29th. The absolute maximum at any of the towns was $64^{\circ}5$ at Leith on the 1st, and the minimum $27^{\circ}0$ at Perth on the 10th.

The mean rainfall was 6.85 inches, or 89 per cent. above the normal, being greater than any average on record for October except that of 8.58 inches in 1862. Rainfall was everywhere much above the average, but the relative excess decreased from South to North. Thus, at Aberdeen there was an excess of about 50 per cent., whilst at Dundee the total equalled, and at Paisley, Edinburgh, and Leith greatly exceeded twice the average. The wettest periods of the month were from 3rd to 8th, and from 24th to 29th, very heavy falls occurring on the 27th. At Edinburgh, Leith, and Paisley the monthly average was exceeded by the aggregate of the first ten days. The heaviest daily falls reported at any of the towns were 1.06 inch at Edinburgh on the 8th, and 1.10 inch at Greenock on the 14th. The number of rainy days was very large, and floods occurred in many districts early in, and towards the end of the month.

Thunder was not noted at any of the towns, but was reported in the Border counties on 25th and 26th.

The weather of the month was abnormally wet and unsettled, and disastrous for all agricultural interests.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of OCTOBER 1903.

OBSERVERS.	BAROMETER.			SELF-REGISTERING THERMOMETERS.							HYGRO-METER.	DEDUCTIONS from Glaisher's Tables. 2nd Edit.				RAIN.		WINDS.										Mean Pressure on Sq. ft.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	Mean at Station and 32°.	Inch.	Inch.	Range.	Inch.	Range.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.		Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																				N	NE	E	SE	S	SW	W	NW		Calm or Variable.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
GLASGOW, Medical Officer of Health, Glasgow.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

NOVEMBER 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of November 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3795 children, of whom 1947 were males and 1848 females. Of the 3795 births, 261 were illegitimate, being at the rate of 6·9 per cent., or of one illegitimate in every 14·5 births. In Leith the illegitimate births were in the proportion of 2·1 per cent.; in Paisley, 2·8; in Greenock, 4·5; in Edinburgh and in Perth, 5·4; in Glasgow, 6·5; in Aberdeen, 11·1; and in Dundee, 12·4 per cent.

The marriages registered in these eight towns during the month numbered 1117, or 70 above the average for November during the past ten years, allowance being made for the increase of population.

The deaths of 2479 persons were recorded during the month, of whom 1246 were males, and 1233 females. This number is 292 below the average for the month during the last ten years, allowance being made for the increase of population.

The mortality for the month was equivalent to an annual death-rate of 14·5 per thousand persons in Aberdeen; 14·9 in Paisley; 15·2 in Perth; 15·5 in Greenock; 16·5 in Leith; 16·7 in Dundee; 17·0 in Edinburgh; and 19·6 in Glasgow.

Of the 1266 persons whose deaths were registered in Glasgow, 348 were under one year, and 224 over 60 years of age; of the 458 in Edinburgh, 92 were under one, and 140 over 60; of the 224 in Dundee, 49 were under one, and 61 over 60;

of the 192 in Aberdeen, 61 were under one, and 55 over 60; of the 101 in Paisley, 31 were under one, and 25 over 60; of the 108 in Leith, 41 were under one, and 20 over 60; of the 88 in Greenock, 17 were under one, and 25 over 60; and of the 42 in Perth, 5 were under one year, and 12 over 60 years of age.

Of the total 2479 deaths, 981 or 39·6 per cent. were of children under five years of age. In Perth, the deaths of children of this age constituted 19·0 per cent. of the total; in Greenock, 23·9; in Edinburgh, 30·3; in Dundee, 31·7; in Paisley, 39·6 in Aberdeen, 41·1; in Glasgow, 44·8; and in Leith, 51·9 per cent.

From the seven principal epidemic diseases, 192 deaths were registered, being 7·7 per cent. of the total mortality. This rate was slightly exceeded in Glasgow, owing to the prevalence of measles.

Ten deaths from Small-pox were registered during the month, all of which occurred in Glasgow.

Measles accounted for 62 deaths, of which 60 occurred in Glasgow.

Eleven deaths were attributed to Scarlet Fever, 30 to Hooping-cough, and 23 to Diphtheria.

From fevers 23 deaths resulted, one being due to Typhus, and all the others to Enteric. Fourteen of the deaths from the latter cause (in addition to the death from Typhus), occurred in Glasgow, and 4 in Dundee.

The Diarrhoeal diseases accounted for 33 deaths.

Five deaths were attributed to Puerperal Septicæmia, and 1 to Puerperal Pyæmia.

Malignant disease accounted for 113 deaths, of which 50 were ascribed to Carcinoma, 3 to Sarcoma, and 60 to Cancer or malignant disease of an undefined nature.

Alcoholism caused 6 deaths; Premature Birth Debility, 68; Diseases of the Heart, 209; and Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 126.

The deaths from Inflammatory Affections of the Respiratory Organs (excluding Phthisis and Hooping-cough) amounted to 567 or 22·9 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 212, or 8·6 per cent. of the total mortality. Two deaths resulted from Croup.

The deaths of 103 persons were due to violent causes. Of these deaths, 14 were suicidal (6 by throat-cut, 3 each by hanging and drowning, 1 by precipitation, and 1 by suffocation).

Three males and 4 females were aged 90 years and upwards, of whom the oldest was a female, formerly a Domestic Servant, aged 103 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, NOVEMBER 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	659,193	761,709	786,897	965	942	1607	1783	124	563	656	610	1266
EDINBURGH, . .	276,652	317,459	327,441	311	264	575	544	31	226	225	233	458
DUNDEE, . . .	154,118	161,173	162,805	191	189	380	333	47	76	103	121	224
ABERDEEN, . . .	124,943	153,503	160,780	191	168	359	319	40	101	96	96	192
PAISLEY, . . .	66,425	79,363	82,608	94	82	176	171	5	48	45	56	101
LEITH, . . .	68,707	77,439	79,552	99	88	187	183	4	44	54	54	108
GREENOCK, . . .	63,423	68,142	69,252	70	85	155	143	7	43	45	43	88
PERTH, . . .	29,919	32,873	33,577	26	30	56	53	3	16	22	20	42
TOTAL, . . .	1,443,380	1,651,661	1,702,912	1947	1848	3795	3534	261	1117	1246	1233	2479

NOVEMBER 1902, . . .	Mean Temp. 45°·1	1795	1867	3652	3434	218	1121	1180	1123	2303
NOVEMBER 1901, . . .	Mean Temp. 42°·1	1874	1778	3652	3422	230	944	1462	1407	2869
NOVEMBER 1900, . . .	Mean Temp. 43°·7	1876	1816	3692	3435	257	909	1295	1405	2700
NOVEMBER 1899, . . .	Mean Temp. 47°·3	1993	1916	3909	3621	288	1036	1275	1206	2481
NOVEMBER 1898, . . .	Mean Temp. 42°·4	2007	1885	3892	3594	298	1016	1293	1221	2514
NOVEMBER 1897, . . .	Mean Temp. 45°·7	2011	1914	3925	3634	291	1082	1296	1250	2546
NOVEMBER 1896, . . .	Mean Temp. 42°·3	1958	1870	3828	3538	290	1051	1305	1358	2663
NOVEMBER 1895, . . .	Mean Temp. 43°·0	1726	1707	3433	3209	224	905	1191	1143	2334
NOVEMBER 1894, . . .	Mean Temp. 45°·5	1985	1860	3845	3552	293	826	1315	1277	2592
NOVEMBER 1893, . . .	Mean Temp. 40°·1	1910	1846	3756	3461	295	879	1394	1450	2844

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of NOVEMBER 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH— <i>contd.</i>							
Bridgeton, . . .	10	14	2	2	6	9	0	Morningside, . . .	0	0	0	0	4	0	0
Camlachie, . . .	0	1	0	4	1	0	0	Portobello, . . .	0	0	0	0	0	0	0
Dennistoun, . . .	0	2	0	0	1	0	0	DUNDEE—							
Calton, . . .	0	1	0	1	0	0	3	St Peter, . . .	0	0	0	0	0	0	0
Blackfriars, . . .	0	1	0	1	0	0	0	St Mary, . . .	0	0	0	0	0	1	5
St Rollox, . . .	0	3	0	2	1	1	1	St Clement, . . .	0	0	0	1	0	3	1
Blythswood, . . .	0	0	0	0	0	1	1	St Andrew, . . .	0	0	0	0	0	0	0
Milton, . . .	0	6	0	0	0	0	1	Lochee, . . .	0	0	0	0	0	0	0
Kelvin, . . .	0	7	0	1	0	2	0	Mains, . . .	0	0	0	0	0	0	0
Anderston, . . .	0	0	0	2	0	0	2	ABERDEEN—							
Hutchesontown, . . .	0	5	0	1	0	0	0	St Nicholas, . . .	0	0	1	1	0	0	4
Gorbals, . . .	0	2	0	0	0	0	1	St Machar, . . .	0	0	1	1	0	0	2
Tradeston, . . .	0	0	0	0	0	1	1	Woodside, . . .	0	0	0	0	0	0	0
Kinning Park, . . .	0	1	0	0	0	0	0	Old Aberdeen, . . .	0	0	0	0	0	0	0
Cathcart, . . .	0	0	0	0	1	0	1	E. Peterculter . . .	0	0	0	0	0	0	0
Eastwood, . . .	0	0	0	0	0	0	0	Nigg, . . .	0	0	0	1	0	0	0
Maryhill, . . .	0	4	3	1	2	1	1	PAISLEY, . . .	0	1	0	1	1	0	3
Shettleston, . . .	0	0	0	0	0	0	0	LEITH—							
Plantation, . . .	0	0	0	3	0	0	0	North, . . .	0	0	1	0	0	0	0
Govan, . . .	0	0	0	0	0	0	0	South, . . .	0	0	0	1	0	0	0
Partick, . . .	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen, . . .	0	0	0	0	0	0	0	East, . . .	0	1	0	0	0	0	0
EDINBURGH—								West, . . .	0	0	0	1	1	2	1
St George, . . .	0	0	0	1	0	0	1	PERTH, . . .	0	0	0	1	2	0	1
St Andrew, . . .	0	0	0	0	0	0	0								
Canongate, . . .	0	0	0	3	0	0	1								
St Giles, . . .	0	0	3	2	2	2	1								
Newington, . . .	0	0	0	1	1	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2479	567	89	386	224	1266	139	25	154	140	458	71	18	74	61	224	79	11	47	55	191
A. GENERAL DISEASES -	836	193	40	165	31	429	52	14	58	35	159	32	11	29	10	82	30	5	17	5	52
B. LOCAL DISEASES :-																					
1. DIS. OF NERVOUS SYSTEM	141	46	10	7	5	68	16	1	6	6	29	1	-	-	1	2	8	1	4	3	1
2. " ORGANS OF SPECIAL SENSE -	9	1	1	2	-	4	-	1	1	-	2	1	1	-	-	2	-	1	-	-	-
3. " HEART -	209	3	4	43	37	87	-	1	21	22	44	1	1	12	9	22	-	1	-	-	-
4. " BLOOD VESSELS -	139	1	1	24	42	68	-	-	11	14	25	-	-	4	9	13	-	-	10	8	1
5. " RESPIRATORY SYSTEM	567	216	10	56	47	329	45	1	18	19	83	24	2	15	10	51	20	-	5	13	3
6. " DIGESTIVE SYSTEM -	156	28	9	19	13	69	13	4	6	8	31	6	-	2	2	10	10	1	6	4	2
7. " LYMPHATIC AND DUCTLESS GLANDS	3	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
8. " URINARY SYSTEM -	78	-	4	25	8	37	1	1	9	7	18	-	1	5	4	10	-	1	2	2	-
9. " GENERATIVE SYSTEM	9	-	-	1	-	1	-	-	6	-	6	-	-	2	-	2	-	-	-	-	-
10. " PREGNANCY AND CHILD BIRTH -	13	-	1	7	-	8	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-
11. " LOCOMOTOR SYSTEM	11	3	3	1	-	7	-	-	1	-	1	-	-	1	1	1	1	1	-	-	-
12. " THE SKIN -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	204	65	-	6	32	103	10	-	-	24	34	4	-	2	12	18	9	-	-	12	27
E. VIOLENT DEATHS -	103	11	6	30	8	55	2	2	13	5	22	2	2	2	3	9	1	-	3	-	4
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	7	-	-	6	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	62	57	3	-	-	60	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	11	2	3	-	-	5	2	1	-	-	3	-	-	-	-	-	-	1	1	-	-
Typhus -	1	-	-	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2
Plague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	14	3	2	3	2	10	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hooping-cough -	30	15	-	-	-	15	7	-	-	-	7	1	-	-	-	1	3	-	-	-	-
Mumps -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	3
Diphtheria, Membranous Croup	23	11	-	1	-	12	4	3	-	-	7	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	22	1	-	12	1	14	1	-	1	-	2	-	2	2	-	4	-	-	-	-	-
Asiatic Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis -	8	2	-	-	-	2	1	-	1	2	3	-	-	-	-	3	1	-	-	-	1
Diarrhoea, Choleraic Diarrhoea	25	7	-	2	1	10	1	-	1	-	2	2	1	-	3	4	-	-	-	-	5
Dysentery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

165

Registered during the month of NOVEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	40	4	32	25	101	56	4	28	20	108	21	7	35	25	88	8	4	18	12	42
GENERAL DISEASES -	13	4	12	3	32	13	2	12	6	33	9	4	14	1	28	5	2	9	-	16
LOCAL DISEASES:—																				
DISEASES OF NERVOUS SYSTEM	4	-	3	2	9	3	-	-	2	5	4	1	3	1	9	-	1	-	2	3
" ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" HEART -	1	-	5	7	13	1	-	5	3	9	-	-	5	5	10	-	1	2	2	5
" BLOOD VESSELS -	-	-	3	4	7	-	1	4	1	6	-	-	4	4	8	-	-	1	3	4
" RESPIRATORY SYSTEM	12	-	3	3	18	31	-	-	4	35	3	-	-	4	7	2	-	1	3	6
" DIGESTIVE SYSTEM -	3	-	4	2	9	1	-	2	-	3	3	-	6	4	13	-	-	-	-	-
" LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	1	1	2	-	1	-	-	1	-	-	3	3	7	-	3	-	-	3
" GENERATIVE SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" PREGNANCY AND CHILDBIRTH	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
" LOCOMOTOR SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" THE SKIN -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED DISEASES -	7	-	1	2	10	6	-	-	4	10	1	-	-	3	4	1	-	1	2	4
VIOLENT DEATHS -	-	-	-	1	1	1	1	4	-	6	1	1	3	-	5	-	-	1	-	1
A. GENERAL DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Crouping-cough -	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Rumps -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intermittent Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malarial Fever -	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Bacillary Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea	-	-	2	1	3	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Dysentery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[illegible]

167

167

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - -	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) - - -	1	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Pyæmia (not Puerperal) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax) - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis) - - -	-	-	-	-	-	-	2	-	-	2	-	-	1	-	1	-	-	1	-	1
Phthisis (not otherwise defined) - - -	-	1	4	-	5	-	1	4	-	5	-	1	4	-	5	-	-	6	-	6
Tuberculous Meningitis - - -	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Tuberculous Peritonitis - - -	-	-	-	-	-	1	-	1	-	2	2	-	-	-	2	-	-	-	-	-
Tabes Mesenterica - - -	-	2	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs - - -	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
General Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Potomaine Poisoning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	6	-	1	2	1	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism -	2	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	4	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	50	-	-	12	3	15	-	-	5	9	14	-	-	2	3	5	-	-	1	4	5
Sarcoma -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	60	-	-	13	10	23	-	-	6	15	21	-	-	3	2	5	-	-	3	-	3
Rickets -	13	3	-	-	-	3	2	-	-	-	2	4	-	-	-	4	1	-	-	-	1
Purpura -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	16	-	1	5	3	9	1	-	2	2	5	-	-	-	1	1	-	-	-	-	-
Diabetes Mellitus -	6	-	-	3	1	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Premature Birth -	68	36	-	-	-	36	8	-	-	-	8	8	-	-	-	8	9	-	-	-	9
Congenital Defects -	7	2	-	-	-	2	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1
Injury at Birth -	2	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Atelectasis -	4	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Want of Breast Milk -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Teething -	11	5	-	-	-	5	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	56	28	10	-	-	38	5	1	-	-	6	-	-	-	-	-	4	-	-	1	5
Softening of Brain -	11	-	-	1	4	5	-	-	-	3	3	-	-	-	-	-	-	-	-	1	1
General Paralysis of Insane -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	6	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	1	1	2
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Convulsions -	38	17	-	-	-	17	10	-	-	-	10	1	-	-	-	1	2	1	-	-	3
Laryngismus Stridulus -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Locomotor Ataxy -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Paraplegia, and Dis. of Cord -	9	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
Neuritis; Peripheral, Polyneuritis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Brain Tumour (not Specific) -	4	1	-	2	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Nervous System	11	-	-	3	1	4	-	-	1	1	2	-	-	-	1	1	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	7	-	1	1	-	2	-	1	1	-	2	1	1	-	-	2	-	1	-	-	1
Epistaxis, Disease of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	61	-	2	15	6	23	-	1	8	4	13	-	1	6	3	10	-	1	4	2	7
Pericarditis -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Angina Pectoris -	5	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart -	3	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart -	8	-	-	2	1	3	-	-	-	2	2	-	-	1	1	2	-	-	1	-	1
Syncope, Heart Disease (not specified) -	128	3	2	24	28	57	-	-	11	14	25	-	-	5	5	10	-	-	5	5	10

169

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	-	1	1	-	-	4	4	8	-	-	1	-	1	-	-	1	-	1
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	1	1	2	-	-	1	1	2	-	-	2	1	3	-	-	1	-	1
Rickets	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Purpura	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Premature Birth	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1
Congenital Defects	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Teething	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	2	-	-	-	2	1	-	-	-	1	1	1	-	1	3	-	1	-	-	1
Softening of Brain	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
General Paralysis of Insane	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	2	-	-	-	2	2	-	-	-	2	3	-	-	-	3	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	1	-	1	-	-	1	-	1	-	-	2	-	2	-	-	2	-	2
Neuritis; Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	1	1	2	-	-	-	1	1	-	-	-							

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hemorrhage, Embolism, Thrombosis	54	-	1	8	14	23	-	-	5	2	7	-	-	2	5	7	-	-	-	5	5
Apoplexy, Hemiplegia	72	1	-	14	26	41	-	-	5	9	14	-	-	2	2	4	-	-	-	2	2
Aneurism	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	4	-	-	-	1	1	-	-	1	1	1	-	-	-	2	2	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	4	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	4	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	238	75	4	17	36	132	17	-	5	13	35	10	-	6	7	23	8	-	1	7	16
Pneumonia { Lobar, Croupous	21	3	1	5	1	10	-	-	4	-	4	-	1	1	-	2	1	-	1	-	2
{ Catarrhal, Lobul., Broncho-	151	90	-	4	2	96	14	1	2	-	17	12	-	-	-	12	8	-	-	-	8
{ Not otherwise defined	108	35	4	24	5	68	10	-	4	3	17	2	1	5	1	9	-	-	1	2	3
Emphysema, Asthma	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleurisy	10	-	-	3	-	3	-	-	1	2	3	-	-	1	2	3	-	-	-	1	1
Fibroid Disease of Lung	7	1	-	1	-	2	-	-	1	-	1	-	-	1	-	1	-	-	2	1	3
Other Dis. of Respiratory Syst.	23	7	1	1	3	12	2	-	1	1	4	-	-	1	-	1	3	-	-	2	5
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Esophagus (not Specific)	3	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1
Gastric Ulcer	7	-	1	4	-	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	20	5	-	1	3	9	5	-	-	-	5	1	-	-	-	1	1	-	-	2	3
Other Diseases of Stomach (not Malignant)	13	-	1	-	3	4	-	-	1	1	1	1	-	1	-	2	-	-	1	-	1
Enteritis (not Epidemic)	11	5	2	-	-	7	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis	32	15	-	-	1	16	5	-	-	1	6	2	-	-	-	2	7	-	-	-	7
Appendicitis, Perityphlitis	9	-	1	2	-	3	-	-	4	1	5	-	-	-	-	-	-	-	1	-	1
Hernia	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	13	3	2	1	2	8	1	-	-	1	2	-	-	-	1	1	-	-	-	-	-
Other Diseases of Intestines	5	-	1	1	1	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2
Peritonitis (not Puerperal)	11	-	1	3	-	4	-	-	1	1	1	1	-	1	-	2	1	1	-	-	2
Cirrhosis of Liver	8	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	2	1	3
Other Diseases of Liver and Gall Bladder	17	-	-	4	2	6	-	-	1	2	3	-	-	-	1	1	-	-	-	1	1
Other Dis. of Digestive System	5	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uremia	20	-	2	4	2	8	1	-	3	1	5	-	1	1	1	3	-	1	-	-	1
Chronic Bright's Disease, Albuminuria	37	-	2	16	4	22	-	1	3	2	6	-	-	3	1	4	-	-	1	1	2
Calculus (not Biliary)	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	11	-	-	-	1	1	-	-	-	4	4	-	-	-	2	2	-	-	1	1	2
Other Dis. of Urinary System	9	-	-	5	1	6	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-

171

171

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

173

Registered during the Month of NOVEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Generative and Mammary Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth -	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Locom. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility -	7	-	-	-	7	6	-	-	-	6	1	-	-	1	1	-	-	-	-	1
Old Age -	-	-	2	-	2	-	-	4	-	4	-	-	2	2	-	-	-	-	2	2
Dropsy, Ascites, Anasarca -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified -	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1
E. VIOLENT DEATHS.																				
In Mines and Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Drowning -	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	1	-	-	1
Suffocation { From Overlying	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
{ Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Weather Agencies -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—NOVEMBER 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	22,477	35	13	32	0	0	0	0	0	0	0	4	0	8	6
Ayr,	31,299	53	19	47	0	0	0	0	0	0	0	0	0	9	0
Banff, with Macduff,	8,283	8	1	8	0	0	0	0	0	0	0	0	0	1	1
Blairstown,	4,232	5	4	4	0	0	0	0	0	0	0	0	0	2	0
Callander,	2,147	3	0	2	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,231	17	5	17	0	0	0	0	0	0	0	1	0	3	1
Cathcart,*	8,221	12	2	8	0	0	0	0	0	0	0	0	0	1	0
Coatbridge,	41,763	109	15	72	0	2	1	1	0	0	0	4	0	31	4
Crieff,	5,774	14	1	7	0	0	0	0	0	0	0	0	0	2	0
Dumbarton,	20,731	48	6	35	0	0	1	0	0	1	0	1	0	6	2
Dumfries, with Troqueer,	24,971	43	10	36	0	0	0	0	1	0	0	0	0	5	6
Dunfermline,	32,451	68	21	43	0	0	0	1	0	0	0	2	1	9	2
Dunoon,	9,340	14	2	12	0	0	0	0	0	0	0	0	0	2	1
Eastwood,*	15,756	34	11	27	0	1	2	0	2	0	0	0	0	7	4
Elgin,	11,819	22	5	12	0	0	0	1	0	0	0	1	0	1	2
Falkirk,	39,528	95	15	42	0	0	1	0	1	0	0	0	0	6	4
Forfar,	12,708	29	6	11	0	0	0	0	0	0	0	1	0	0	5
Galashiels,	13,230	18	8	19	0	0	1	1	0	0	0	0	0	4	3
Govan—(1) Plantation,*	28,401	57	3	35	0	0	1	4	0	0	0	1	0	7	4
(2) Govan,*	60,799	168	26	113	0	0	0	1	7	0	0	2	0	32	16
(3) Partick,*	59,360	168	30	59	0	0	0	3	1	0	0	1	0	13	4
Haddington,	5,106	3	1	13	0	0	0	0	0	2	0	0	0	1	1
Hawick, with Wilton,	18,069	41	9	30	0	0	1	2	0	0	0	1	0	2	3
Inverness,	27,734	40	15	40	0	0	0	0	0	0	0	1	0	4	4
Kilmarnock, with Riccarton,	38,598	85	35	52	0	3	0	5	0	0	0	3	1	7	2
Kilmore and Kilbride (Oban),	6,437	12	4	11	0	0	0	2	0	0	0	0	0	1	0
Kinning Park,*	13,891	38	17	21	0	2	0	2	0	0	0	0	0	8	1
Kirkcaldy and Abbotshall,	24,307	51	9	26	0	0	0	0	0	0	0	2	0	2	3
Kirkcubright,	3,272	8	0	6	0	0	0	0	0	0	0	0	0	0	0
Largs, with Skelmorlie,	5,542	6	5	7	0	0	1	0	0	0	0	0	0	2	1
Logie (Bridge of Allan),	4,473	2	2	3	0	0	0	0	0	0	0	0	0	0	1
Moffat,	2,760	8	2	5	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,903	23	2	17	0	0	0	0	0	1	0	0	1	0	1
Moulin (Pitlochry),	2,237	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	7	0	6	0	0	0	0	0	0	0	0	0	2	0
New Monkland (Airdrie),	37,507	129	25	42	0	0	0	1	0	0	0	0	0	8	4
North Berwick,	3,802	5	0	2	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	14,996	47	8	26	0	0	0	0	0	0	0	0	0	16	1
Rothsay,	9,439	12	7	5	0	0	0	0	0	0	0	0	0	1	2
St Andrews and St Leonards,	9,564	17	2	8	0	0	0	0	0	0	0	0	0	2	1
Shettleston,*	25,019	84	8	38	0	4	0	1	1	1	0	3	0	8	5
Stirling,	16,674	28	9	33	0	0	0	0	0	0	0	1	0	10	2
Stranraer,	6,001	11	4	10	0	0	0	0	0	0	0	0	0	1	3
Wick,	11,166	24	4	20	0	0	0	1	0	0	0	0	0	2	2

* Excluding portion within the Municipal Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 160 feet above the sea-level.

For the month of NOVEMBER 1903.

Mean barometric pressure, 29.923 inches; greater than the average for the same month of 1856–1900 by 0.087 inch.

Barometric monthly range, 1.404 inch; less by 0.152 inch.

Mean temperature, $42^{\circ}4$; greater by $0^{\circ}8$.

Mean daily range of temperature, $10^{\circ}5$; greater by $0^{\circ}6$.

Mean humidity, 85 per cent.; less by 0.6.

Rain, number of days, 18; greater by 2 days.

Rain, depth in inches, 2.36; less by 1.07 inch.

Wind, pressure on square foot, 1.58; less by 0.11 lb.

Wind, direction of: a 5 days' excess of winds from W. and N.W.

Hence the month of November 1903 was characterised by a somewhat high mean barometric pressure, with a rather low monthly range; a slightly high mean temperature, with a slightly high mean daily range; a mean humidity about the average; a mean rainfall considerably below the average, but falling on two days more than the average number; a large excess of winds of about average force from W. and N.W.

The mean barometric pressure was 29.923 inches, being 0.087 inch above the normal. During the first eight days of the month pressure was decidedly high, exceeding 30.5 inches at sea-level on the 5th and 6th. Lowest readings occurred generally on the 28th, the extremes at Leith being 30.558 inches on the 6th and 29.130 inches on the 28th.

The mean temperature was $42^{\circ}4$, or $0^{\circ}8$ above the normal, the days being $1^{\circ}5$ and the nights $0^{\circ}5$ above their respective averages. At Aberdeen temperature was $1^{\circ}0$ below, and at Perth just equal to the normal, but at all the other towns there was an excess of more than $1^{\circ}0$. The month opened with readings much above the average, but low temperatures were recorded from 6th to 8th, the sheltered minimum falling on the 7th to $24^{\circ}0$ at Perth and $24^{\circ}9$ at Edinburgh. Thereafter cyclonic conditions obtained with higher temperatures, the maximum for the month generally occurring on the 12th. Again from 16th to 18th, temperature was low under the influence of northerly winds, and after a few days of milder weather the month closed with very low readings, a minimum on grass at Paisley falling to $17^{\circ}1$ on the 30th. The absolute maximum at any of the towns was $57^{\circ}9$ at Glasgow on the 3rd, and the minimum $21^{\circ}5$ at Perth on the 30th.

The mean rainfall was 2.36 inches, or 31 per cent. below the normal. At Aberdeen there was an excess of 7 per cent., whilst at the remaining towns there was a deficiency, amounting to as much as 64 per cent. at Dundee and 55 at Perth, and ranging at the others from 23 at Greenock to 42 at Edinburgh. At Fort William the rainfall was all but equal to the average, whilst at Glencarron there was an excess of 26 and at Wick of as much as 66 per cent. Most of the rain fell on the 1st and 2nd, from 8th to 14th, and from 21st to 28th. The heaviest daily amounts at any of the towns were 0.72 inch at Greenock on the 13th, and 0.60 inch at Aberdeen on the 27th. At Dundee the heaviest daily fall, on the 2nd, was only 0.20 inch.

Snow fell in northern districts about the middle and towards the end of the month, and on the 27th a snowstorm was general over the country.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of NOVEMBER 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables, 2nd Edit.				RAIN.		WINDS.											
		Range.	Mean at Sea-level and 32°.	Mean at Station and 32°.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.		Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
																				N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pres- sure on Sq. ft.
GLASGOW, Medical Officer of Health, Glasgow.	54	29.832	29.942	1.430	57.9	22.2	43.3	35.7	9.8	17.1	43.8	42.2	40.2	.250	2.83	88	20	2.23	2	0	10	0	1	6	8	2	0.81		
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29.453	29.939	1.420	55.9	24.9	42.4	31.0	8.4	19.9	41.7	40.0	37.9	.223	2.63	87	15	1.47	2	0	1	1	4	8	10	3	1	2.55	
DUNDEE, JOHN CARNOOHAN, Curator of Cemeteries.	164	29.730	29.913	1.400	56.8	26.0	42.0	30.8	13.9	20.3	41.0	39.0	36.5	.215	2.50	84	14	0.94	0	1	1	1	1	8	6	12	0	1.44	
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29.820	29.870	1.310	54.0	24.0	40.3	30.0	11.4	21.4	40.3	38.5	36.2	.214	2.47	86	21	3.38	1	1	0	0	2	13	6	7	0	1.69	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.821	29.940	1.465	56.2	26.1	43.6	30.1	9.2	13.9	43.1	41.2	38.9	.237	2.73	85	21	3.06	2	1	1	1	4	1	12	4	4	1.21	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29.840	29.925	1.428	55.5	25.5	43.9	27.0	8.4	17.0	43.4	41.2	38.6	.234	2.70	83	14	1.54	1	1	1	0	1	8	13	2	3	2.56	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	233	29.691	29.944	1.370	54.2	26.2	43.1	28.0	9.8	15.3	43.2	41.2	38.8	.236	2.72	85	21	4.93	0	1	1	3	0	2	11	10	2	1.96	
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.798	29.916	1.410	54.0	21.5	40.9	32.5	13.0	22.5	40.8	38.9	36.5	.216	2.50	85	—	1.33	3	0	3	0	0	3	14	5	2	0.41	
Means	153	29.754	29.923	1.404	57.9	21.5	42.4	30.6	10.5	18.4	42.2	40.3	38.0	.229	2.64	85	18	2.36	1	1	2	1	2	5	10	6	2	1.58	
North Latitude.—Glasgow, 56° 58'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 3° 27'; Greenock, 4° 45'; Perth, 3° 30'.																													

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

DECEMBER 1903.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of December 1903, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 4278 children, of whom 2117 were males and 2161 females. Of the 4278 births, 291 were illegitimate, being in the proportion of 6·8 per cent., or of one illegitimate to every 14·7 births. In Leith the illegitimate births constituted 1·5 per cent. of the total; in Greenock, 4·5; in Paisley, 5·3; in Glasgow, 6·4; in Edinburgh, 7·4; in Perth, 7·5; in Aberdeen, 9·2; and in Dundee, 9·6.

The marriages recorded during the last month of 1903 amounted to 1449, being 197 below the average for the month during the ten years immediately preceding.

There were registered in these towns during December the deaths of 3098 persons, 1539 being of males and 1559 of females. The total for both sexes is 93 in excess of the average for the last ten years, corrected for increase of population.

The mortality in Leith was at the annual rate of 14·8 per thousand of the estimated population; in Edinburgh and in Paisley, at the rate of 18·2; in Aberdeen, 20·1; in Greenock, 21·6; in Dundee, 22·4; in Perth, 22·8; and in Glasgow, 23·7.

Of the 1587 deaths registered in Glasgow, 374 were of infants under one year of age, and 295 of persons over 60 years; of the 507 in Edinburgh, 92 were of infants under one year, and 169 of persons over 60 years; of the 310 in Dundee, 69 were of infants under one, and 82 of persons over 60; of the 274 in Aberdeen, 71 were

under one, and 81 over 60 ; of the 128 in Paisley, 29 were under one and 37 over 60 ; of the 100 in Leith, 30 were under one, and 32 over 60 ; of the 127 in Greenock, 37 were under one, and 40 over 60 ; and of the 65 in Perth, 15 were of children in their first year, and 26 of persons aged 60 years and upwards.

The deaths of children under five years of age, 1127 in number, constituted 36·4 per cent. of the total mortality. In Edinburgh, 23·1 per cent. of the deaths were of children of this age ; in Perth, 29·2 per cent. ; in Dundee, 32·9 ; in Greenock, 33·9 ; in Aberdeen, 34·3 ; in Paisley, 36·7 ; in Leith, 37·0 ; and in Glasgow, 42·1.

The seven principal epidemic diseases accounted for 270 deaths, equivalent to 8·7 per cent. of the mortality from all causes. This proportion was exceeded in Glasgow, owing to the prevalence of Measles.

Twelve deaths from Small-pox were registered in Glasgow during the month, being 2 more than the number recorded during November.

From Measles there resulted 133 deaths, of which 126 occurred in Glasgow, constituting 7·9 per cent. of the whole mortality therein.

In all 54 deaths were caused by Hooping-cough, which accounted for 5·8 per cent. of the total fatality in Aberdeen.

Fifteen deaths were attributed to Scarlet Fever, 14 to Diphtheria, 12 to Enteric Fever, 1 to Cerebro-spinal Fever, and 29 to Diarrhœa and Dysentery.

Two deaths were assigned to Puerperal Septicæmia and 3 to Puerperal Fever.

The deaths of 128 persons were due to malignant disease, of which 55 were referred to Carcinoma, 7 to Sarcoma, and 66 to Cancer or malignant disease without further specification.

Eight deaths were attributed to Alcoholism ; 94 to Premature Birth Debility ; 262 to affections of the Heart ; and 158 to Cerebral Hæmorrhage, Apoplexy, and Hemiplegia.

The deaths from inflammatory diseases of the Respiratory organs (not including those due to Phthisis or to Hooping-cough) amounted to 770, and constituted 24·9 per cent. of the whole mortality. To Tuberculous Phthisis, or to Phthisis without further definition, 245 deaths were attributed, being 7·9 per cent. of the mortality from all causes.

From violent causes there resulted 107 deaths, 5 of which were due to suicide (two by cut-throat, and one each by hanging, shooting, and drowning).

Two men and 17 women whose deaths were recorded were aged 90 years and upwards, the oldest being a widow aged 101.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, DECEMBER 1903.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1903.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	786,897	1020	1091	2111	1976	135	597	808	779	1587
EDINBURGH, .	276,652	317,450	327,441	344	335	679	629	50	347	243	259	507
DUNDEE, .	154,118	161,173	162,805	214	182	396	358	38	125	139	171	310
ABERDEEN, .	124,943	153,503	160,780	222	226	448	407	41	196	137	137	274
PAISLEY, .	66,425	79,363	82,608	97	111	208	197	11	42	60	68	128
LEITH, .	68,707	77,439	79,552	96	103	199	196	3	52	51	49	100
GREENOCK, .	63,423	68,142	69,252	86	71	157	150	7	56	68	59	127
PERTH, .	29,919	32,373	33,577	38	42	80	74	6	34	23	37	65
TOTAL, .	1,443,380	1,651,661	1,702,912	2117	2161	4278	3987	291	1449	1539	1559	3098

DECEMBER 1902,	Mean Temp. 39°·9	2195	2038	4233	3945	238	1673	1529	1504	3033
DECEMBER 1901	Mean Temp. 37°·3	1981	1820	3801	3548	253	1727	1578	1496	3074
DECEMBER 1900,	Mean Temp. 43°·8	1892	1739	3631	3366	265	1768	1336	1340	2676
DECEMBER 1899,	Mean Temp. 35°·7	1980	1885	3865	3606	259	1505	1472	1456	2928
DECEMBER 1898,	Mean Temp. 43°·7	2020	1976	3996	3694	302	1663	1330	1254	2584
DECEMBER 1897,	Mean Temp. 39°·4	2050	1925	3975	3714	261	1516	1423	1339	2812
DECEMBER 1896,	Mean Temp. 38°·5	2072	1953	4055	3704	291	1426	1395	1391	2786
DECEMBER 1895,	Mean Temp. 38°·0	1793	1722	3515	3281	234	1464	1285	1244	2529
DECEMBER 1894,	Mean Temp. 40°·8	1989	1826	3815	3519	266	1411	1423	1357	2780
DECEMBER 1893,	Mean Temp. 41°·5	1903	1801	3709	3423	281	1107	1415	1412	2827

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of DECEMBER 1903.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								EDINBURGH—contd.							
Bridgeton, .	11	28	3	3	1	2	2	Morningside, .	0	0	0	4	1	0	0
Camelachie, .	0	17	0	2	0	0	1	Portobello, .	0	0	0	0	0	0	0
Dennistoun, .	0	7	1	0	0	0	2	DUNDEE—							
Calton, .	0	10	0	0	0	0	1	St Peter, .	0	0	0	0	1	0	3
Blackfriars, .	0	4	0	0	0	0	0	St Mary, .	0	0	0	0	1	1	2
St Rollox, .	0	14	0	3	0	0	6	St Clement, .	0	1	1	0	0	1	1
Blythswood, .	0	2	0	1	0	0	0	St Andrew, .	0	1	0	0	1	0	1
Milton, .	0	15	0	5	1	0	0	Lochee, .	0	0	0	0	0	0	0
Kelvin, .	0	4	0	3	0	0	0	Mains, .	0	0	0	0	0	0	0
Anderston, .	0	2	0	5	0	0	1	ABERDEEN—							
Hutchesontown, .	1	9	1	0	0	0	1	St Nicholas, .	0	0	0	7	0	0	0
Gorbals, .	0	2	0	0	1	0	0	St Machar, .	0	0	0	8	0	0	0
Tradeston, .	0	1	0	0	0	0	0	Woodside, .	0	0	0	0	0	0	0
Kinning Park, .	0	1	0	0	0	0	1	Old Aberdeen, .	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	0	1	E. Peterculter, .	0	0	0	0	0	0	0
Eastwood, .	0	0	0	0	1	0	0	Nigg, .	0	0	0	1	0	0	0
Maryhill, .	0	10	6	1	1	4	0	PAISLEY, . . .	0	3	1	3	0	0	1
Shettleston, .	0	0	0	0	0	0	0	LEITH—							
Plantation, .	0	0	0	0	0	0	0	North, .	0	0	0	0	0	0	1
Govan, .	0	0	0	0	0	0	0	South, .	0	0	0	1	0	1	0
Partick, .	0	0	0	0	0	0	0	GREENOCK—							
Rutherglen, .	0	0	0	0	0	0	0	East, .	0	0	0	0	1	0	1
EDINBURGH—								West, .	0	0	0	0	1	2	1
St George, .	0	0	0	5	2	1	0	PERTH,	0	0	0	1	0	1	0
St Andrew, .	0	0	0	0	0	0	0								
Canongate, .	0	1	1	0	0	0	2								
St Giles, .	0	1	1	0	1	0	0								
Newington, .	0	0	0	1	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes)	3098	668	109	515	295	1587	117	31	190	169	507	102	26	100	82	310	94	16	83	81	274
A. GENERAL DISEASES -	1033	292	56	174	47	569	43	19	62	33	157	39	16	31	12	98	37	11	28	9	85
B. LOCAL DISEASES :-																					
1. DIS. OF NERVOUS SYSTEM	171	55	7	19	11	92	6	1	14	6	27	4	1	4	2	11	13	-	1	2	16
2. " ORGANS OF SPECIAL SENSE -	8	2	2	1	-	5	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-
3. " HEART -	262	2	7	54	35	98	2	2	23	28	55	1	2	16	17	36	-	-	18	11	29
4. " BLOOD VESSELS -	176	-	-	23	46	69	1	-	10	25	36	-	-	9	11	20	-	-	6	15	21
5. " RESPIRATORY SYSTEM	770	217	14	114	76	421	40	2	35	35	112	40	2	19	16	77	22	3	11	16	52
6. " DIGESTIVE SYSTEM -	178	33	13	41	9	96	8	-	15	8	31	8	2	8	3	21	5	-	7	2	14
7. " LYMPHATIC AND DUCTLESS GLANDS	8	1	-	1	-	2	-	-	-	1	1	-	-	1	2	3	-	-	-	-	-
8. " URINARY SYSTEM -	111	3	2	33	14	52	1	1	11	7	20	1	-	7	3	11	-	-	4	9	13
9. " GENERATIVE SYSTEM	12	-	-	6	-	6	-	-	2	-	2	-	-	1	2	3	-	-	-	1	1
10. " PREGNANCY AND CHILDBIRTH -	18	-	1	6	-	7	-	-	6	-	6	-	-	1	-	1	-	-	2	-	2
11. " LOCOMOTOR SYSTEM	13	-	-	3	-	3	1	2	-	-	3	1	-	1	-	2	-	1	-	-	1
12. " THE SKIN -	4	3	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	227	52	-	14	52	118	6	-	1	23	30	5	-	1	11	17	13	-	-	13	26
E. VIOLENT DEATHS -	107	8	7	26	5	46	8	2	11	2	23	4	2	2	2	10	4	1	6	3	14
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ No statement -	6	1	1	3	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	133	115	10	1	-	126	2	-	-	2	10	2	-	-	-	2	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	15	7	3	1	-	11	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	32	2	-	3	8	13	2	-	6	2	10	-	-	-	-	-	1	1	-	-	2
Hooping-cough -	54	22	1	-	-	23	8	2	-	-	10	-	-	-	-	-	15	1	-	-	16
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	14	2	3	-	-	5	1	2	1	-	4	3	-	-	-	3	-	-	-	-	-
Cerebro-spinal Fever -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	12	-	1	5	-	6	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
Asiatic Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis	5	1	-	-	-	1	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea	22	10	-	1	3	14	-	-	2	2	-	1	-	1	2	-	-	-	-	-	-
Dysentery -	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

181

Registered during the month of DECEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	47	10	34	37	128	37	6	25	32	100	43	6	38	40	127	19	3	17	26	65
A. GENERAL DISEASES -	14	6	11	2	33	13	4	8	3	28	13	6	16	9	44	4	3	8	4	19
B. LOCAL DISEASES:--																				
1. DISEASES OF NERVOUS SYSTEM	4	-	3	-	7	2	1	2	-	5	6	-	3	-	9	-	-	2	2	4
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " HEART -	-	1	2	9	12	-	-	5	5	10	-	-	3	12	15	2	-	2	3	7
4. " BLOOD VESSELS -	-	-	1	5	6	-	-	2	7	9	-	-	3	5	8	-	-	3	4	7
5. " RESPIRATORY SYSTEM	20	1	13	6	40	18	-	1	7	26	14	-	6	6	26	9	-	1	6	16
6. " DIGESTIVE SYSTEM -	3	-	1	1	5	1	1	-	2	4	2	-	-	1	3	1	-	1	2	4
7. " LYMPHATIC AND DUCTLESS GLANDS	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. " URINARY SYSTEM -	1	-	1	1	3	-	-	3	5	8	-	-	2	-	2	-	-	-	2	2
9. " GENERATIVE SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. " PREGNANCY AND CHILDBIRTH -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
11. " LOCOMOTOR SYSTEM	-	1	-	-	1	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-
12. " THE SKIN -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES -																				
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -																				
E. VIOLENT DEATHS -																				
A. GENERAL DISEASES.																				
Small-pox	{	Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		No statement-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles		2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever		-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever		-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Influenza		-	-	1	1	-	-	-	-	1	1	-	1	1	3	1	1	-	2	1
Hooping-cough		3	-	-	3	1	-	-	-	1	-	-	-	-	1	-	-	-	1	1
Mumps		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup		-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Cerebro-spinal Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever		-	-	-	-	-	1	-	-	1	-	-	1	1	2	-	-	1	-	1
Asiatic Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Epidemic or Zymotic Enteritis		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Choleraic Diarrhoea		-	-	1	1	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-
Dysentery		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Malarial Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - -	9	6	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sappremia - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Erysipelas - - -	10	3	-	3	2	8	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
Septicæmia (not Puerperal)	5	-	-	2	1	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax) - - -	5	-	-	2	1	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Phagedæna - - -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Infective Endocarditis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases - - -	3	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	47	4	1	7	-	12	2	1	5	1	9	2	4	6	-	12	-	2	3	-	5
Phthisis (not otherwise def.) -	198	5	13	82	2	107	-	3	25	2	30	-	3	13	2	18	1	1	12	-	14
Tuberculous Meningitis - - -	44	16	6	1	-	23	4	2	-	-	6	5	2	-	-	7	2	1	-	-	3
Tuberculous Peritonitis - - -	23	10	-	2	-	12	-	-	1	-	1	3	1	-	-	4	-	2	1	-	3
Tabes Mesenterica - - -	13	9	3	-	-	12	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs - - -	13	2	2	-	-	4	-	-	2	-	2	1	1	1	-	3	1	1	-	-	2
General Tuberculosis - - -	23	6	2	3	1	12	2	2	-	-	4	-	2	-	-	2	1	1	2	-	4
Scrofula - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	8	-	-	4	-	4	-	-	2	1	3	-	-	-	-	-	-	1	-	-	1
Opium, Morphia Habit - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Ptomaine Poisoning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

183

Registered during the Month of DECEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	1	-	3	-	4	-	-	2	1	3	-	1	1	-	2
Phthisis (not otherwise defined)	-	4	5	-	9	-	2	3	-	5	-	3	6	2	11	-	4	-	-	4
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	1	-	-	-	1
Tuberculous Peritonitis	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
General Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Potomane Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism - - -	9	-	1	1	-	2	1	3	1	-	5	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - -	4	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	1	-	1
Gout - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - -	55	-	-	12	7	19	-	-	4	11	15	-	-	2	3	5	-	1	3	4	8
Sarcoma - - -	7	-	1	3	-	4	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	66	-	-	22	14	36	-	-	3	7	10	-	-	2	4	6	-	-	1	4	5
Rickets - - -	6	2	-	-	-	2	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Purpura - - -	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - -	12	-	1	4	2	7	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus - - -	16	-	-	1	2	3	-	-	4	2	6	-	1	2	1	4	-	-	3	-	3
Premature Birth - - -	94	48	-	-	-	48	13	-	-	-	13	13	-	-	-	13	9	-	-	-	9
Congenital Defects - - -	17	6	-	-	-	6	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-
Injury at Birth - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Atelectasis - - -	6	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Want of Breast Milk - - -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - -	6	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain - - -	53	28	2	5	-	35	-	1	3	-	4	2	1	1	-	4	1	-	-	-	1
Softening of Brain - - -	8	-	-	2	-	2	-	-	-	1	1	-	-	1	1	2	-	-	-	1	1
General Paralysis of Insane -	4	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - -	4	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	1	-	1
Chorea - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - -	6	-	2	1	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Convulsions - - -	43	20	1	-	-	21	3	-	-	-	3	2	-	-	-	2	11	-	-	-	11
Laryngismus Stridulus - - -	5	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - -	2	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord -	9	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1	-	-	-	1	1
Neuritis; Peripheral, Polyneuritis - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	4	-	2	1	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Dis. of Nervous System	30	4	-	5	11	20	2	-	2	2	6	-	-	-	1	1	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease - - -	8	2	2	1	-	5	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) - - -	76	-	2	16	7	25	-	-	18	6	24	-	-	1	4	5	-	-	10	3	13
Pericarditis - - -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - -	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Angina Pectoris - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - -	7	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	1	-	1
Fatty Degeneration of Heart -	6	-	-	2	1	3	-	-	1	-	1	-	-	-	1	1	-	-	1	-	1
Syncope, Heart Disease (not specified) - - -	167	2	4	34	26	66	2	2	4	19	27	1	1	15	12	29	-	-	6	8	14

DEATHS FROM ALL CAUSES at Four Periods of Life.

185

Registered during the Month of DECEMBER 1903.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	-	1	1	-	-	-	1	1	-	-	2	1	3	-	-	-	3	3
Sarcoma	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	2	1	3	-	-	1	-	1	-	-	2	3	5	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	3	-	-	-	3	3	-	-	-	3	4	-	-	-	4	1	-	-	-	1
Congenital Defects	2	-	-	-	2	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Want of Breast Milk	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	1	-	2	-	3	1	-	-	-	-	3	-	-	-	3	-	-	1	1	2
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Convulsions	2	-	-	-	2	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Laryngismus Stridulus	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	1	-	-	1	-	-	2	-	2	-	-	-	-	-
Neuritis; Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	-	-	2	2	-	-	-	1	1	-	-	2	1	3	-	-	1	2	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified)	-	1	2	4	7	-	-	5	4	9	-	-	1	10	11	2	-	1	1	4

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1903.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hemorrhage, Embolism, Thrombosis	69	-	-	10	15	25	-	-	6	9	15	-	-	5	6	11	-	-	4	4	8
Apoplexy, Hemiplegia	89	-	-	11	24	35	-	-	4	12	16	-	-	3	4	7	-	-	2	9	11
Aneurism	9	-	-	2	2	4	-	-	-	1	1	-	-	1	1	2	-	-	-	2	2
Senile Gangrene	6	-	-	-	3	3	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	2	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	6	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	342	76	1	55	51	183	19	-	10	23	52	17	-	8	10	35	11	1	6	9	27
Pneumonia { Lobar, Croupous	51	1	3	14	3	21	2	-	10	2	14	-	-	5	-	5	1	1	-	4	6
{ Catarrh. Lobul., Broncho-	150	76	1	7	2	86	8	1	2	1	12	16	-	2	1	19	7	-	-	-	7
{ Not otherwise defined	157	46	9	24	17	96	9	1	9	4	23	5	2	3	3	13	1	-	4	-	5
Emphysema, Asthma	14	-	-	4	2	6	-	-	2	1	3	-	-	1	1	-	-	-	1	1	4
Pleurisy	13	-	-	5	-	5	-	-	1	3	4	-	-	-	-	2	-	1	1	4	-
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	36	15	-	5	1	21	-	-	1	1	2	2	-	1	1	4	-	-	1	1	1
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	2	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Diseases of Mouth, Pharynx, (Esophagus (not Specific))	6	1	1	1	-	3	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1
Gastric Ulcer	13	-	-	6	-	6	-	-	2	-	2	-	-	1	-	1	-	-	3	-	3
Gastric Catarrh	19	8	-	5	-	13	1	-	-	1	2	2	-	1	-	3	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	11	-	-	2	1	3	-	-	3	2	5	1	-	1	-	2	-	-	-	-	-
Enteritis (not Epidemic)	16	6	2	1	2	11	1	-	-	-	1	1	-	-	1	2	-	-	1	-	1
Gastro-enteritis	25	12	2	1	1	16	3	-	-	-	3	1	-	-	-	1	3	-	-	-	3
Appendicitis, Perityphlitis	10	-	3	1	-	4	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-
Hernia	8	-	-	1	3	4	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction	15	-	-	6	-	6	2	-	1	-	3	-	-	2	-	2	-	-	2	1	3
Other Diseases of Intestines	5	-	-	1	-	1	-	-	1	1	1	-	1	-	1	-	-	-	1	1	-
Peritonitis (not Puerperal)	22	1	4	11	1	17	-	-	1	-	1	2	1	-	-	3	-	-	-	-	-
Cirrhosis of Liver	4	-	-	-	-	-	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	19	4	1	5	1	11	-	-	1	2	3	-	-	1	1	2	1	-	-	-	1
Other Dis. of Digestive System	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	3	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	3	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Diseases of Thyroid Body	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uremia	31	2	2	8	4	16	-	-	2	1	3	1	-	5	1	7	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	48	-	-	15	4	19	-	-	7	3	10	-	-	2	2	4	-	-	3	6	9
Calculus (not Biliary)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Dis. of Bladder and of Prostate	14	1	-	2	4	7	-	-	-	2	2	-	-	-	-	-	-	-	-	2	2
Other Dis. of Urinary System	17	-	-	8	2	10	1	1	2	1	5	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

187

Registered during the Month of DECEMBER 1903.

[illegible]

189

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—DECEMBER 1903.

DISTRICTS.	Estimated Population at Middle of 1903.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	22,477	49	18	40	0	0	0	0	0	0	0	0	0	11	5
Ayr,	31,299	87	19	59	0	0	0	0	0	0	0	2	0	18	6
Banff, with Macduff,	8,283	16	13	14	0	0	0	0	0	0	0	0	1	1	0
Blairstown,	4,232	5	4	9	0	0	0	0	0	0	0	0	0	2	1
Callander,	2,147	6	0	4	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,231	22	6	10	0	0	0	0	0	0	0	3	1	1	0
Cathcart,*	8,221	14	1	13	0	0	0	0	0	0	0	0	0	2	2
Coatbridge,	41,763	129	24	59	0	0	0	0	2	0	0	2	0	23	4
Crieff,	5,774	10	4	10	0	0	0	0	0	0	0	1	0	0	2
Dumbarton,	20,731	50	10	37	0	0	0	0	4	2	0	2	0	11	2
Dumfries, with Troqueer,	24,971	64	20	44	0	2	0	0	0	0	0	0	0	5	9
Dunfermline,	32,421	62	33	41	0	0	0	0	0	0	0	1	0	6	3
Dunoon,	9,340	18	4	16	0	0	0	0	0	0	0	0	0	3	1
Eastwood,*	15,756	38	3	20	0	1	1	0	6	0	0	0	0	5	3
Elgin,	11,819	25	11	12	0	0	0	0	0	0	0	0	0	2	4
Falkirk,	39,528	116	13	67	0	0	0	0	0	0	0	3	0	19	3
Forfar,	12,708	25	14	23	0	0	0	0	0	0	0	0	0	6	2
Galashiels,	13,230	26	14	20	0	0	0	0	0	0	0	0	0	3	2
Govan—(1) Plantation,*	28,401	66	2	41	0	1	0	2	0	0	0	1	0	8	3
(2) Govan,*	60,799	165	23	142	1	7	2	1	9	3	0	3	0	40	10
(3) Partick,*	59,360	159	45	65	0	1	0	2	0	0	0	3	1	15	10
Haddington,	5,106	13	4	12	0	0	0	0	0	0	0	1	0	1	2
Hawick, with Wilton,	18,069	33	10	35	0	0	2	1	1	0	0	1	0	6	1
Inverness,	27,734	57	21	60	0	0	0	0	1	0	0	0	0	6	8
Kilmarnock, with Riccarton,	38,598	101	36	60	0	5	1	1	1	1	0	2	0	15	0
Kilmore and Kilbride (Oban),	6,437	9	3	12	0	0	0	2	0	0	0	0	0	1	3
Kinning Park,*	13,891	39	13	24	0	1	0	2	0	0	0	1	0	6	1
Kirkcaldy and Abbotshall,	24,307	53	20	35	0	0	0	0	0	0	0	1	0	5	2
Kirkcudbright,	3,272	2	0	12	0	0	0	0	0	0	0	0	0	1	1
Largs, with Skelmorlie,	5,542	7	7	9	0	0	0	1	0	0	0	2	0	1	1
Logie (Bridge of Allan),	4,473	9	1	5	0	0	0	0	0	0	0	0	0	0	1
Moffat,	2,760	2	1	3	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,903	21	11	22	0	0	0	0	0	0	0	0	0	5	2
Moulin (Pitlochry),	2,237	1	1	5	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,846	14	7	7	0	0	0	1	0	0	0	0	0	3	0
New Monkland (Airdrie),	37,507	121	18	75	1	3	0	2	0	0	0	1	1	24	4
North Berwick,	3,802	5	2	2	0	0	0	0	0	0	0	0	0	0	1
Peterhead, with Boddam,	14,996	61	28	29	0	0	0	0	0	0	0	2	1	5	0
Rothsay,	9,439	15	4	12	0	2	0	0	0	0	0	0	0	1	1
St Andrews and St Leonards,	9,564	14	4	11	0	0	0	0	1	0	0	0	0	1	3
Shettleston,*	25,019	95	11	57	0	5	0	2	2	2	0	0	0	21	2
Stirling,	16,674	39	16	27	0	0	0	0	3	0	0	0	0	10	0
Stranraer,	6,001	10	5	17	0	0	0	0	0	1	0	1	0	1	1
Wick,	11,166	29	13	14	0	0	0	1	0	0	0	0	0	1	1

* Excluding portion within the Municipal Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 153 feet above the sea-level.

For the month of DECEMBER 1903.

Mean barometric pressure, 29.694 inches; less than the average for the same month of 1856-1900 by 0.107 inch.

Barometric monthly range, 1.492 inch; less by 0.106 inch.

Mean temperature, $37^{\circ}0$; less by $1^{\circ}7$.

Mean daily range of temperature, $8^{\circ}8$; less by $0^{\circ}3$.

Mean humidity, 90 per cent.; greater by 3 per cent.

Rain, number of days, 18; greater by 1 day.

Rain, depth in inches, 3.12; less by 0.71 inch.

Wind, pressure on square foot, 0.88 lb.; less by 1.03 lb.

Wind, direction of: a 8 days' excess of winds from E., S.E., and S.

Hence the month of December 1903 was characterised by a low mean barometric pressure, with a slightly low monthly range; a low mean temperature, with a slightly low mean daily range; a somewhat low mean rainfall, but falling on one day more than the average number; a very large excess of winds of moderate force from a S.E. quarter.

The mean barometric pressure was 29.694 inches, being 0.107 inch below the normal. Pressure was lowest from the 4th to the 11th, and highest towards the end of the month, the extremes at Leith, at sea-level, being 30.271 inches on the 28th and 28.888 inches on the 8th.

The mean temperature was $37^{\circ}0$, or $1^{\circ}7$ below the normal, the days being $1^{\circ}8$ and the nights $1^{\circ}5$ below their respective averages. Temperature was below the average at all the chief towns, the defect ranging from $0^{\circ}8$ at Edinburgh to $2^{\circ}4$ at Perth. The 1st, 2nd, 5th and 6th were very cold days, and thereafter brief mild and cold spells alternated until the 24th, when a severe frost became general over the country with lowest temperatures on the 30th. At Paisley ground frost occurred on every day except from 8th to 12th, on 14th, and from 20th to 23rd, and at Edinburgh except on 11th, 14th, and from 21st to 24th. The absolute maximum in shade at any of the towns was $54^{\circ}5$ at Leith on the 22nd, and the minimum $19^{\circ}0$ at Perth on the 2nd and 30th.

The mean rainfall was 3.12 inches, or 19 per cent. below the average. At Perth there was an excess of 13 per cent., but at the other towns a defect; ranging from 8 per cent. at Dundee and Paisley to 50 per cent. at Edinburgh and Leith. Heavy falls occurred on the 2nd, Greenock reporting 2.00 inches and Paisley 1.04 inch, whilst the largest daily amount at Aberdeen was 0.64 inch on the 7th, and at Dundee 0.60 inch on the 13th. No rain fell at Glasgow or Greenock after the 22nd, and but little at the other towns.

Snow fell in most districts on the 2nd and on one or two days thereafter.

The weather was stormy on the 2nd, 3rd, 7th and 21st, but in general the wind force was very light, the month being marked by dense land fogs and absence of sunshine. At Edinburgh no sunshine was recorded from 17th to 28th, whilst at Paisley fog occurred on 17 days, and only 8 hours of sunshine were registered during the month.

An aurora was noted at Edinburgh on the 18th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of DECEMBER 1903.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables. 2nd Edit.				RAIN.		WINDS.									
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pres- sure on Sq. ft.
GLASGOW, Medical Officer of Health, Glasgow.	54	29.625	29.686	1.392	53.0	20.0	37.3	33.0	8.7	17.4	37.2	36.1	34.4	.200	2.31	90	16	2.64	1	2	17	2	1	0	1	2	5	0.64
EDINBURGH, Professor COPLAND, Royal Observatory.	441	29.220	29.706	1.354	53.1	25.6	37.2	27.5	7.9	12.9	36.8	35.6	34.0	.195	2.30	90	16	1.08	0	0	3	8	10	4	1	1	1	1.21
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.523	29.707	1.400	54.2	22.6	36.4	31.6	10.8	13.5	36.1	35.3	34.2	.198	2.28	93	18	2.54	1	5	1	10	0	5	4	5	0	0.81
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29.655	29.705	1.400	51.0	19.5	36.2	31.5	8.6	24.5	36.7	35.4	33.6	.183	2.25	89	16	2.79	0	0	0	4	13	11	2	1	0	1.21
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.554	29.674	1.433	52.8	22.0	37.8	30.8	7.7	16.2	37.9	36.7	35.1	.205	2.42	90	24	4.46	1	1	8	3	7	2	2	0	7	1.00
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29.610	29.695	1.383	54.5	25.5	38.3	29.0	6.6	14.3	38.0	36.7	34.9	.203	2.34	89	20	1.12	1	0	4	7	3	4	4	1	7	1.44
GREENOCK, DANIEL MACALISTER C.E., Greenock Water-Works.	238	29.415	29.672	1.370	53.0	23.0	37.6	30.0	9.2	14.5	38.8	37.6	36.0	.213	2.50	90	18	6.76	0	0	4	13	0	8	1	3	2	1.44
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29.581	29.710	1.406	52.5	19.0	34.8	33.5	10.9	18.0	34.9	33.7	31.9	.179	2.07	89	—	3.53	2	1	3	10	3	1	3	0	8	0.25
Means	153	29.523	29.694	1.492	54.5	19.0	37.0	30.9	8.8	16.4	37.0	35.9	34.3	.197	2.31	90	18	3.12	1	1	5	7	5	4	3	1	4	0.88
North Latitude.—Glasgow, 56° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 38'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 46'; Perth, 3° 26'; Mean, 3° 30'.																												

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 28'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 8° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.